

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008



WORLD HEALTH ORGANIZATION

Update and Revision Committee

February 2009

CUMULATIVE OFFICIAL UPDATES TO ICD-10

The following pages include the corrigenda (pages 747-750 of Volume 3) and cumulative official changes to the tabular list, instruction manual and alphabetical index of ICD-10 from 1996 to 2008. These changes are approved at the Heads of Centres meetings in October of each year. The source and implementation date for each change has been identified. Date of approval has also been indicated for all changes except the corrigenda.

In 1999, the WHO ICD-10 Update Reference Committee (URC) was established. Modifications to the classification that have been recommended following the URC's inception are uniquely identified and further defined as a major or minor change.

Relevant changes in other language versions of ICD-10 and in related tools will also have to be made and disseminated by the appropriate authority.

(Note: Every effort has been made in the following pages to reproduce the content of the ICD-10 in the same format as the published volumes. Page references have not been used in all instances since these do not apply to electronic versions of the Classification. Additions/changes have been indicated through the use of instructions, underline and ~~strikeout~~).

This document is not issued to the general public, and all rights are reserved by the World Health Organization (WHO). The document may not be reviewed, abstracted, quoted, reproduced or translated, in part or in whole, without the prior written permission of WHO. No part of this document may be stored in a retrieval system or transmitted in any form or by any means – electronic, mechanical or other – without the prior written permission of WHO.

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Page iii	<p>Contents</p> <p>Tabular list of inclusions and four-character subcategories</p> <p>.....</p> <p><u>XXII Codes for special purposes</u></p>	MRG (URC:0204)	October 2003	Major	October 2003
Revise code title, revise code title and add code to list	<p>List of Three-Character Categories Bacterial, viral and other infectious agents (B95–B978)</p> <p>B95 Streptococcus and staphylococcus as the cause of diseases classified to other chapters</p> <p>B96 Other <u>specified</u> bacterial agents as the cause of diseases classified to other chapters</p> <p>B97 Viral agents as the cause of diseases classified to other chapters</p> <p>B98 <u>Other specified infectious agents as the cause of diseases classified to other chapters</u></p>	MbRG (URC:1291)	October 2008	Major	January 2010
Revise code title:	<p>List of Three-Character Categories</p> <p>C79 Secondary malignant neoplasm of other <u>and unspecified</u> sites</p>	MRG (URC:1066)	October 2007	Major	January 2010
Revise code titles and add code to list	<p>List of three-character categories</p> <p><i>Malignant neoplasms of lymphoid, haematopoietic and related tissue (C81-C96)</i></p> <p>C81 Hodgkin's disease-<u>lymphoma</u></p> <p>C82 Follicular [nodular] non-Hodgkin's lymphoma</p> <p>C83 Diffuse non-Hodgkin's <u>Non-follicular</u> lymphoma</p> <p>C84 Peripheral and cutaneous <u>Mature</u> T/NK-cell lymphomas</p> <p>C85 Other and unspecified types of non-Hodgkin's lymphoma</p> <p>C86 <u>Other specified types of T/NK-cell lymphoma</u></p> <p>C88 <u>Other B-cell lymphoma [M</u>malignant immunoproliferative diseases]</p> <p>D76 Certain <u>Other specified</u> diseases involving with participation of lymphoreticular tissue and reticulohistiocytic system <u>tissue</u></p>	Germany (URC:1230)	October 2008	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Revise code range and add code to list	<p>List of three-character categories Diseases of the nervous system (G00-G99) Systemic atrophies primarily affecting the central nervous system (G10-G14) G10 Huntington's disease G11 Hereditary ataxia G12 Spinal muscular atrophy and related syndromes G13* Systemic atrophies primarily affecting central nervous system in diseases classified elsewhere <u>G14</u> <u>Postpolio syndrome</u></p>	Brazil (URC:1116)	October 2008	Major	January 2010
Page 50 Modify category descriptor	<p>List of Three-Character categories Cerebral palsy and other paralytic syndromes (G80-G83) G80 Infantile <u>Cerebral palsy</u></p>	Australia (URC:0045)	October 2002	Major	January 2006
Add category	<p>List of three- character categories Influenza and pneumonia (J09-J10-J18) <u>J09</u> <u>Influenza due to identified avian influenza virus</u> J10 Influenza due to <u>other</u> identified influenza virus</p>	URC (URC:0349)	October 2008	Major	October 2008
Revise code title:	<p>List of Three-Character Categories Renal failure (N17-N19) N17 Acute renal failure N18 Chronic renal <u>kidney failure disease</u> N19 Unspecified renal failure</p>	Australia (URC:1241)	October 2007	Major	January 2010
Page 71 Revise code Add category code and title	<p>List of Three-Character categories Other obstetric conditions, not elsewhere classified (O94-O99) <u>O94</u> <u>Sequelae of complication of pregnancy, childbirth and the puerperium</u></p>	Australia (URC:0112)	October 2002	Major	January 2006
Page 63 Modify three-	<p>List of Three-Character Categories Complications of labour and delivery (O60-O75)</p>	Germany (URC:0222)	October 2004	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

character code title	O60 <u>Preterm delivery-labour</u>				
Revise code title:	List of Three-Character Categories Digestive system disorders of fetus and newborn (P75–P78) P75* Meconium ileus <u>in cystic fibrosis</u> P76 Other intestinal obstruction of newborn P77 Necrotizing enterocolitis of fetus and newborn P78 Other perinatal digestive system disorders	Germany (URC:1162)	October 2007	Major	January 2010
Page 104	<u>Chapter XXII</u> <u>Codes for special purposes (U00-U99)</u> <u>Provisional assignment of new diseases of uncertain etiology (U00-U49)</u> <u>U04 Severe acute respiratory syndrome [SARS]</u>	MRG (URC:0204)	October 2003	Major	October 2003
Page 107 Add instruction	Certain infectious and parasitic diseases (A00-B99) <u>Use additional code (U80.- – U89.-), if desired, to identify the antibiotic to which a bacterial agent is resistant</u>	Australia/ NORDIC (URC:0026)	October 2002	Major	January 2006
Revise excludes note	Certain infectious and parasitic diseases (A00–B99) <i>Includes:</i> diseases generally recognized as communicable or transmissible <i>Excludes:</i> carrier or suspected carrier of infectious disease (Z22.-) certain localized infections – see body system-related chapters infectious and parasitic diseases complicating pregnancy, childbirth and the puerperium [except obstetrical tetanus] and human immunodeficiency virus [HIV] disease (O98.-) infectious and parasitic diseases specific to the perinatal period [except tetanus neonatorum, congenital syphilis, perinatal gonococcal infection and perinatal human immunodeficiency virus [HIV] disease] (P35–P39) influenza and other acute respiratory infections (J00–J22)	Canada (URC:1187)	October 2008	Major	January 2010
Revise code	Certain infectious and parasitic diseases (A00-B99) This chapter contains the following blocks: ... B95–B978 Bacterial, viral and other infectious agents	MbRG (URC:1291)	October 2008	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	B99 Other infectious disease				
Revise code title	A02 Other salmonella infections A02.0 Salmonella enteritis Salmonellosis A02.1 Salmonella septicaemia sepsis	MbRG (URC:1238)	October 2007	Major	January 2010
Delete dagger Add dagger Add dagger Add dagger Add dagger	A02.2 † Localized salmonella infections Salmonella: . arthritis † (M01.3*) . meningitis † (G01*) . osteomyelitis † (M90.2*) . pneumonia † (J17.0*) . renal tubulo-interstitial disease † (N16.0*)	Australia (URC:0046)	October 2001	Minor	January 2003
Modify excludes note Add inclusion term Modify title	A04 Other bacterial intestinal infections <i>Excludes:</i> foodborne intoxications, bacterial (A05.-)elsewhere <u>classified</u> tuberculous enteritis (A18.3) A04.7 Enterocolitis due to <i>Clostridium difficile</i> Foodborne intoxication by <i>Clostridium difficile</i> A05 Other bacterial foodborne intoxications, <u>not elsewhere classified</u>	MRG (URC:0167)	October 2003	Major	January 2006
Add inclusion term	A04.7 Enterocolitis due to <i>Clostridium difficile</i> <u>Pseudomembranous colitis</u>	MRG (URC:0165)	October 2003	Major	January 2006
Add code	A08 Viral and other specified intestinal infections <i>Excludes</i> :influenza with involvement of gastrointestinal tract (J09, J10.8, J11.8)	URC (URC:0349)	October 2005	Major	October 2005
Delete text and Add text	A09 <u>Other diarrhoea and gastroenteritis of presumed infectious and colitis of infectious and unspecified origin</u> <i>Note:</i> In countries where any term listed in A09 without further specification can be assumed to be of non infectious origin, the condition should be classified to K52.9 Catarrh, enteric or intestinal Colitis _____ NOS Enteritis _____ } haemorrhagic	MRG (URC:0317)	October 2005	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

<p>Add code and inclusion terms</p> <p>Add code</p>	<p>Gastroenteritis septic Diarrhoea: — NOS — dysenteric — epidemic — Infectious diarrhoeal disease NOS</p> <p><i>Excludes:</i> due to bacterial, protozoal, viral and other specified infectious agents (A00-A08) Noninfective (see <u>noninfectious</u>) diarrhoea (K52.9) - neonatal (P78.3)</p> <p>A09.0 Other and unspecified gastroenteritis and colitis of infectious origin</p> <p><u>Catarrh, enteric or intestinal</u> <u>Diarrhoea:</u> - <u>acute bloody</u> - <u>acute hemorrhagic</u> - <u>acute watery</u> - <u>dysenteric</u> - <u>epidemic</u> <u>Infectious or septic:</u> - <u>colitis</u> - <u>enteritis</u> } NOS haemorrhagic - <u>gastroenteritis</u> <u>Infectious diarrhoea NOS</u></p> <p><u>A09.9 Gastroenteritis and colitis of unspecified origin</u></p>				
<p>Add excludes at block level:</p>	<p>Tuberculosis (A15-A19) <i>Includes:</i> infections due <i>Mycobacterium tuberculosis</i> and <i>Mycobacterium bovis</i> <i>Excludes:</i> congenital tuberculosis (P37.0) <u>human immunodeficiency [HIV] disease resulting in tuberculosis (B20.0)</u> pneumoconiosis associated with tuberculosis (J65) sequelae of tuberculosis (B90.-) silicotuberculosis (J65)</p>	<p>Netherlands (URC:1194)</p>	<p>October 2007</p>	<p>Minor</p>	<p>January 2009</p>
<p>Delete dagger</p> <p>Add dagger</p>	<p>A18.1 †Tuberculosis of genitourinary system Tuberculosis of: .bladder ‡ (N33.0*)</p>	<p>Australia (URC:0046)</p>	<p>October 2001</p>	<p>Minor</p>	<p>January 2003</p>

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Add dagger Add dagger Add dagger Add dagger Add dagger	.cervix † (N74.0*) .kidney † (N29.1*) .male genital organs † (N51.-*) .ureter † (N29.1*) Tuberculous female pelvic inflammatory disease † (N74.1*)				
Delete dagger Add dagger Add dagger Add dagger Add dagger Add dagger	A18.5 †Tuberculosis of eye Tuberculous: .chorioretinitis † (H32.0*) .episcleritis † (H19.0*) .interstitial keratitis † (H19.2*) .iritocyclitis † (H22.0*) .keratoconjunctivitis (interstitial) (phlyctenular) † (H19.2*)	Australia (URC:0046)	October 2001	Minor	January 2003
Delete dagger Add dagger	A18.6 †Tuberculosis of ear Tuberculous otitis media † (H67.0*)	Australia (URC:0046)	October 2001	Minor	January 2003
Delete dagger Add dagger Add dagger Add dagger Add dagger Add dagger Add dagger	A18.8 †Tuberculosis of other specified organs Tuberculosis of: .endocardium † (I39.8*) .myocardium † (I41.0*) .oesophagus † (K23.0*) .pericardium † (I32.0*) .thyroid gland † (E35.0*) Tuberculous cerebral arteritis † (I68.1*)	Australia (URC:0046)	October 2001	Minor	January 2003
Revise code title:	A22 Anthrax <i>Includes: infection due to Bacillus anthracis</i> A22.7 Anthrax septicaemia sepsis	MbRG (URC:1238)	October 2007	Major	January 2010
Add inclusions	A24 Glanders and melioidosis A24.0 Glanders Infection due to <i>Pseudomonas mallei</i> <u>Infection due to <i>Burkholderia mallei</i></u> Malleus A24.1 Acute and fulminating melioidosis Melioidosis: • pneumonia • sepsis • septicaemia A24.2 Subacute and chronic melioidosis A24.3 Other melioidosis	Australia (URC:1073)	October 2006	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	A24.4 Melioidosis, unspecified Infection due to <i>Pseudomonas pseudomallei</i> NOS <u>Infection due to <i>Burkholderia pseudomallei</i> NOS</u> Whitmore's disease				
Revise inclusions:	A24 Glanders and melioidosis A24.1 Acute and fulminating melioidosis Melioidosis: • pneumonia • septicaemia sepsis	MbRG (URC:1238)	October 2007	Major	January 2010
Revise code title:	A26 Erysipeloid A26.7 Erysipelothrix septicaemia sepsis	MbRG (URC:1238)	October 2007	Major	January 2010
Revise code title:	A32 Listeriosis A32.7 Listerial septicaemia sepsis	MbRG (URC:1238)	October 2007	Major	January 2010
Revise code titles:	A40 Streptococcal septicaemia sepsis <i>Excludes:</i> during labour (O75.3) following: • abortion or ectopic or molar pregnancy (O03–O07, O08.0) • immunisation (T88.0) • infusion, transfusion or therapeutic injection (T80.2) neonatal (P36.0–P36.1) postprocedural (T81.4) puerperal (O85) A40.0 Septicaemia Sepsis due to streptococcus, group A A40.1 Septicaemia Sepsis due to streptococcus, group B A40.2 Septicaemia Sepsis due to streptococcus, group D A40.3 Septicaemia Sepsis due to Streptococcus pneumoniae Pneumococcal septicaemia sepsis A40.8 Other streptococcal septicaemia sepsis A40.9 Streptococcal septicaemia sepsis, unspecified	MbRG (URC:1238)	October 2007	Major	January 2010
Revise code titles and exclusion note:	A41 Other septicaemia sepsis <i>Excludes:</i> bacteraemia NOS (A49.9) during labour (O75.3) following: • abortion or ectopic or molar pregnancy (O03–O07, O08.0) • immunisation (T88.0) • infusion, transfusion or therapeutic injection (T80.2)				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	<p>septicaemiasepsis (due to)(in):</p> <ul style="list-style-type: none"> • actinomycotic (A42.7) • anthrax (A22.7) • candidal (B37.7) • Erysipelothrix (A26.7) • extraintestinal yersiniosis (A28.2) • gonococcal (A54.8) • herpesviral (B00.7) • listerial (A32.7) • meningococcal (A39.2–A39.4) • neonatal (P36.-) • postprocedural (T81.4) • puerperal (O85) • streptococcal (A40.-) • tularaemia (A21.7) <p>septicaemiaseptic:</p> <ul style="list-style-type: none"> • melioidosis (A24.1) • plague (A20.7) <p>toxic shock syndrome (A48.3)</p> <p>A41.0 Septicaemia Sepsis due to Staphylococcus aureus</p> <p>A41.1 Septicaemia Sepsis due to other specified staphylococcus SepticaemiaSepsis due to coagulase-negative staphylococcus</p> <p>A41.2 Septicaemia Sepsis due to unspecified staphylococcus</p> <p>A41.3 Septicaemia Sepsis due to Haemophilus influenzae</p> <p>A41.4 Septicaemia Sepsis due to anaerobes <i>Excludes:</i> gas gangrene (A48.0)</p> <p>A41.5 Septicaemia Sepsis due to other Gram-negative organisms Gram-negative septicaemia sepsis NOS</p> <p>A41.8 Other specified septicaemia sepsis</p> <p>A41.9 SepticaemiaSepsis, unspecified Septic shock Septicaemia</p>				
Add note	<p>A41.9 Sepsis, unspecified Septicaemia</p> <p>Use additional code (R57.2) if desired, to identify septic shock</p>	MbRG (URC:1240)	October 2008	Major	January 2010
Revise code title:	A42.7 Actinomycotic septicaemia sepsis	MbRG (URC:1238)	October 2007	Major	January 2010
Revise code title and exclusion:	A48.3 Toxic shock syndrome <i>Excludes:</i> endotoxic shock NOS (R57.8) septicaemia sepsis NOS (A41.9)	MbRG (URC:1238)	October 2007	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Revise code titles	<p>A49 Bacterial infection of unspecified site <i>Excludes:</i> bacterial agents as the cause of diseases classified to other chapters (B95-B96) chlamydial infection NOS (A74.9) meningococcal infection NOS (A39.9) rickettsial infection NOS (A79.9) spirochaetal infection NOS (A69.9)</p> <p>A49.0 Staphylococcal infection, unspecified site A49.1 Streptococcal infection, unspecified site A49.2 Haemophilus influenzae infection, unspecified site A49.3 Mycoplasma infection, unspecified site A49.8 Other bacterial infections of unspecified site A49.9 Bacterial infection, unspecified Bacteraemia NOS</p>	Australia (URC:1042)	October 2006	Minor	January 2008
Delete dagger Add dagger Add dagger Add dagger Add dagger	<p>A54.2 † Gonococcal pelviperitonitis and other gonococcal genitourinary infections Gonococcal: .epididymitis † (N51.1*) .female pelvic inflammatory disease † (N74.3*) .orchitis † (N51.1*) .prostatitis † (N51.0*)</p>	Australia (URC:0046)	October 2001	Minor	January 2003
Revise inclusion:	<p>A54.8 Other gonococcal infections Gonococcal: • brain abscess† (G07*) • endocarditis† (I39.8*) • meningitis† (G01*) • myocarditis† (I41.0*) • pericarditis† (I32.0*) • peritonitis† (K67.1*) • pneumonia† (J17.0*) • septicaemia <u>sepsis</u> • skin lesions</p>	MbRG (URC:1238)	October 2007	Major	January 2010
Delete dagger Add dagger Add dagger Add dagger	<p>A56.1† Chlamydial infection of pelviperitoneum and other genitourinary organs Chlamydial: .epididymitis † (N51.1*) .female pelvic inflammatory disease † (N74.4*) .orchitis † (N51.1*)</p>	Australia (URC:0046)	October 2001	Minor	January 2003

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Modify title Add inclusion note	A81 <u>Atypical virus infections of central nervous system</u> <i><u>Includes:</u></i> prion diseases of the central nervous system	NORDIC	October 1997		January 1999
Modify title	A81.8 Other <u>atypical</u> virus infections of central nervous system	NORDIC	October 1997		January 1999
Modify title Add inclusion term Delete inclusion term	A81.9 <u>Atypical virus infection of central nervous system, unspecified</u> <u>Prion disease of central nervous system NOS</u> Slow virus infection NOS	NORDIC	October 1997		January 1999
Modify code title and add inclusion	A92.3 West Nile Fever <u>virus infection</u> <u>West Nile fever</u>	North America (URC:0320)	October 2005	Minor	January 2007
Add inclusion term Add excludes notes	A98.5 <u>Haemorrhagic fever with renal syndrome</u> <u>Hantavirus disease with renal manifestations</u> <i><u>Excludes:</u></i> hantavirus (cardio)-pulmonary syndrome (B33.4† J17.1*)	Brazil (URC:0042)	October 2002	Major	January 2006
Delete dagger Add dagger Add dagger Add dagger Add dagger Add dagger Add dagger	B00.5† <u>Herpesviral ocular disease</u> Herpesviral: .conjunctivitis † (H13.1*) .dermatitis of eyelid † (H03.1*) .iridocyclitis † (H22.0*) .iritis † (H22.0*) .keratitis † (H19.1*) .keratconjunctivitis † (H19.1*) .uveitis, anterior † (H22.0*)	Australia (URC:0046)	October 2001	Minor	January 2003
Revise inclusion:	B00.7 <u>Disseminated herpesviral disease</u> <u>Herpesviral septicaemia/sepsis</u>	MbRG (URC:1238)	October 2007	Major	January 2010
Delete dagger Add dagger Add dagger Add dagger Add dagger Add dagger	B02.3† <u>Zoster ocular disease</u> Zoster: .blepharitis † (H03.1*) .conjunctivitis † (H13.1*) .iridocyclitis † (H22.0*) .iritis † (H22.0*) .keratitis † (H19.2*)	Australia (URC:0046)	October 2001	Minor	January 2003

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Add dagger Add dagger	.keratoconjunctivitis † (H19.2*) .scleritis † (H19.0*)				
Revise code	B07 Viral warts <i>Excludes:</i> papilloma of: . bladder (D41.4)	WHO Corrigenda			January 1995
Add note	Viral hepatitis (B15–B19) <i>Excludes:</i> cytomegaloviral hepatitis (B25.1) herpesviral [herpes simplex] hepatitis (B00.8) sequelae of viral hepatitis (B94.2) <u>Use additional code (Chapter XX), if desired, to identify drug, if post-transfusion hepatitis</u> B15 Acute hepatitis A B15.0 Hepatitis A with hepatic coma B15.9 Hepatitis A without hepatic coma Hepatitis A (acute)(viral) NOS	Australia (URC:0307)	October 2005	Major	January 2010
Add new code and inclusion	B17 Other acute viral hepatitis B17.0 Acute delta-(super)infection of hepatitis B carrier B17.1 Acute hepatitis C B17.2 Acute hepatitis E B17.8 Other specified acute viral hepatitis Hepatitis non-A non-B (acute)(viral) NEC	Germany (URC:0281)	October 2005	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Modify code titles	<p><u>B17.9 Acute viral hepatitis, unspecified</u> <u>Acute hepatitis NOS</u></p> <p>B19 Unspecified viral hepatitis</p> <p>B19.0 Unspecified viral hepatitis with <u>hepatic</u> coma</p> <p>B19.9 Unspecified viral hepatitis without <u>hepatic</u> coma</p>				
Delete note	<p>Human immunodeficiency virus [HIV] disease (B20-B24)</p> <p>Note: The fourth character subcategories of B20-B23 are provided for optional use where it is not possible or not desired to use multiple coding to identify the specific conditions.</p>	MRG (URC:0202)	October 2003	Minor	January 2005
Add excludes note	<p>Human immunodeficiency virus [HIV] disease (B20-B24)</p> <p><i>Excludes:</i> asymptomatic human immunodeficiency virus [HIV] infection status (Z21)</p> <p>complicating pregnancy, childbirth and the puerperium (O98.7)</p>	Canada (URC:1187)	October 2008	Major	January 2010
Add inclusion term	<p>B20.6 HIV disease resulting in <u>Pneumocystis jirovecii pneumonia</u> <u>HIV disease resulting in Pneumocystis carinii pneumonia</u></p>	Germany (URC:1014)	October 2006	Minor	January 2008
Revise spelling	<p>B21.1 HIV disease resulting in Burkitt²s lymphoma</p> <p>B21.2 HIV disease resulting in other types of non-Hodgkin²s lymphoma</p>	Germany 1230	October 2008	Major	January 2010
Add new code and description Add inclusion terms Add instructional note Add excludes note	<p>B33 Other viral diseases, not elsewhere classified</p> <p><u>B33.4† Hantavirus (cardio)-pulmonary syndrome [HPS] [HCPS] (J17.1*)</u></p> <p><u>Hantavirus disease with pulmonary manifestations</u> <u>Sin Nombre virus disease</u></p> <p><u>Use additional code (N17.9), if desired, to identify any renal failure associated with HPS caused by the Andes, Bayou and Black Creek Canal hantavirus aetiologies.</u></p> <p><u>Excludes:</u> haemorrhagic fever with renal manifestations (A98.5† N08.0*)</p>	Brazil (URC:0042)	October 2002	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Revise code titles	B34 Viral infection of unspecified site <i>Excludes:</i> cytomegaloviral disease NOS (B25.9) herpesvirus [herpes simplex] infection NOS (B00.9) retrovirus infection NOS (B33.3) viral agents as the cause of diseases classified to other chapters (B97.-) B34.0 Adenovirus infection, unspecified <u>site</u> B34.1 Enterovirus infection, unspecified <u>site</u> Coxsackievirus infection NOS Echovirus infection NOS B34.2 Coronavirus infection, unspecified <u>site</u> B34.3 Parvovirus infection, unspecified <u>site</u> B34.4 Papovavirus infection, unspecified <u>site</u> B34.8 Other viral infections of unspecified site Viraemia NOS	Australia (URC:1041)	October 2006	Minor	January 2008
Add excludes note	B34.2 Coronavirus infection, unspecified <i>Excludes:</i> severe acute respiratory syndrome [SARS] (U04.9)	Roberto Becker (URC:0204)	October 2005	Minor	January 2006
Delete dagger Add dagger Add dagger	B37.4 †Candidiasis of other urogenital sites Candidal: .balanitis † (N51.2*) .urethritis † (N37.0*)	Australia (URC:0046)	October 2001	Minor	January 2003
Revise code title:	B37.7 Candidal septicaemia sepsis	MbRG (URC:1238)	October 2007	Major	January 2010
Delete dagger & manifestation codes Add dagger Add dagger	B57.2 †Chagas disease (chronic) with heart involvement (I41.2*, I98.1*) Chagas' disease (chronic) (with): .NOS .cardiovascular involvement NEC † (I98.1*) .myocarditis † (I41.2*)	Australia (URC:0046)	October 2001	Minor	January 2003
Add dagger and manifestation code	B59† Pneumocystosis (J17.3*)	Australia (URC:0087)	October 2001	Minor	January 2003
Revise inclusions	B59† Pneumocystosis (J17.3*) Pneumonia due to Pneumocystis carinii Pneumonia due to: . <u>Pneumocystis carinii</u> . <u>Pneumocystis jirovecii</u>	Germany (URC:1014)	October 2006	Minor	January 2008

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Add exclusion term	B60 Other protozoal diseases, not elsewhere classified <i>Excludes: <u>intestinal microsporidiosis (A07.8)</u></i>	Australia	October 1997		January 1999
Add inclusion term	B67.4 Echinococcus granulosus infection, unspecified <u>Dog tapeworm (infection)</u>	Germany (URC:0270)	October 2005	Major	January 2010
Delete inclusion term	B71.1 Dipylidiasis <u>Dog tapeworm (infection)</u>	Germany (URC:0270)	October 2005	Major	January 2010
Add exclusion term	B81 Other intestinal helminthiases, not elsewhere classified Excludes: <u>angiostrongyliasis due to <i>Parastrongylus cantonensis</i> (B83.2)</u> <u>angiostrongyliasis due to <i>Angiostrongylus cantonensis</i> (B83.2)</u>	Netherlands (URC:1067)	October 2006	Minor	January 2008
Add inclusion terms:	B81.3 Intestinal angiostrongyliasis Angiostrongyliasis due to <i>Parastrongylus costaricensis</i> <u>Angiostrongyliasis due to <i>Angiostrongylus costaricensis</i></u>				
Add inclusion term	B81.8 Other specified intestinal helminthiases Infection due to: - <i>Oesophagostomum</i> species [oesophagostomiasis] - <i>Ternidens deminutus</i> [ternidensiasis] - <i>Ternidens diminutus</i> [ternidensiasis]	Netherlands (URC:1068)	October 2006	Minor	January 2008
Add inclusion term	B83.2: Angiostrongyliasis due to <i>Parastrongylus cantonensis</i> <u>Angiostrongyliasis due to <i>Angiostrongylus cantonensis</i></u> Eosinophilic meningoencephalitis† (G05.2*)	Netherlands (URC:1067)	October 2006	Minor	January 2008
Revise and add text:	Sequelae of infectious and parasitic diseases (B90-B94) <i>Note: These categories B90-B94 are to be used to indicate conditions in categories A00-B89 as the cause of sequelae, which are themselves classified elsewhere. The “sequelae” include conditions specified as such; they also include late effects of diseases classifiable to the above categories if there is evidence that the disease itself is no longer present. For use of these categories, reference should be made to the morbidity or mortality coding rules and guidelines in Volume 2.</i> <u>Not to be used for chronic infections. Code current infections to chronic or active infectious disease as appropriate.</u>	MRG (URC:1221)	October 2007	Minor	January 2009

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Add excludes note	B91 Sequelae of poliomyelitis <i>Excludes: postpolio syndrome (G14)</i>	Brazil (URC:1116)	October 2008	Major	January 2010
Revise category range and title, add new category and codes	Bacterial, viral and other infectious agents (B95–B97.8) <i>Note:</i> These categories should never be used in primary coding. They are provided for use as supplementary or additional codes when it is desired to identify the infectious agent(s) in diseases classified elsewhere. B96 Other <u>specified</u> bacterial agents as the cause of diseases classified to other chapters B98 <u>Other specified infectious agents as the cause of diseases classified to other chapters</u> B98.0 <u>Helicobacter pylori [H.pylori] as the cause of diseases classified to other chapters</u> B98.1 <u>Vibrio vulnificus as the cause of diseases classified to other chapters</u>	MbRG (URC:1291)	October 2008	Major	January 2010
Revise code title	B96.5 Pseudomonas (aeruginosa)(mallei)(pseudomallei) as the cause of diseases classified to other chapters	Australia (URC:1073)	October 2006	Major	January 2010
Add inclusion term	B97.8 Other viral agents as the cause of diseases classified to other chapters <u>Human metapneumovirus</u>	Canada (URC:1408)	2008	Major	January 2010
Add code range	Chapter II Neoplasms (C00-D48) This chapter contains the following broad groups of neoplasms: <u>C00-C97 Malignant neoplasms</u> C00-C75 Malignant neoplasms, stated or presumed to be primary, of specified sites, except of lymphoid, haematopoietic and related tissue C00-C14 Lip, oral cavity and pharynx C15-C26 Digestive organs C30-C39 Respiratory and intrathoracic organs C40-D41 Bone and articular cartilage	Germany (URC:0218)	October 2004	Minor	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

<p>Modify text</p> <p>Add text</p>	<p>C43-C44 Skin C45-C49 Mesothelial and soft tissue C50 Breast C51-C58 Female genital organs C60-C63 Male genital organs C64-C68 Urinary tract C69-C72 Eye, brain and other parts of central nervous system C73-C75 Thyroid and other endocrine glands C76-C80 Malignant neoplasms of ill-defined, secondary and unspecified sites C81-C96 Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue C97 Malignant neoplasms of independent (primary) multiple sites D00-D09 In situ neoplasms D10-D36 Benign neoplasms D37-D48 Neoplasms of uncertain or unknown behaviour [see note <u>before D37</u>]</p> <p>Malignant neoplasms (C00-C97)</p> <p><u>Malignant neoplasms, stated or presumed to be primary, of specified sites, except of lymphoid, haematopoietic and related tissue (C00-C75)</u> Malignant neoplasms of lip, oral cavity and pharynx (C00–□C14)</p>				
<p>Revise spelling</p>	<p>Chapter II</p> <p>Neoplasms (C00-D48)</p> <p>...</p> <p>3. Morphology</p> <p>There are a number of major morphological (histological) groups of malignant neoplasms: carcinomas including squamous (cell) and adeno-carcinomas; sarcomas; other soft tissue tumours including mesotheliomas; lymphomas (Hodgkin's and non-Hodgkin's); leukaemia; other specified and site-specific types; and unspecified cancers. Cancer is a generic term and may be used for any of the above groups, although it is rarely applied to the malignant neoplasms of lymphatic, haematopoietic and related tissue. 'Carcinoma' is</p>	<p>Germany (URC:1230)</p>	<p>October 2008</p>	<p>Major</p>	<p>January 2010</p>

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	sometimes used incorrectly as a synonym for 'cancer'.				
Delete code and title	C14.1 Laryngopharynx	WHO Corrigenda			January 1995
Add and revise exclusions	C26.1 Spleen <i>Excludes:</i> diffuse non-Hodgkin lymphoma (C83.-) follicular lymphoma (C82.-) Hodgkin ^{2s} disease (C81.-) mature T/NK-cell lymphomas (C84.-) non-Hodgkin ^{2s} lymphoma, other and unspecified types (C82-C85.-)	Germany 1230	2008	Major	January 2010
Delete inclusion term	C71.0 Cerebrum, except lobes and ventricles Corpus callosum	UK (URC: 0015)	October 2002	Minor	January 2004
Revise excludes note:	C76 Malignant neoplasm of other and ill-defined sites <i>Excludes:</i> ... • unspecified site (C80.-)	MRG (URC:1066)	October 2007	Major	January 2010
Add inclusion term	C78.2 Secondary malignant neoplasm of pleura <u>Malignant pleural effusion NOS</u>	MRG (UEC:0171)	October 2003	Minor	January 2005
Revise code title:	C78.7 Secondary malignant neoplasm of liver and <u>intrahepatic bile duct</u>	Germany (URC:1143)	October 2007	Minor	January 2009
Revise category title, add codes and exclusions:	C79 Secondary malignant neoplasm of other <u>and unspecified</u> sites C79.8 Secondary malignant neoplasm of other specified sites C79.9 Secondary malignant neoplasm, unspecified site <i>Excludes:</i> <u>disseminated malignant neoplasm, no primary indicated (C80.-)</u> <u>Carcinomatosis (secondary)</u> <u>Generalized (secondary):</u> • <u>cancer NOS</u> • <u>malignancy NOS</u> <u>Multiple cancer (secondary) NOS</u>	MRG (URC:1066)	October 2007	Major	January 2010
Delete inclusions at category level, add codes and	C80 Malignant neoplasm without specification of site	MRG (URC:1066)	October 2007	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

<p>inclusions</p>	<p>Cancer Carcinoma Carcinomatosis Generalized: • cancer • malignancy Malignancy Multiple cancer Malignant cachexia Primary site unknown</p> <p style="text-align: center;">} unspecified site (primary)(secondary)</p> <p>C80.0 Malignant neoplasm, primary site unknown, so stated <u>Primary site unknown</u> C80.9 Malignant neoplasm, unspecified Cancer NOS Carcinoma NOS Malignancy NOS Malignant cachexia NOS</p>				
<p>Delete note and includes at block level.</p> <p>Add codes, revise code and category titles, revise inclusions and exclusions</p>	<p>Malignant neoplasms of lymphoid, haematopoietic and related tissue (C81–C96)</p> <p><i>Note:</i>—The terms used in categories C82–C85 for non-Hodgkin's lymphomas are those of the Working Formulation, which attempted to find common ground among several major classification schemes. The terms used in these schemes are not given in the Tabular List but appear in the Alphabetical Index; exact equivalence with the terms appearing in the Tabular List is not always possible.</p> <p><i>Includes:</i> morphology codes M959–M994 with behaviour code /3. <i>Excludes:</i> secondary and unspecified neoplasm of lymph nodes (C77.-)</p> <p>C81 Hodgkin's disease <u>lymphoma</u> <i>Includes:</i>—morphology codes M965–M966 with behaviour code /3</p> <p>C81.0 Lymphocytic predominance <u>Nodular lymphocyte predominant Hodgkin lymphoma</u> Lymphocytic-histiocytic predominance</p> <p>C81.1 Nodular sclerosis <u>classical Hodgkin lymphoma</u></p>	<p>Germany (URC:1230)</p>	<p>October 2008</p>	<p>Major</p>	<p>January 2010</p>

Delete code	C81.2	Mixed cellularity classical Hodgkin lymphoma			
	C81.3	Lymphocytic depletion classical Hodgkin lymphoma			
	C81.4	Lymphocyte-rich classical Hodgkin lymphoma <i>Excludes:</i> lymphocyte predominant Hodgkin lymphoma (C81.0)			
	C81.7	Other classical Hodgkin's disease lymphoma Classic Hodgkin lymphoma, type not specified			
	C81.9	Hodgkin's disease-lymphoma , unspecified			
	C82	Follicular [nodular] non-Hodgkin's lymphoma <i>Includes:</i> follicular non-Hodgkin's lymphoma with or without diffuse areas <i>morphology code M969 with behaviour code /3</i> <i>Excludes:</i> T-cell non-Hodgkin lymphoma (C84.-)			
	C82.0	Small-cleaved cell, f Follicular lymphoma grade I			
	C82.1	Mixed small-cleaved and large cell, f Follicular lymphoma grade II			
	C82.2	Large cell, f Follicular lymphoma grade III, unspecified			
	C82.3	Follicular lymphoma grade IIIa			
	C82.4	Follicular lymphoma grade IIIb			
	C82.5	Diffuse follicle centre lymphoma			
	C82.6	Cutaneous follicle centre lymphoma			
	C82.7	Other types of follicular non-Hodgkin's lymphoma			
	C82.9	Follicular non-Hodgkin's lymphoma, unspecified Nodular non-Hodgkin's lymphoma NOS			
	C83	Diffuse non-Hodgkin's Non-follicular lymphoma <i>Includes:</i> — morphology codes M9593, M9595, M967 M968 with behaviour code /3			
	C83.0	Small cell (diffuse) B-cell lymphoma Lymphoplasmacytic lymphoma Nodal marginal zone lymphoma Non-leukaemic variant of B-CLL Splenic marginal zone lymphoma			

	<p><u>Excludes: chronic lymphocytic leukaemia (C91.1)</u> <u>Waldenström macroglobulinaemia (C88.0)</u> <u>T-cell lymphoma (C84.-)</u></p>			
C83.1	<p>Small-cleaved-cell (diffuse) <u>Mantle cell lymphoma</u> <u>Centrocytic lymphoma</u> <u>Malignant lymphomatous polyposis</u></p>			
C83.2	<p>Mixed small and large cell (diffuse)</p>			
C83.3	<p>Large cell (diffuse) <u>Diffuse large B-cell lymphoma</u> <u>Anaplastic</u> <u>CD30-positive</u> <u>Centroblastic</u> <u>Immunoblastic</u> <u>diffuse large B-cell lympho</u> <u>Plasmablastic</u> <u>Subtype not specified</u> <u>T-cell rich</u> <u>Reticulum cell sarcoma</u> <u>Excludes: mediastinal (thymic) large B-cell lymphoma</u> <u>(C85.2)</u> <u>T-cell lymphoma (C84.-)</u></p>			
C83.4	<p>Immunoblastic (diffuse)</p>			
C83.5	<p>Lymphoblastic (diffuse) <u>B-precursor lymphoma</u> <u>Lymphoblastic B-cell lymphoma</u> <u>Lymphoblastic lymphoma NOS</u> <u>Lymphoblastic T-cell lymphoma</u> <u>T-precursor lymphoma</u></p>			
C83.6	<p>Undifferentiated (diffuse)</p>			
C83.7	<p>Burkitt's tumour <u>lymphoma</u> <u>Atypical Burkitt lymphoma</u> <u>“Burkitt-like” lymphoma</u> <u>Excludes: mature B-cell leukaemia Burkitt-type (C91.8)</u></p>			
C83.8	<p>Other types of diffuse non-Hodgkin's <u>non-follicular</u></p>			

	<p>lymphoma</p> <p>Primary effusion B-cell lymphoma</p> <p>Intravascular large B-cell lymphoma</p> <p>Lymphoid granulomatosis</p> <p><i>Excludes:</i> mediastinal (thymic) large B-cell lymphoma (C85.2)</p> <p>T-cell rich B-cell lymphoma (C83.3)</p>				
C83.9	<p>Non-follicular (diffuse) non-Hodgkin's lymphoma, unspecified</p>				
C84	<p>Peripheral and cutaneous Mature T/NK-cell lymphomas</p> <p><i>Includes:</i> morphology code M970 with behaviour code /3</p>				
C84.0	<p>Mycosis fungoides</p>				
C84.1	<p>Sézary's disease</p>				
C84.2	<p>T-zone lymphoma</p>				
C84.3	<p>Lymphoepithelioid lymphoma</p> <p>Lennert's lymphoma</p>				
C84.4	<p>Peripheral T-cell lymphoma, not classified</p> <p>Lennert's lymphoma</p> <p>Lymphoepithelioid lymphoma</p>				
C84.5	<p>Other and unspecified mature T/NK-cell lymphomas</p> <p><i>Note:</i> If T-cell lineage or involvement is mentioned in conjunction with a specific lymphoma, code to the more specific description.</p> <p><i>Excludes:</i> angiimmunoblastic T-cell lymphoma (C86.5)</p> <p>blastic NK-cell lymphoma (C86.4)</p> <p>enteropathy-type T-cell lymphoma (C86.2)</p> <p>extranodal NK-cell lymphoma, nasal type (C86.0)</p> <p>hepatosplenic T-cell lymphoma (C86.1)</p> <p>primary cutaneous CD30-positive T-cell proliferations (C86.6)</p> <p>subcutaneous panniculitis-like T-cell lymphoma (C86.3)</p> <p>T-cell leukaemia (C91.-)</p>				
<u>C84.6</u>	<p><u>Anaplastic large cell lymphoma, ALK-positive</u></p> <p><u>Anaplastic large cell lymphoma, CD30-positive</u></p>				

<p>Add new category and codes</p>	<p><u>C84.7</u> <u>Anaplastic large cell lymphoma, ALK-negative</u> <i>Excludes:</i> primary cutaneous CD30-positive T-cell proliferations (C86.6)</p> <p><u>C84.8</u> <u>Cutaneous T-cell lymphoma, unspecified</u></p> <p><u>C84.9</u> <u>Mature T/NK-cell lymphoma, unspecified</u> NK/T cell lymphoma NOS <i>Excludes:</i> mature T-cell lymphoma, not elsewhere classified (<u>C84.4</u>)</p> <p><u>C85</u> Other and unspecified types of non-Hodgkin's lymphoma <i>Includes: — morphology codes M9590-M9592, M9594, M971 with behaviour code /3</i></p> <p><u>C85.0</u> Lymphosarcoma</p> <p><u>C85.1</u> B-cell lymphoma, unspecified <i>Note:</i> If B-cell lineage or involvement is mentioned in conjunction with a specific lymphoma, code to the more specific description.</p> <p><u>C85.2</u> <u>Mediastinal (thymic) large B-cell lymphoma</u></p> <p><u>C85.7</u> Other specified types of non-Hodgkin's lymphoma Malignant: • reticuloendotheliosis • reticulosis Microglioma</p> <p><u>C85.9</u> Non-Hodgkin's lymphoma, unspecified type Lymphoma NOS Malignant lymphoma NOS Non-Hodgkin's lymphoma NOS</p> <p><u>C86</u> <u>Other specified types of T/NK-cell lymphoma</u> <i>Excludes :</i> anaplastic large cell lymphoma, ALK negative (<u>C84.7</u>) anaplastic large cell lymphoma, ALK positive (<u>C84.6</u>)</p> <p><u>C86.0</u> <u>Extranodal NK/T-cell lymphoma, nasal type</u></p>				
-----------------------------------	--	--	--	--	--

	<p><u>C86.1</u> <u>Hepatosplenic T-cell lymphoma</u> <u>Alpha-beta and gamma delta types</u></p> <p><u>C86.2</u> <u>Enteropathy-type (intestinal) T-cell lymphoma</u> <u>Enteropathy associated T-cell lymphoma</u></p> <p><u>C86.3</u> <u>Subcutaneous panniculitis-like T-cell lymphoma</u></p> <p><u>C86.4</u> <u>Blastic NK-cell lymphoma</u></p> <p><u>C86.5</u> <u>Angioimmunoblastic T-cell lymphoma</u> <u>Angioimmunoblastic lymphadenopathy with dysproteinaemia (AILD)</u></p> <p><u>C86.6</u> <u>Primary cutaneous CD30-positive T-cell proliferations</u> <u>Lymphomatoid papulosis</u> <u>Primary cutaneous anaplastic large-cell lymphoma</u> <u>Primary cutaneous CD30+large T-cell lymphoma</u></p> <p><u>C88</u> <u>Other B-cell lymphoma [Malignant immunoproliferative diseases]</u> <u>Includes: — morphology code M976 with behaviour code /3</u></p> <p>C88.0 Waldenström's macroglobulinaemia <u>Lymphoplasmacytic lymphoma with IgM-production</u> <u>Macroglobulinaemia (primary)(idiopathic)</u> <u>Excludes: small cell B-cell lymphoma (C83.0)</u></p> <p>C88.1 Alpha heavy chain disease</p> <p>C88.2 Gamma Other heavy chain disease <u>Franklin's disease</u> <u>Gamma heavy chain disease</u> <u>Mu heavy chain disease</u></p>				
--	---	--	--	--	--

	<p>C88.3 Immunoproliferative small intestinal disease Alpha heavy chain disease Mediterranean disease lymphoma</p> <p><u>C88.4</u> <u>Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lyphoma]</u> <u>Note: Use additional code (C83.3) if desired, to specify transition to high malignant (diffuse large cell) lymphoma</u></p> <p><u>Lymphoma of skin-associated lymphoid tissue (SALT-lymphoma)</u></p> <p><u>Lymphoma of bronchial-associated lymphoid tissue (BALT-lymphoma)</u></p> <p>C88.7 Other malignant immunoproliferative diseases</p> <p>C88.9 Malignant immunoproliferative disease, unspecified Immunoproliferative disease NOS</p> <p><u>C90</u> Multiple myeloma and malignant plasma cell neoplasms Includes: — morphology codes M973, M9830 with behaviour code /3</p> <p>C90.0 Multiple myeloma Kahler's disease Myelomatosis <u>Plasma cell myeloma</u> <u>Medullary plasmacytoma</u> Excludes: solitary myeloma plasmacytoma (C90.23)</p> <p>C90.1 Plasma cell leukaemia <u>Plasmacytic leukaemia</u></p> <p>C90.2 Plasmacytoma, extramedullary <u>Extramedullary plasmacytoma</u> Malignant plasma cell tumour NOS Plasmacytoma NOS Solitary myeloma</p> <p><u>C90.3</u> <u>Solitary plasmacytoma</u></p>				
--	---	--	--	--	--

	<p>Localized malignant plasma cell tumour NOS Plasmacytoma NOS Solitary myeloma</p>				
C91	<p>Lymphoid leukaemia <i>Includes:— morphology codes M982, M9940-M9941 with behaviour code /3</i></p>				
C91.0	<p>Acute lymphoblastic leukaemia [ALL] <i>Note: This code should only be used for T-cell and B-cell precursor leukaemia</i> <i>Excludes:— acute exacerbation of chronic lymphocytic leukaemia (C91.1)</i></p>				
C91.1	<p>Chronic lymphocytic leukaemia of B-cell type Lymphoplasmacytic leukaemia Richter syndrome <i>Excludes: lymphoplasmacytic lymphoma (C83.0)</i></p>				
C91.2	<p>Subacute lymphocytic leukaemia</p>				
C91.3	<p>Prolymphocytic leukaemia of B-cell type</p>				
C91.4	<p>Hairy-cell leukaemia Leukaemic reticuloendotheliosis</p>				
C91.5	<p>Adult T-cell lymphoma/leukaemia (HTLV-1-associated) Acute Chronic Lymphomatoid variant Smouldering</p>				
C91.6	<p>Prolymphocytic leukaemia of T-cell type</p>				
C91.7	<p>Other lymphoid leukaemia T-cell large granular lymphocytic leukaemia (associated with rheumatic arthritis)</p>				
C91.8	<p>Mature B-cell leukaemia Burkitt-type <i>Excludes: Burkitt lymphoma with little or no bone marrow filtration (C83.7)</i></p>				

	<p>C91.9 Lymphoid leukaemia, unspecified</p> <p>C92 Myeloid leukaemia <i>Includes:</i> leukaemia: <ul style="list-style-type: none"> • granulocytic • myelogenous morphology codes M986-M988, M9930 with behaviour code /3</p> <p>C92.0 Acute myeloid myeloblastic leukaemia [AML] Acute myeloblastic leukaemia, minimal differentiation Acute myeloblastic leukaemia (with maturation) AML1/ETO AML M0 AML M1 AML M2 AML with t(8:21) AML (without a FAB classification) NOS Refractory anaemia with excess blasts in transformation <i>Excludes:</i> acute exacerbation of chronic myeloid leukaemia (C92.1)</p> <p>C92.1 Chronic myeloid leukaemia [CML], BCR/ABL-positive Chronic myelogenous leukaemia, Philadelphia chromosome (Ph1) positive Chronic myelogenous leukaemia, t(9:22)(q34; q11) Chronic myelogenous leukaemia with crisis of blast cells <i>Excludes:</i> atypical chronic myeloid leukaemia (C92.2) chronic myelomonocytic leukaemia (C93.1) unclassified myeloproliferative disease (D47.1)</p> <p>C92.2 Subacute Atypical chronic myeloid leukaemia, BCR/ABL-negative</p> <p>C92.3 Myeloid sarcoma <i>Note:</i> a tumour of immature myeloid cells. Chloroma Granulocytic sarcoma</p> <p>C92.4 Acute promyelocytic leukaemia [PML]</p>				
--	---	--	--	--	--

	<p>AML M3 AML Me with t(15: 17) and variants</p>				
C92.5	<p>Acute myelomonocytic leukaemia AML M4 AML M4 Eo with inv(16) or t(16;16)</p>				
<u>C92.6</u>	<p><u>Acute myeloid leukaemia with 11q23-abnormality</u> Acute myeloid leukaemia with variation of MLL-gene</p>				
C92.7	<p>Other myeloid leukaemia <i>Excludes: chronic eosinophilic leukaemia [hypereosinophilic syndrome] (D47.5)</i></p>				
<u>C92.8</u>	<p><u>Acute myeloid leukaemia with multilineage dysplasia</u> <i>Note: Acute myeloid leukaemia with dysplasia of remaining haematopoiesis and/or myelodysplastic disease in its history.</i></p>				
C92.9	<p>Myeloid leukaemia, unspecified</p>				
C93	<p>Monocytic leukaemia <i>Includes: monocytoïd leukaemia</i> <i>morphology code M989 with behaviour code /3</i></p>				
C93.0	<p>Acute <u>monoblastic</u>/monocytic leukaemia AML M5a AML M5b AML M5 <i>Excludes: acute exacerbation of chronic monocytic leukaemia (C93.1)</i></p>				
C93.1	<p>Chronic monoeytic <u>myelomonocytic</u> leukaemia Chronic monocytic leukaemia CMML-1 CMML-2 CMML with eosinophilia</p>				

C93.2	Subacute monocytic leukaemia				
<u>C93.3</u>	<u>Juvenile myelomonocytic leukaemia</u>				
C93.7	Other monocytic leukaemia				
C93.9	Monocytic leukaemia, unspecified				
C94	Other leukaemias of specified cell type <i>Includes: — morphology codes M984, M9850, M9900, M9910, M9931</i> <i>M9932 with behaviour code /3</i> <i>Excludes: leukaemic reticuloendotheliosis (C91.4)</i> <i>plasma cell leukaemia (C90.1)</i>				
C94.0	Acute erythraemia and erythroleukaemia <u>erythroid leukaemia</u> <u>Acute myeloid leukaemia M6 (a)(b)</u> <u>Erythroleukaemia</u> Acute erythraemic myelosis Di Guglielmo's disease				
C94.1	Chronic erythraemia Heilmeyer-Schöner disease				
C94.2	Acute megakaryoblastic leukaemia <u>Acute myeloid leukaemia, M7</u> <u>Acute megakaryocytic leukaemia</u> <i>Leukaemia:</i> <i>• megakaryoblastic (acute)</i> <i>• megakaryocytic (acute)</i>				
C94.3	Mast cell leukaemia				
C94.4	Acute panmyelosis <u>with myelofibrosis</u> <u>Acute myelofibrosis</u>				
C94.5	Acute myelofibrosis				
<u>C94.6</u>	<u>Myelodysplastic and myeloproliferative disease, not classified</u>				
C94.7	Other specified leukaemias <u>Aggressive NK-cell leukaemia</u> <u>Acute basophilic leukaemia</u> Lymphosarcoma cell leukaemia				

C95	<p>Leukaemia of unspecified cell type <i>Includes:— morphology code M980 with behaviour code /3</i></p>				
C95.0	<p>Acute leukaemia of unspecified cell type Acute bilineal leukaemia Acute mixed lineage leukaemia Biphenotypic acute leukaemia Blast cell leukaemia Stem cell leukaemia of unclear lineage <i>Excludes:</i> acute exacerbation of unspecified chronic leukaemia (C95.1)</p>				
C95.1	<p>Chronic leukaemia of unspecified cell type</p>				
C95.2	<p>Subacute leukaemia of unspecified cell type</p>				
C95.7	<p>Other leukaemia of unspecified cell type</p>				
C95.9	<p>Leukaemia, unspecified</p>				
C96	<p>Other and unspecified malignant neoplasms of lymphoid, haematopoietic and related tissue <i>Includes:— morphology codes M972, M974 with behaviour code /3</i></p>				
C96.0	<p>Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis [Letterer-Siwe disease] Histiocytosis X, multisystemic Nonlipid: <ul style="list-style-type: none"> ▲ reticuloendotheliosis ▲ reticulosis </p>				
C96.1	<p>Malignant histiocytosis Histiocytic medullary reticulosis</p>				
C96.2	<p>Malignant mast cell tumour Aggressive systemic mastocytosis Malignant: <ul style="list-style-type: none"> ▲ mastoeytoma ▲ mastoeytosis Mast cell sarcoma <i>Excludes:</i> indolent mastocytosis (D47.0)</p>				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	<p>mast cell leukaemia (C94.3) (congenital) mastocytosis (cutaneous) (Q82.2)</p> <p>C96.3 True histiocytic lymphoma</p> <p>C96.4 Sarcoma of dendritic cells (accessory cells) Interdigitating dendritic cell sarcoma Langerhans-cell sarcoma Sarcoma of follicular dendritic cells</p> <p>C96.5 Multifocal and unisystemic Langerhans-cell histiocytosis Hand-Schüller-Christian disease Histiocytosis X, multifocal</p> <p>C96.6 Unifocal Langerhans-cell histiocytosis Eosinophilic granuloma Histiocytosis X, unifocal Histiocytosis X NOS Langerhans-cell histiocytosis NOS</p> <p>C96.7 Other specified malignant neoplasms of lymphoid, haematopoietic and related tissue</p> <p>C96.8 Histiocytic sarcoma Malignant histiocytosis</p> <p>C96.9 Malignant neoplasm of lymphoid, haematopoietic and related tissue, unspecified</p>				
Revise codes and inclusions:	<p>C81-C96; D10-D36 Leukaemia and Lymphoma Details of this proposal will follow with 2008 decisions once the index updates have been finalized.</p>	MbRG (URC:1230)	October 2007	Major	January 2010
Add excludes note at code:	<p>D07 Carcinoma in situ of other and unspecified genital organs <i>Excludes:</i> melanoma in situ (D03.5)</p> <p>D07.5 Prostate <i>Excludes:</i> Low grade dysplasia of prostate (N42.3)</p>	Canada (URC:1117)	October 2007	Major	January 2010
Add inclusion term	<p>D16 Benign neoplasm of bone and articular cartilage Keratocystic odontogenic tumour</p>	Japan (URC:1322)	October 2008	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

<p>Revise</p> <p>Delete exclusion term</p>	<p>D29 Benign neoplasm of male genital organs</p> <p><i>Includes:</i> skin of male genital organs</p> <p>D29.0 Penis</p> <p>D29.1 Prostate</p> <p><i>Excludes:</i> hyperplasia of prostate (adenomatous) (N40) prostatic: <ul style="list-style-type: none"> • adenoma (N40) • enlargement (N40) • hypertrophy (N40) </p>	<p>Australia (URC:0301)</p>	<p>October 2005</p>	<p>Major</p>	<p>January 2010</p>
<p>Revise notes and codes</p>	<p>D45 Polycythaemia vera Note: Polycythaemia vera has been reclassified in ICD-O Third Edition with a malignant code. The code D45 will continue to be used, although it is located in the chapter for Neoplasms of uncertain or unknown behaviour. The modification of its classification is reserved for ICD-11 revision process. Morphology code M9950 with behaviour code /1</p> <p>D46 Myelodysplastic syndromes <i>Includes:</i> morphology code M998 with behaviour code /1 Alykylating agent related myelodysplastic syndrome Epidodophyllotoxin related myelodysplastic syndrome Therapy related myelodysplastic syndrome NOS <i>Excludes:</i> drug induced aplastic anemia (D61.1)</p> <p>D46.0 Refractory anaemia without <u>ring</u> sideroblasts, so stated Note: without sideroblasts, without excess of blasts</p> <p>D46.1 Refractory anaemia with <u>ring</u> sideroblasts</p> <p>D46.2 Refractory anaemia with excess of blasts RAEB I REAB II</p> <p>D46.3 Refractory anaemia with excess of blasts with transformation</p>	<p>Germany 1230</p>	<p>2008</p>	<p>Major</p>	<p>January 2010</p>

	<p>D46.4 Refractory anaemia, unspecified</p> <p>D46.5 <u>Refractory anaemia with multi-lineage dysplasia</u></p> <p>D46.6 <u>Myelodysplastic syndrome with isolated del(5q) chromosomal abnormality</u> <u>5 q-minus syndrome</u></p> <p>D46.7 Other myelodysplastic syndromes <i>Excludes: chronic myelomonocytic leukaemia (C93.1)</i></p> <p>D46.9 Myelodysplastic syndrome, unspecified Myelodysplasia NOS Preleukaemia (syndrome) NOS</p> <p>D47 Other neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue <i>Includes: — morphology codes M974, M976, M996-M997 with behaviour code /1</i></p> <p>D47.0 Histiocytic and mast cell tumours of uncertain and unknown behaviour <u>Indolent systematic mastocytosis</u> Mast cell tumour NOS Mastocytoma NOS <u>Systemic mastocytosis, associated with clonal haematopoietic non-mast-cell disease (SM-AHNMD)</u> <i>Excludes: (congenital) mastocytosis (cutaneous) (Q82.2)</i></p> <p>D47.1 Chronic myeloproliferative disease <u>Chronic neutrophilic leukaemia</u> <i>Myelofibrosis (with myeloid metaplasia)</i> Myeloproliferative disease, unspecified <i>Myelosclerosis (megakaryocytic) with myeloid metaplasia</i> <i>Excludes: atypical chronic myeloid leukaemia (C92.2)</i> <u>chronic myeloid leukaemia [CML] BCR/ABL-positive (C92.1)</u></p> <p>D47.2 Monoclonal gammopathy <u>of undetermined significance (MGUS)</u></p> <p>D47.3 Essential (haemorrhagic) thrombocythaemia</p>				
--	---	--	--	--	--

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	<p>Idiopathic haemorrhagic thrombocythaemia</p> <p>D47.4 Osteomyelofibrosis Chronic idiopathic myelofibrosis Myelofibrosis (idiopathic) (with myeloid metaplasia) Myelosclerosis (megakaryocytic) with myeloid metaplasia Secondary myelofibrosis in myeloproliferative disease</p> <p><i>Excludes:</i> acute myelofibrosis (C94.4)</p> <p>D47.5 Chronic eosinophilic leukaemia [hypereosinophilic syndrome]</p> <p>D47.7 Other specified neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue Histiocytic tumours of uncertain and unknown behaviour</p> <p>D47.9 Neoplasm of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue, unspecified Lymphoproliferative disease NOS</p>				
Delete inclusion term	D56.1 Beta thalassaemia Sickle-cell beta thalassaemia	Australia (URC:0136)	October 2003	Major	January 2006
Delete exclusion term	D57 Sickle-cell disorders <i>Excludes:</i> sickle-cell beta thalassaemia (D56.1)				
Add inclusion term	D57.2 Double heterozygous sickling disorders Disease: . sickle-cell thalassaemia				
Revise inclusion term	D57.3 Sickle-cell trait Hb-S trait Heterozygous haemoglobin S [HbAS]	Netherlands (URC:1070)	October 2006	Minor	January 2008
Add inclusion:	D63* Anaemia in chronic diseases classified elsewhere D63.0* Anaemia in neoplastic disease Conditions in Chapter 2 (C00–D48) D63.8* Anaemia in other chronic diseases classified elsewhere Anaemia in chronic kidney disease ≥ stage 3 (N18.3 – N18.5†)	Australia (URC:1241)	October 2007	Major	January 2010
Add inclusion	D68.3 Haemorrhagic disorder due to circulating anticoagulants Haemorrhage during long term use of anticoagulants	Germany	October 1999		January 2001

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

term	Use additional external cause code (Chapter XX), if desired, to identify any administered anticoagulant.				
Add excludes note	<u>Excludes:</u> long term use of anticoagulants without haemorrhage (Z92.1)				
Add code and inclusion terms	D68.5 Primary Thrombophilia <u>Activated protein C resistance [factor V Leiden mutation]</u> <u>Deficiency:</u> · <u>antithrombin</u> · <u>protein C</u> · <u>protein S</u> <u>Prothrombin gene mutation</u>	Germany (URC:0219)	October 2005	Major	January 2010
Add code, inclusion terms and exclusions	D68.6 Other Thrombophilia <u>Anticardiolipin syndrome</u> <u>Antiphospholipid syndrome</u> <u>Presence of the lupus anticoagulant</u> <u>Excludes:</u> <u>disseminated intravascular coagulation (D65)</u> <u>hyperhomocysteinemia (E72.1)</u>	Germany (URC:0219)	October 2005	Major	January 2010
Delete inclusion term	D68.8 Other specified coagulation defects <u>Presence of systemic lupus erythematosus [SLE] inhibitor</u>	Germany (URC:0219)	October 2005	Major	January 2010
Add inclusion term	D70 Agranulocytosis ... Neutropenic splenomegaly <u>Werner-Schultz disease</u>	Canada (URC:1380)	October 2008	Minor	January 2010
Add exclusion	D72 Other disorders of white blood cells <u>Excludes:</u> <u>abnormal white blood cells (count) (R72)</u> <u>basophilia (D75.8)</u>	Canada (URC:1381)	October 2008	Minor	January 2010
	D75 Other diseases of blood and blood-forming organs <u>Excludes :</u> <u>enlarged lymph nodes (R59.-)</u> <u>hypergammaglobulinaemia NOS (D89.2)</u> <u>lymphadenitis:</u> • <u>NOS (I88.9)</u>	Australia (URC:0305)	October 2005	Minor	January 2007

<p>Add inclusion term</p>	<ul style="list-style-type: none"> • acute (L04.-) • chronic (I88.1) • mesenteric (acute)(chronic) (I88.0) <p>D75.1 Secondary polycythaemia <u>Erythrocytosis NOS</u> Polycythaemia:</p> <ul style="list-style-type: none"> • acquired • due to: <ul style="list-style-type: none"> • erythropoietin • fall in plasma volume • high altitude • stress • emotional • hypoxaemic • nephrogenous • relative <p><i>Excludes:</i> polycythaemia:</p> <ul style="list-style-type: none"> • neonatorum (P61.1) • vera (D45) 				
<p>Add inclusion</p>	<p>D75.1 Secondary polycythaemia Erythrocytosis NOS Polycythaemia:</p> <ul style="list-style-type: none"> • <u>NOS</u> • acquired • due to: <ul style="list-style-type: none"> • erythropoietin • fall in plasma volume • high altitude • stress • emotional • hypoxaemic • nephrogenous • relative <p><i>Excludes:</i> polycythaemia:</p> <ul style="list-style-type: none"> • neonatorum (P61.1) • vera (D45) <p>D75.2 Essential thrombocytosis <i>Excludes:</i>—essential (haemorrhagic) thrombocythaemia (D47.3)</p>	<p>Germany (URC:1230)</p> <p>Australia (URC:1350)</p>	<p>October 2008</p>	<p>Major</p>	<p>January 2010</p>

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	<p>D75.8 Other specified diseases of blood and blood-forming organs Basophilia</p> <p>D75.9 Disease of blood and blood-forming organs, unspecified</p> <p>D76 Certain Other specified diseases involving with participation of lymphoreticular tissue and reticulohistiocytic system tissue <i>Excludes:</i> (Abt-)Letterer-Siwe disease (C96.0) eosinophilic granuloma (C96.6) Hand-Schüller-Christian disease (C96.5) histiocytic sarcoma (C96.8) histiocytosis X, multifocal (C96.5) histiocytosis X, unifocal (C96.6) Langerhans-cell histiocytosis, multifocal (C96.5) Langerhans-cell histiocytosis, unifocal (C96.6) malignant histiocytosis (C96.+8) reticuloendotheliosis or reticulosis: • histiocytic medullary (C96.+9) • leukaemic (C91.4) • lipomelanotic (I89.8) • malignant (C85.7) • nonlipid (C96.0)</p> <p>D76.0 Langerhans' cell histiocytosis, not elsewhere classified Eosinophilic granuloma Hand-Schüller-Christian disease Histiocytosis X (chronic)</p> <p>D76.1 Haemophagocytic lymphohistiocytosis Familial haemophagocytic reticulosis Histiocytoses of mononuclear phagocytes other than Langerhans' cells-NOS</p>				
Add excludes note at block level	<p>Certain disorders involving the immune mechanism (D80-D89) <i>Excludes:</i> autoimmune disease (systemic) NOS (M35.9) functional disorders of polymorphonuclear neutrophils (D71) human immunodeficiency virus [HIV] disease (B20-B24) human immunodeficiency virus [HIV] disease complicating pregnancy childbirth and the puerperium (O98.7)</p>	Canada (URC:1187)	October 2008	Major	January 2010
Revise code title in exclusion	<p>D89 Other disorders involving the immune mechanism, not elsewhere classified <i>Excludes:</i> hyperglobulinaemia NOS (R77.1)</p>	Germany (URC:1230)	October 2008	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	Monoclonal gammopathy <u>of undertermined significance</u> (MGUS) D47.2				
Add new code and note	D89 Other disorders involving the immune mechanism, not elsewhere classified D89.3 Immune reconstitution syndrome <u>Use additional external cause code (Chapter XX), if desired, to identify drug.</u>	Canada (URC:1382)	October 2008	Major	January 2010
Add subcategory Add inclusion terms	E16.4 Abnormal secretion of gastrin <u>Hypergastrinaemia</u> <u>Zollinger-Ellison syndrome</u>	Australia	October 1997		January 1999
Delete Inclusion Terms	E16.8 Other specified disorders of pancreatic internal secretion <u>Hypergastrinaemia</u> <u>Zollinger-Ellison syndrome</u>	Australia	October 1997		January 1999
Add inclusion term	E21 Hyperparathyroidism and other disorders of parathyroid gland E21.2 Other hyperparathyroidism <u>Tertiary hyperparathyroidism</u> Excludes: familial hypocalciuric hypercalcaemia (E83.5)	Australia (URC:1352)	October 2008	Minor	January 2010
Add note:	E64 Sequelae of malnutrition and other nutritional deficiencies <u>Note: Not to be used for chronic malnutrition or nutritional deficiency. Code these to current malnutrition or nutritional deficiency.</u>	MRG (URC:1221)	October 2007	Minor	January 2009
Add use additional code note	E64.3 Sequelae of rickets <u>Use additional code (M40.-), if desired, to identify kyphosis</u>	UK (URC:0184)	October 2004	Major	January 2006
Revise instructional note	E64.3 Sequelae of rickets <u>Use additional code (M40.1, M41.5) if desired, to identify spinal deformity</u>	France (URC:1106)	October 2006	Minor	January 2008
Add note:	E68 Sequelae of hyperalimentation <u>Note: Not to be used for chronic hyperalimentation. Code these to current hyperalimentation.</u>	MRG (URC:1221)	October 2007	Minor	January 2009

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Modify excludes note	<p>E71.3 Disorders of fatty-acid metabolism Adrenoleukodystrophy [Addison-Schilder] Muscle carnitine palmityltransferase deficiency</p> <p><i>Excludes:</i> Refsum's disease (G60.1) Schilder's disease (G37.0) Zellweger's syndrome (Q87.8)</p>	Germany (URC:0225)	October 2004	Major	January 2006
Add inclusion:	<p>E72.0 Disorders of amino-acid transport <u>Cystine storage disease† (N29.8*)</u> Cystinosis Cystinuria Fanconi(-de Toni)(-Debré) syndrome Hartnup's disease Lowe's syndrome</p> <p><i>Excludes:</i> disorders of tryptophan metabolism (E70.8)</p>	Australia (URC:1241)	October 2007	Major	January 2010
Add excludes note	<p>E72.3 Disorders of lysine and hydroxylysine metabolism Glutaric aciduria Hydroxylysinaemia Hyperlysinaemia</p> <p><i>Excludes:</i> Refsum's disease (G60.1) Zellweger's syndrome (Q87.8)</p>	Germany (URC:0225)	October 2004	Major	January 2006
Add inclusion term	<p>E74.0 Glycogen storage disease Cardiac glycogenosis Disease</p> <ul style="list-style-type: none"> • Andersen • Cori • Forbes • Hers • McArdle • Pompe • <u>Tarui</u> • Tauri • von Gierke <p>Liver phosphorylase deficiency</p>	Netherlands (URC:1069)	October 2006	Minor	January 2008
Revise code title	<p>E83.3 Disorders of phosphorus metabolism <u>and phosphatases</u></p>	Germany (URC:0220)	October 2005	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	<p>Acid phosphatase deficiency Familial hypophosphataemia Hypophosphatasia Vitamin-D-resistant: · osteomalacia · rickets</p> <p><i>Excludes:</i> adult osteomalacia (M83.-) osteoporosis (M80-M81)</p>				
Add excludes note	<p>E84.1 Cystic fibrosis with intestinal manifestations Meconium ileus † (P75*)</p> <p><u><i>Excludes:</i> meconium obstruction in cases where cystic fibrosis is known not to be present (P76.0)</u></p>	Australia	October 1998		January 2000
Revise inclusion and exclusion:	<p>E84.1 Cystic fibrosis with intestinal manifestations Meconium ileus <u>in cystic fibrosis+</u> (P75*) <i>Excludes:</i> meconium obstruction (<u>ileus</u>) in cases where cystic fibrosis is known not to be present (P76.0)</p>	Germany (URC:1162)	October 2007	Major	January 2010
Add inclusion term	<p>E84.1 Cystic fibrosis with intestinal manifestations <u>Distal intestinal obstruction syndrome</u> Meconium ileus in cystic fibrosis+ (P75*)</p>	Canada (URC:1388)	October 2008	Minor	January 2010
Revise code in exclusion at category level and revise exclusions at code level	<p>E88 Other metabolic disorders Use additional external cause code (Chapter XX) if desired to identify drug, if drug induced. <i>Excludes:</i> Histiocytosis X (chronic) (D76.0 <u>C96.6</u>)</p> <p>E88.0 Disorders of plasma-protein metabolism, not elsewhere classified Excludes: disorder of lipoprotein metabolism (E79.-) monoclonal gammopathy <u>of undetermined significance (MGUS)</u> D47.2 polyclonal hypergammaglobulinaemia (D89.0) Waldenström-s macroglobulinaemia (C88.0)</p>	Germany (URC:1230)	October 2008	Major	January 2010
Add new code:	<p><u>E88.3 Tumour lysis syndrome</u> <u>Tumour lysis (following antineoplastic drug therapy)(spontaneous)</u></p>	MRG (URC:1126)	October 2007	Major	January 2010
	<p>F02.8* Dementia in other specified diseases classified elsewhere</p>	Australia	October 2000		January 2002

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Revise code	Dementia in: . hypothyroidism, acquired (<u>E01.-†</u> , E03.-†)	(URC:0053)			
Add parentheses and add inclusion	F02.8* Dementia in other specified diseases classified elsewhere Dementia (in): <ul style="list-style-type: none"> • cerebral lipidosis (E75.-†) • epilepsy (G40.-†) • hepatolenticular degeneration (E83.0†) • hypercalcaemia (E83.5†) • hypothyroidism, acquired (E01.-†, E03.-†) • intoxications (T36-T65†) • multiple sclerosis (G35†) • neurosyphilis (A52.1†) • niacin deficiency [pellagra] (E52†) • polyarteritis nodosa (M30.0†) • systemic lupus erythematosus (M32.-†) • trypanosomiasis (B56.-†, B57.-†) • <u>uraemia (N18.5†)</u> • vitamin B 12 deficiency (E53.8†) 	Australia (URC:1241)	October 2007	Major	January 2010
Add inclusion term	F05.8 Other delirium Delirium of mixed origin Postoperative delirium	Canada (URC:1391)	October 2008	Minor	January 2010
Revise code range	F06.3 Organic mood [affective] disorders Disorders characterized by a change in mood or affect, ... hypomanic, manic or bipolar (see F30-F38), but arising as a consequence of an organic disorder	WHO	October 1997		January 1999
Add excludes note	F07.2 Postconcussional syndrome Postcontusional syndrome (encephalopathy) Post-traumatic brain syndrome, nonpsychotic Excludes: current concussion, brain (S06.0)	Canada (URC:1389)	October 2008	Minor	January 2010
Page 322	Mental and behavioural disorders due to psychoactive substance abuse (F10-F19)6 Amnesic syndrome ... Korsakov's psychosis or syndrome, alcohol- or other psychoactive substance-	MRG (URC:1132)	October 2007	Major	January 2010
Add					

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

instructional note:	induced or unspecified <u>Use additional code, (E51.2† G32.8*), if desired, when associated with Wernicke's disease or syndrome.</u>				
Revise inclusion term by adding parentheses	Mental and behavioural disorders due to psychoactive substance abuse (F10-F19) ... The following fourth-character subdivisions are for use with categories F10-F19: .0 Acute intoxication Acute drunkenness (<u>in alcoholism</u>)	Canada (URC:1392)	October 2008	Minor	January 2010
Delete code reference	F31 Bipolar affective disorder A disorder characterized by two or more episodes in ... Repeated episodes of hypomania or mania only are classified as bipolar (F31.8)	WHO	October 1997		January 1999
Modify inclusion term	F31.8 Other bipolar affective disorders Recurrent manic episodes <u>NOS</u>	WHO	October 1997		January 1999
Add inclusion term	F45.0 Somatization disorder <u>Briquet's disorder</u>	WHO	October 1997		January 1999
Delete inclusion term	F48.8 Other specified neurotic disorders Briquet's disorder	WHO	October 1997		January 1999
Revise exclusion terms	F80.1 Expressive language disorder A specific developmental disorder... Developmental dysphasia or aphasia, expressive type Excludes: acquired aphasia with epilepsy [Landau-Kleffner] (F80.3) developmental dysphasia or aphasia, receptive type (F80.2) dysphasia and aphasia NOS (R47.0) <u>dysphasia and aphasia:</u> • <u>NOS (R47.0)</u> • <u>developmental, receptive type (F80.2)</u> elective mutism (F94.0) mental retardation (F70–F79) pervasive developmental disorders (F84.-)	Netherlands (URC:1076)	October 2006	Minor	January 2008
	F80.2 Receptive language disorder A specific developmental disorder.....	Netherlands (URC:1075)	October 2006	Minor	January 2008

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Revise exclusion term	<p>Congenital auditory imperception</p> <p>Developmental:</p> <ul style="list-style-type: none"> dysphasia or aphasia, receptive type Wenicke's aphasia <p>Word deafness</p> <p>Excludes: acquired aphasia with epilepsy [Landau-Kleffner] (F80.3)</p> <p>autism (F84.0–F84.1)</p> <p>dysphasia and aphasia:</p> <ul style="list-style-type: none"> NOS (R47.0) <u>developmental</u>, expressive type (F80.1) <p>elective mutism (F94.0)</p> <p>language delay due to deafness (H90–H91)</p> <p>mental retardation (F70–F79)</p> <p>pervasive developmental disorders (F84.-)</p>				
Revise	<p>F84.4 Overactive disorder associated with mental retardation and stereotyped movements</p> <p>An ill-defined disorder of uncertain...retardation (IQ below <u>34</u>) who show major problems in hyperactivity...</p>	WHO Corrigenda			January 1995
Add code	<p>G05.1* Encephalitis, myelitis and encephalomyelitis in viral diseases classified elsewhere</p> <ul style="list-style-type: none"> influenza (J09†, J10.8†, J11.8†) 	URC (URC:0349)	October 2005	Major	October 2005
Revise and add text:	<p>G09 Sequelae of inflammatory diseases of central nervous system</p> <p>Note: This eCategory G09 is to be used to indicate conditions whose primary classification is to G00-G08 (i.e. excluding those marked with an asterisk (*)) as the cause of sequelae, themselves classifiable elsewhere. The “sequelae” include conditions specified as such or as late effects, or those present one year or more after onset of the causal condition. For use of this category reference should be made to the relevant morbidity and mortality coding rules and guidelines in Volume 2.</p> <p><u>Not to be used for chronic inflammatory disease of the central nervous system. Code these to current inflammatory disease of the central nervous system.</u></p>	MRG (URC:1221)	October 2007	Minor	January 2009
Revise block	Systemic atrophies primarily affecting the central nervous system (G10-	Brazil	October 2008	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

heading and add category	G13 G14) G14 <u>Postpolio syndrome</u> <u>Postpolio myelitic syndrome</u> <i>Excludes: sequelae of poliomyelitis (B91)</i>	(URC:1116)			
Add exclusion term Delete exclusion term	G11 Hereditary ataxia <i>Excludes: cerebral palsy (G80.-) infantile cerebral palsy (G80.-)</i>	Australia (URC:0045)	October 2002	Major	January 2006
Add code	G21 Secondary Parkinsonism <u>G21.4 Vascular parkinsonism</u>	MRG (URC:0338)	October 2005	Major	January 2010
Add inclusion term	G31.0 Circumscribed brain atrophy <u>Frontotemporal dementia (FTD)</u> Pick's disease Progressive isolated aphasia	Canada (URC:1409)	October 2008	Minor	January 2010
Add inclusion term	G31.8 Other specified degenerative diseases of nervous system Grey-matter degeneration [Alpers] <u>Lewy body(ies)(dementia)(disease)</u> Subacute necrotizing encephalopathy [Leigh]	MRG (URC:0211)	October 2004	Minor	January 2006
Add inclusion term:	G61.0 Guillain-Barré syndrome Acute (post-) infective polyneuritis <u>Miller Fisher Syndrome</u>	Canada (URC:1170)	October 2007	Minor	January 2009
Revise code title:	G73.1* Eaton-Lambert-Eaton syndrome (C80†)	Germany (URC 1161)	October 2007	Minor	January 2009
Revise dagger code in code title:	G73.1* Eaton-Lambert syndrome (C80₋†)	MRG (URC:1066)	October 2007	Major	January 2010
Revise code range	G73.1* Eaton-Lambert syndrome (C80†) (C00–D48†)	Australia (URC:1343)	October 2008	Minor	January 2010
Modify title Delete includes note	G80 Infantile Cerebral palsy <i>Includes: — Little's disease</i>	Australia (URC:0045)	October 2002	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Modify title Add inclusion term Modify title Add inclusion term Modify title Add inclusion term Modify title Modify title	<i>Excludes:</i> hereditary spastic paraplegia (G11.4) G80.0 Spastic <u>quadriplegic</u> cerebral palsy <u>Spastic tetraplegic cerebral palsy</u> G80.1 Spastic <u>diplegic</u> cerebral palsy <u>Spastic cerebral palsy NOS</u> G80.2 Infantile hemiplegia <u>Spastic hemiplegic cerebral palsy</u> G80.3 Dyskinetic cerebral palsy <u>Dystonic cerebral palsy</u> G80.4 Ataxic cerebral palsy G80.8 Other infantile cerebral palsy G80.9 Infantile <u>Cerebral</u> palsy, unspecified				
Modify excludes note	G81 Hemiplegia <i>Excludes:</i> congenital and infantile cerebral palsy (G80.-)	Australia (URC:0045)	October 2002	Major	January 2006
Modify excludes note	G82 Paraplegia and tetraplegia <i>Excludes:</i> congenital and infantile cerebral palsy (G80.-)	Australia (URC:0045)	October 2002	Major	January 2006
Add new code	<u>G90.4 Autonomic dysreflexia</u>	North America (URC:0206)	October 2003	Major	January 2006
Add inclusion:	G99.8* Other specified disorders of nervous system in diseases classified elsewhere <u>Uraemic paralysis (N18.5†)</u>	Australia (URC:1241)	October 2007	Major	January 2010
Add inclusions:	H32.8*Other chorioretinal disorders in diseases classified elsewhere <u>Albuminurica retinitis (N18.5†)</u> <u>Renal retinitis (N18.5†)</u>	Australia (URC:1241)	October 2007	Major	January 2010
Add Inclusion Terms	H50.2 Vertical strabismus <u>Hypertropia</u> <u>Hypotropia</u>	NORDIC	October 1997		January 1999
Delete	H50.4 Other and unspecified heterotropia	NORDIC	October 1997		January 1999

Inclusion Terms	<p>Hypertropia Hypotropia</p>				
Revise category title and code titles	<p>H54.- Blindness and low vision <u>Visual impairment including blindness (binocular or monocular)</u> <i>Note:</i> For definition of visual impairment categories see table below. <i>Excludes:</i> amaurosis fugax (G45.3) H54.0 Blindness, both eyes <u>binocular</u> Visual impairment categories 3, 4, 5 in both eyes H54.1 Blindness, one eye, low vision other eye <u>Severe visual impairment, binocular</u> Visual impairment categories 3, 4, 5 in one eye, with categories 1 or 2 in the other eye <u>Visual impairment category 2</u> H54.2 Low vision, both eyes <u>Moderate visual impairment, binocular</u> Visual impairment categories 1 or 2 category 1 <u>in both eyes</u> H54.3 Unqualified visual loss, both eyes <u>Mild or no visual impairment, binocular</u> Visual impairment category 9 in both eyes <u>category 0</u> H54.4 Blindness, one eye <u>monocular</u> Visual impairment categories 3, 4, 5 in one eye [normal vision in other eye] <u>and categories 0, 1, 2 or 9 in the other eye.</u> H54.5 Low vision, one eye <u>Severe visual impairment, monocular</u> Visual impairment categories 1 or 2 in one eye [normal vision in other eye] <u>category 2 in one eye and categories 0, 1 or 9 in other eye</u> H54.6 Unqualified visual loss, one eye <u>Moderate visual impairment, monocular</u> Visual impairment category 9 in one eye [normal vision in other eye] <u>category 1 in one eye and categories 0 or 9 in other eye</u> H54.7 Unspecified visual loss Visual impairment category 9 NOS H54.9 Unspecified visual impairment (binocular) <u>Visual impairment category 9</u> <i>Note:</i> The table below gives a classification of severity of visual impairment recommended by a WHO study group on the Prevention of Blindness, Geneva, 6-10 November 1972. the Resolution of the International Council of Ophthalmology (2002) and the Recommendations of the WHO Consultation on "Development of Standards for Characterization of Vision Loss and Visual Functioning" (Sept 2003) The term "low vision" in category H54 comprises categories 1 and 2 of the</p>	WHO (URC:1018)	October 2006	Major	January 2010

	<p>table, the term "blindness" categories 3, 4 and 5, and the term "unqualified visual loss" category 9. For characterizing visual impairment for codes H54.0 to H54.3, visual acuity should be measured with both eyes open with presenting correction if any. For characterizing visual impairment for codes H54.4 to H54.6, visual acuity should be measured monocularly with presenting correction if any.</p> <p>If the extent of the visual field is taken into account, patients with a <u>visual field no greater than 10° but greater than 5° around central fixation should be placed in category 3 and patients with a field no greater than 5° around central fixation should be placed in category 4, even if the central acuity is not impaired. <u>of the better eye no greater than 10° in radius around central fixation should be placed under category 3. For monocular blindness (H54.4), this degree of field loss would apply to the affected eye.</u></u></p> <p>Table 1 Proposed revision of categories of visual impairment</p> <table border="1"> <thead> <tr> <th rowspan="2">Category</th> <th colspan="2"><u>Presenting distance visual acuity</u></th> </tr> <tr> <th><u>Worse than:</u></th> <th><u>Equal to or better than:</u></th> </tr> </thead> <tbody> <tr> <td><u>Mild or no visual impairment</u></td> <td></td> <td><u>6/18</u></td> </tr> <tr> <td><u>0</u></td> <td></td> <td><u>3/10 (0.3)</u></td> </tr> <tr> <td><u>Moderate visual impairment</u></td> <td><u>6/18</u></td> <td><u>6/60</u></td> </tr> <tr> <td><u>1</u></td> <td><u>3/10 (0.3)</u></td> <td><u>1/10 (0.1)</u></td> </tr> <tr> <td><u>Severe visual impairment</u></td> <td><u>20/70</u></td> <td><u>20/200</u></td> </tr> <tr> <td><u>2</u></td> <td><u>6/60</u></td> <td><u>3/60</u></td> </tr> <tr> <td><u>Blindness</u></td> <td><u>1/10 (0.1)</u></td> <td><u>1/20 (0.05)</u></td> </tr> <tr> <td><u>3</u></td> <td><u>20/200</u></td> <td><u>20/400</u></td> </tr> <tr> <td><u>4</u></td> <td><u>3/60</u></td> <td><u>1/60*</u></td> </tr> <tr> <td><u>Blindness</u></td> <td><u>1/20 (0.05)</u></td> <td><u>1/50 (0.02)</u></td> </tr> <tr> <td><u>5</u></td> <td><u>20/400</u></td> <td><u>5/300 (20/1200)</u></td> </tr> <tr> <td><u>9</u></td> <td><u>1/60*</u></td> <td><u>Light perception</u></td> </tr> <tr> <td></td> <td><u>1/50 (0.02)</u></td> <td></td> </tr> <tr> <td></td> <td><u>5/300 (20/1200)</u></td> <td></td> </tr> <tr> <td></td> <td><u>No light perception</u></td> <td></td> </tr> <tr> <td></td> <td><u>Undetermined or unspecified</u></td> <td></td> </tr> <tr> <td></td> <td><u>* Or counts fingers (CF) at 1 metre.</u></td> <td></td> </tr> </tbody> </table> <p>Note: <u>The term visual impairment in category H54 comprises category 0 for mild or no visual impairment, category 1 for moderate visual impairment, category 2 for severe visual impairment, categories 3, 4 and 5 for blindness and category 9 for unqualified visual impairment. The term "low vision"</u></p>	Category	<u>Presenting distance visual acuity</u>		<u>Worse than:</u>	<u>Equal to or better than:</u>	<u>Mild or no visual impairment</u>		<u>6/18</u>	<u>0</u>		<u>3/10 (0.3)</u>	<u>Moderate visual impairment</u>	<u>6/18</u>	<u>6/60</u>	<u>1</u>	<u>3/10 (0.3)</u>	<u>1/10 (0.1)</u>	<u>Severe visual impairment</u>	<u>20/70</u>	<u>20/200</u>	<u>2</u>	<u>6/60</u>	<u>3/60</u>	<u>Blindness</u>	<u>1/10 (0.1)</u>	<u>1/20 (0.05)</u>	<u>3</u>	<u>20/200</u>	<u>20/400</u>	<u>4</u>	<u>3/60</u>	<u>1/60*</u>	<u>Blindness</u>	<u>1/20 (0.05)</u>	<u>1/50 (0.02)</u>	<u>5</u>	<u>20/400</u>	<u>5/300 (20/1200)</u>	<u>9</u>	<u>1/60*</u>	<u>Light perception</u>		<u>1/50 (0.02)</u>			<u>5/300 (20/1200)</u>			<u>No light perception</u>			<u>Undetermined or unspecified</u>			<u>* Or counts fingers (CF) at 1 metre.</u>					
Category	<u>Presenting distance visual acuity</u>																																																												
	<u>Worse than:</u>	<u>Equal to or better than:</u>																																																											
<u>Mild or no visual impairment</u>		<u>6/18</u>																																																											
<u>0</u>		<u>3/10 (0.3)</u>																																																											
<u>Moderate visual impairment</u>	<u>6/18</u>	<u>6/60</u>																																																											
<u>1</u>	<u>3/10 (0.3)</u>	<u>1/10 (0.1)</u>																																																											
<u>Severe visual impairment</u>	<u>20/70</u>	<u>20/200</u>																																																											
<u>2</u>	<u>6/60</u>	<u>3/60</u>																																																											
<u>Blindness</u>	<u>1/10 (0.1)</u>	<u>1/20 (0.05)</u>																																																											
<u>3</u>	<u>20/200</u>	<u>20/400</u>																																																											
<u>4</u>	<u>3/60</u>	<u>1/60*</u>																																																											
<u>Blindness</u>	<u>1/20 (0.05)</u>	<u>1/50 (0.02)</u>																																																											
<u>5</u>	<u>20/400</u>	<u>5/300 (20/1200)</u>																																																											
<u>9</u>	<u>1/60*</u>	<u>Light perception</u>																																																											
	<u>1/50 (0.02)</u>																																																												
	<u>5/300 (20/1200)</u>																																																												
	<u>No light perception</u>																																																												
	<u>Undetermined or unspecified</u>																																																												
	<u>* Or counts fingers (CF) at 1 metre.</u>																																																												

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	<p><u>included in the previous revision has been replaced by categories 1 and 2 to avoid confusion with those requiring low vision care.</u></p> <table border="1"> <thead> <tr> <th><u>Category of visual impairment</u></th> <th colspan="2"><u>Visual acuity with best possible correction</u></th> </tr> </thead> <tbody> <tr> <td></td> <td colspan="2"><u>Maximum less than: Minimum equal to or better than:</u></td> </tr> <tr> <td><u>1</u></td> <td><u>6/18</u> <u>3/10 (0.3)</u> <u>20/70</u></td> <td><u>6/60</u> <u>1/10 (0.1)</u> <u>20/200</u></td> </tr> <tr> <td><u>2</u></td> <td><u>6/60</u> <u>1/10 (0.1)</u> <u>20/200</u></td> <td><u>3/60</u> <u>1/20 (0.05)</u> <u>20/400</u></td> </tr> <tr> <td><u>3</u></td> <td><u>3/60</u> <u>1/20 (0.05)</u> <u>20/400</u></td> <td><u>1/60 (finger counting at 1 metre)</u> <u>1/50 (0.02)</u> <u>5/300 (20/1200)</u></td> </tr> <tr> <td><u>4</u></td> <td><u>1/60 (finger counting at 1 metre)</u> <u>1/50 (0.02)</u> <u>5/300</u></td> <td><u>Light perception</u></td> </tr> <tr> <td colspan="3"><u>5 No light perception</u></td> </tr> <tr> <td colspan="3"><u>9 Undetermined or unspecified</u></td> </tr> </tbody> </table>	<u>Category of visual impairment</u>	<u>Visual acuity with best possible correction</u>			<u>Maximum less than: Minimum equal to or better than:</u>		<u>1</u>	<u>6/18</u> <u>3/10 (0.3)</u> <u>20/70</u>	<u>6/60</u> <u>1/10 (0.1)</u> <u>20/200</u>	<u>2</u>	<u>6/60</u> <u>1/10 (0.1)</u> <u>20/200</u>	<u>3/60</u> <u>1/20 (0.05)</u> <u>20/400</u>	<u>3</u>	<u>3/60</u> <u>1/20 (0.05)</u> <u>20/400</u>	<u>1/60 (finger counting at 1 metre)</u> <u>1/50 (0.02)</u> <u>5/300 (20/1200)</u>	<u>4</u>	<u>1/60 (finger counting at 1 metre)</u> <u>1/50 (0.02)</u> <u>5/300</u>	<u>Light perception</u>	<u>5 No light perception</u>			<u>9 Undetermined or unspecified</u>						
<u>Category of visual impairment</u>	<u>Visual acuity with best possible correction</u>																												
	<u>Maximum less than: Minimum equal to or better than:</u>																												
<u>1</u>	<u>6/18</u> <u>3/10 (0.3)</u> <u>20/70</u>	<u>6/60</u> <u>1/10 (0.1)</u> <u>20/200</u>																											
<u>2</u>	<u>6/60</u> <u>1/10 (0.1)</u> <u>20/200</u>	<u>3/60</u> <u>1/20 (0.05)</u> <u>20/400</u>																											
<u>3</u>	<u>3/60</u> <u>1/20 (0.05)</u> <u>20/400</u>	<u>1/60 (finger counting at 1 metre)</u> <u>1/50 (0.02)</u> <u>5/300 (20/1200)</u>																											
<u>4</u>	<u>1/60 (finger counting at 1 metre)</u> <u>1/50 (0.02)</u> <u>5/300</u>	<u>Light perception</u>																											
<u>5 No light perception</u>																													
<u>9 Undetermined or unspecified</u>																													
Revise code title and add inclusion terms	<p>H59.0 Vitreous syndrome Keratopathy (bullous aphakic) following cataract surgery <u>Vitreous (Touch) Syndrome</u> <u>Vitreous Corneal Syndrome</u></p>	North America (URC:0325)	October 2005	Minor	January 2007																								
Add inclusion terms	<p>H59.8 Other postprocedural disorders of eye and adnexa Bleb associated endophthalmitis Inflammation (infection) of postprocedural bleb Postprocedural blebitis</p>	Canada (URC:1400)	October 2008	Minor	January 2010																								
Add instructional note	<p>H65 Non suppurative otitis media <i>Includes:</i> with myringitis</p> <p><u>Use additional code to identify presence of perforated tympanic membrane (H72.-)</u></p>	United Kingdom (URC:0185)	October 2003	Major	January 2006																								

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Add instructional note	H66 Suppurative and unspecified otitis media <i>Includes:</i> with myringitis <u>Use additional code to identify presence of perforated tympanic membrane (H72.-)</u>				
Add code	H67.1* Otitis media in viral diseases classified elsewhere Otitis media in: • influenza (J09 J40 -J11†)	URC (URC:0349)	October 2005	Major	October 2005
Modify includes note Modify includes note Add exclusion term Modify inclusion term	I07 Rheumatic tricuspid valve diseases <i>Includes:</i> whether specified as rheumatic or <u>of unspecified origin</u> not <i>Excludes:</i> when specified as nonrheumatic (I36.-) I08 Multiple valve diseases <i>Includes:</i> whether specified as rheumatic or <u>of unspecified origin</u> not <i>Excludes:</i> endocarditis, valve unspecified (I38) rheumatic diseases of endocardium, valve unspecified (I09.1) <u>multiple valve diseases of specified origin other than rheumatic heart disease (use appropriate codes in I34-I38, Q22-Q23 and Q24.8)</u> I08.0 Disorders of both mitral and aortic valves Involvement of both mitral and aortic valves whether specified as rheumatic or not <u>of unspecified origin</u>	MRG (URC:0199)	October 2003	Minor	January 2005
Modify inclusion term (delete .- at reference to N19 and N26) and add codes	I12 Hypertensive renal disease <i>Includes:</i> any condition in <u>N00 – N07</u> , N18.-, N19- or N26- with any condition in I10 arteriosclerosis of kidney arteriosclerotic nephritis (chronic)(interstitial) hypertensive nephropathy nephrosclerosis <i>Excludes:</i> secondary hypertension (I15.-)	Germany (URC:0267) (URC:0271)	October 2005	Minor Minor	January 2007 January 2007

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

<p>Revise inclusion:</p>	<p>I12 Hypertensive renal disease</p> <p><i>Includes:</i> any condition in N18.-, N19, or N26 with any condition in I10 <u>due to hypertension</u> arteriosclerosis of kidney arteriosclerotic nephritis (chronic)(interstitial) hypertensive nephropathy nephrosclerosis</p> <p><i>Excludes:</i> secondary hypertension (I15.-)</p> <p>I12.0 Hypertensive renal disease with renal failure Hypertensive renal failure</p> <p>I12.9 Hypertensive renal disease without renal failure Hypertensive renal disease NOS</p>	<p>Australia (URC:1241)</p>	<p>October 2007</p>	<p>Major</p>	<p>January 2010</p>
<p>Revise inclusions and add note:</p>	<p>Ischaemic heart diseases (I20–I25)</p> <p><i>Note:</i> For morbidity, duration as used in categories I21–I25 refers to the interval elapsing between onset of the ischaemic episode and admission to care. For mortality, duration refers to the interval elapsing between onset and death.</p> <p><i>Includes:</i> with mention of hypertension (I10–I15)</p> <p><i>Use additional code, if desired, to identify presence of hypertension.</i></p> <p>I22 Subsequent myocardial infarction</p> <p><i>Includes:</i> recurrent myocardial infarction: <u>extension</u> <u>recurrent</u> <u>reinfarction</u></p> <p><i>Note:</i> For morbidity coding, this category should be assigned for infarction of <u>any myocardial site, occurring within 4 weeks (28 days) from onset of a previous infarction</u></p> <p><i>Excludes:</i> specified as chronic or with a stated duration of more than 4 weeks (more than 28 days) from onset (I25.8)</p>	<p>MbRG (URC:1227)</p>	<p>October 2007</p>	<p>Major</p>	<p>January 2010</p>
<p>Revise code range</p>	<p>Ischaemic heart diseases (I20–I25)</p> <p><i>Note:</i> For morbidity, duration as used in categories I21–I25 I21, I22, I24 and I25 refers to the interval elapsing between onset of the ischaemic episode and admission to care. For mortality, duration refers to the interval elapsing between onset and death.</p>	<p>Canada (URC:1415)</p>	<p>October 2008</p>	<p>Minor</p>	<p>January 2010</p>

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Add subcategory	I27 Other pulmonary heart diseases <u>I27.2 Other secondary pulmonary hypertension</u> <u>Use additional code, if desired, to identify the underlying disease</u>	Australia (URC: 0069)	October 2001	Major	January 2003
Add instruction					
Delete inclusion term	I27 Other pulmonary heart diseases I27.0 Primary pulmonary hypertension Pulmonary (artery) hypertension (idiopathic)(primary)	North America (URC:0187)	October 2003	Minor	January 2005
Add excludes note	I27.8 Other specified pulmonary heart disease <u>Excludes:</u> Eisenmenger's defect (Q21.8)	UK (URC:0103)	October 2004	Major	January 2006
Modify exclusion term	I34 Nonrheumatic mitral valve disorders <u>Excludes:</u> mitral (valve): <ul style="list-style-type: none"> • disease (I05.9) • failure (I05.8) • stenosis (I05.0) when of unspecified cause but with mention of: <ul style="list-style-type: none"> • diseases of aortic valve (I08.0) • mitral stenosis or obstruction (I05.0) when specified as rheumatic (I05.-) <u>when specified as congenital (Q23.2, Q23.3)</u>	MRG (URC:0199)	October 2003	Minor	January 2005
Modify exclusion term	I35 Nonrheumatic aortic valve disorders <u>Excludes:</u> hypertrophic subaortic stenosis (I42.1) when of unspecified cause but with mention of diseases of mitral valve (I08.0) when specified as rheumatic (I06.-) <u>when specified as congenital (Q23.0, Q23.1)</u>				
Modify exclusion term	I36 Nonrheumatic tricuspid valve disorders <u>Excludes:</u> when of unspecified cause (I07.-) when specified as rheumatic (I07.-) <u>when specified as congenital (Q22.4, Q22.8, Q22.9)</u>				
	I37 Pulmonary valve disorders				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Modify exclusion term	<p>Excludes: when specified as rheumatic (I09.8) <u>when specified as congenital (Q22.1, Q22.2, Q22.3)</u></p>				
Modify inclusion term	<p>I38 Endocarditis, valve unspecified Endocarditis (chronic) NOS Valvular:</p> <ul style="list-style-type: none"> • incompetence • insufficiency • regurgitation • <u>congenital</u> stenosis <p style="margin-left: 40px;">} of } NOS or of specified unspecified } cause, except rheumatic <u>or</u> valve }</p> <p>Valvulitis (chronic)</p>				
Add excludes terms	<p>Excludes: endocardial fibroelastosis (I42.4) when specified as rheumatic (I09.1) <u>congenital insufficiency of cardiac valve NOS (Q24.8)</u> <u>congenital stenosis of cardiac valve NOS (Q24.8)</u></p>				
Modify Add code	<p>I41.1* Myocarditis in viral diseases classified elsewhere Influenzal myocarditis (acute):</p> <ul style="list-style-type: none"> • <u>avian influenza virus identified (J09†)</u> • <u>other virus identified (J10.8†)</u> 	URC (URC:0349)	October 2005	Major	October 2005
Add inclusion term Add inclusion term	<p>I42.0 Dilated cardiomyopathy <u>Congestive cardiomyopathy</u></p> <p>I42.5 Other restrictive cardiomyopathy <u>Constrictive cardiomyopathy NOS</u></p>	United Kingdom (URC:0099)	October 2001	Major	January 2003
Add inclusion and exclusion	<p>I45.8 Other specified conduction disorders Atrioventricular [AV] dissociation Interference dissociation <u>long QT syndrome</u> Excludes: prolongation of QT interval (R94.3)</p>	MRG (URC:1027)	October 2006	Major	January 2010
Modify excludes note and add	<p>I47 Paroxysmal tachycardia</p> <p>Excludes: tachycardia; NOS (R00.0) <u>. NOS (R00.0)</u></p>	Australia (URC:0041)	October 2003	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

exclusion terms Modify excludes note and add exclusion terms	<p><u>. sinoauricular NOS (R00.0)</u> <u>. sinus [sinusal] NOS (R00.0)</u></p> <p>I49 Other cardiac arrhythmias</p> <p>Excludes: bradycardia; NOS (R00.1) <u>. NOS (R00.1)</u> <u>. sinoatrial (R00.1)</u> <u>. sinus (R00.1)</u> <u>. vagal (R00.1)</u></p>				
Delete text	<p>I50.1 Left ventricular failure Cardiac asthma Left heart failure Acute Oedema of lung with mention of heart disease Acute Pulmonary oedema NOS or heart failure</p>	MRG (URC:0348)	October 2005	Minor	January 2007
Delete inclusion term	<p>I50.9 Heart failure, unspecified Biventricular failure</p>	WHO Corrigenda			January 1995
Revise code in excludes note	<p>I67.1 Cerebral aneurysm, nonruptured Excludes: congenital cerebral aneurysm, nonruptured (Q28.-) ruptured cerebral aneurysm (I60.9I60.-)</p>	MRG (URC:1025)	October 2006	Minor	January 2008
Add inclusion:	<p>I68.8* Other cerebrovascular disorders in diseases classified elsewhere <u>Uraemic apoplexia in chronic kidney disease (N18.5†)</u></p>	Australia (URC:1241)	October 2007	Major	January 2010
Revise and add text:	<p>I69 Sequelae of cerebrovascular disease Note: ThisCategory I69 is to be used to indicate <u>previous episodes of conditions in I60-I67 I60-I67.1 and I67.4-I67.9</u> as the cause of sequelae, themselves classified elsewhere. The “sequelae” include conditions specified as such or as late effects, or those present one year or more after onset of the causal condition. <u>Not to be used for chronic cerebrovascular disease. Code these to I60-I67.</u></p>	MRG (URC:1221)	October 2007	Minor	January 2009
Add note and subdivisions at category level	<p>I70 Atherosclerosis ...</p> <p><u>The following supplementary classification to indicate the presence or absence of gangrene is provided for optional use.</u> <u>0 without gangrene</u></p>	Canada (URC:1405)	October 2008	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	<p><u>1 with gangrene</u></p> <p><i>Excludes:</i> cerebral (I67.2) coronary (I25.1) mesenteric (K55.1) pulmonary (I27.0)</p>				
Revise category title, code titles, add exclusion at category level, and exclusion at code level:	<p>I72 Other aneurysm and dissection <i>Includes:</i> aneurysm (cirroid)(false)(ruptured) <i>Excludes:</i> aneurysm (of):</p> <ul style="list-style-type: none"> • aorta (I71.-) • arteriovenous NOS (Q27.3) • acquired (I77.0) • cerebral (nonruptured) (I67.1) • ruptured (I60.-) • coronary (I25.4) • heart (I25.3) • pulmonary artery (I28.1) • retinal (H35.0) • varicose (I77.0) <p><u>dissection of precerebral artery, congenital (nonruptured) (Q28.1)</u></p> <p>I72.0 Aneurysm and dissection of carotid artery I72.1 Aneurysm and dissection of artery of upper extremity I72.2 Aneurysm and dissection of renal artery I72.3 Aneurysm and dissection of iliac artery I72.4 Aneurysm and dissection of artery of lower extremity I72.5 Aneurysm and dissection of other precerebral arteries <i>Excludes:</i> Aneurysm and dissection of carotid artery (I72.0)</p> <p>I72.8 Aneurysm and dissection of other specified arteries I72.9 Aneurysm and dissection of unspecified site</p>	Germany (URC:1228)	October 2007	Major	January 2010
Delete inclusion terms	<p>I77.2 Rupture of artery Erosion Fistula of artery Ulcer <i>Excludes:</i> traumatic rupture of artery - see injury of blood vessel by body region.</p>	Germany (URC:1056)	October 2006	Minor	January 2008
Add inclusion terms	<p>I77.8 Other specified disorders of arteries and arterioles <u>Erosion</u> of artery <u>Ulcer</u></p>				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Add inclusion terms	I84.3 External thrombosed haemorrhoids <u>Perianal thrombosis</u> <u>Perianal haematoma (nontraumatic)</u>	Germany (URC:1060)	October 2006	Minor	January 2008
Revise code title and add inclusion term	I87.0 Postphlebotic <u>Postthrombotic</u> syndrome <u>Postphlebotic syndrome</u>	Canada (URC:1406)	October 2008	Minor	January 2010
Modify code title Add new code and inclusions:	I98.2* Oesophageal varices <u>without bleeding</u> in diseases classified elsewhere Oesophageal varices in: <ul style="list-style-type: none"> • liver disorders (K70-K71†, K74.-†) • schistosomiasis (B65.-†) I98.3* Oesophageal varices with bleeding in diseases classified elsewhere Oesophageal varices in: <ul style="list-style-type: none"> • <u>liver disorders (K70-K71†), K74.-†</u> • <u>schistosomiasis (B65.-†)</u> 	France (URC:1107)	October 2006	Major	January 2010
Delete existing Excludes note and replace with the following	J02.8 Acute pharyngitis due to other specified organisms <i>Excludes:</i> <u>pharyngitis (due to):</u> <ul style="list-style-type: none"> . <u>enteroviral vesicular (B08.5)</u> . <u>herpesviral [herpes simplex] (B00.2)</u> . <u>infectious mononucleosis (B27.-)</u> . <u>influenza virus:</u> . <u>identified (J10.1)</u> . <u>not identified (J11.1)</u> 	WHO Corrigenda			January 1995
Modify Revise code	Diseases of the respiratory system (J00-J99) This chapter contains the following blocks: J00-J06 Acute upper respiratory infections J09-J10 -J18 Influenza and pneumonia J20-J22 Other acute lower respiratory infections J02.8 Acute pharyngitis due to other specified organisms Use additional code (B95-B97), if desired, to identify infectious agent.	URC (URC:0349)	October 2005	Major	October 2005

Add code	<p>Excludes: pharyngitis (due to):</p> <ul style="list-style-type: none"> • enteroviral vesicular (B08.5) • herpesviral [herpes simplex] (B00.2) • infectious mononucleosis (B27.-) • influenza virus: <ul style="list-style-type: none"> • identified (J09, J10.1) • not identified (J11.1) 				
Add code	<p>J04.0 Acute laryngitis Laryngitis (acute):</p> <ul style="list-style-type: none"> • NOS • oedematous • subglottic • suppurative • ulcerative <p>Excludes: chronic laryngitis (J37.0) influenzal laryngitis, influenza virus:</p> <ul style="list-style-type: none"> • identified (J09, J10.1) • not identified (J11.1) 				
Add code	<p>J06 Acute upper respiratory infections of multiple and unspecified sites Excludes: acute respiratory infection NOS (J22) influenza virus:</p> <ul style="list-style-type: none"> • identified (J09, J10.1) • not identified (J11.1) 				
Revise code	<p>Influenza and pneumonia (J09 J10 -J18)</p>				
Add code and text	<p>J09 Influenza due to identified avian influenza virus Influenza caused by influenza viruses that normally infect only birds and, less commonly, other animals.</p>				
Add text	<p>J10 Influenza due to other identified influenza virus Excludes: <i>Haemophilus influenzae</i> [<i>H. influenzae</i>]:</p> <ul style="list-style-type: none"> • infection NOS (A49.2) • meningitis (G00.0) • pneumonia (J14) 				
Add text	<p>J10.0 Influenza with pneumonia, other influenza virus identified Influenzal (broncho)pneumonia, other influenza virus identified</p>				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Add text	<p>J10.1 Influenza with other respiratory manifestations, <u>other</u> influenza virus identified Influenza Influenzal: <ul style="list-style-type: none"> • acute upper respiratory infection • laryngitis • pharyngitis • pleural effusion </p>	<u>other</u> influenza virus identified				
Add text	<p>J10.8 Influenza with other manifestations, <u>other</u> influenza virus identified Encephalopathy due to influenza Influenzal: <ul style="list-style-type: none"> • gastroenteritis • myocarditis (acute) </p>	<u>other</u> influenza virus identified				
Add code	<p>J12 Viral pneumonia, not elsewhere classified <i>Includes:</i> bronchopneumonia due to viruses other than influenza viruses <i>Excludes:</i> congenital rubella pneumonitis (P35.0) pneumonia: <ul style="list-style-type: none"> • aspiration (due to): <ul style="list-style-type: none"> • NOS (J69.0) • anaesthesia during: <ul style="list-style-type: none"> • labour and delivery (O74.0) • pregnancy (O29.0) • puerperium (O89.0) • neonatal (P24.9) • solids and liquids (J69.1) • congenital (P23.0) • in influenza (J09, J10.0, J11.0) • interstitial NOS (J84.9) • lipid (J69.1) • severe acute respiratory syndrome [SARS] (U04.9) </p>					
Add new code	<p>J12 Viral pneumonia, not elsewhere classified <u>J12.3 Human metapneumovirus pneumonia</u></p>		Canada (URC:1408)	October 2008	Major	January 2010
	<p>J18 Pneumonia, organism unspecified <i>Excludes:</i> abscess of lung with pneumonia (J85.1)</p>		Australia (URC:0312)	October 2005	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Add excludes note	<p>drug-induced interstitial lung disorders (J70.2–J70.4) pneumonia:</p> <ul style="list-style-type: none"> • aspiration (due to): <ul style="list-style-type: none"> • NOS (J69.0) • anaesthesia during: <ul style="list-style-type: none"> • labour and delivery (O74.0) • pregnancy (O29.0) • puerperium (O89.0) • neonatal (P24.9) • solids and liquids (J69.-) • congenital (P23.9) • interstitial NOS (J84.9) • lipid (J69.1) • <u>usual interstitial</u> (J84.1) <p>pneumonitis, due to external agents (J67–J70)</p>				
Add new code	<p>J21 Acute bronchiolitis <u>J21.1 Acute bronchiolitis due to human metapneumovirus</u></p>	Canada (URC:1408)	October 2008	Major	January 2010
Modify title	<p>J34.1 Cyst and mucocele of <u>nose and</u> nasal sinus</p>	Germany	October 1997		January 1999
Delete excludes note and code	<p>J38 Diseases of vocal cords and larynx, not elsewhere classified <i>Excludes:</i> congenital laryngeal stridor (Q31.4)</p>	Australia (URC:0060)	October 2001	Major	January 2003
Revise and add excludes notes and codes	<p>stridor: (R06.1) <u>. congenital laryngeal NOS (P28.8)</u> <u>. NOS (R06.1)</u></p>				
Revise code	<p>J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection <i>Excludes:</i> with influenza (<u>J09 J40-J11</u>)</p>	URC (URC:0349)	October 2005	Major	October 2005
Revise code:	<p>J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection <i>Excludes:</i> with influenza (J98<u>J09-J11</u>)</p>	Germany (URC:1166)	October 2007	Minor	January 2009
	<p>J44.8 Other specified chronic obstructive pulmonary disease Chronic bronchitis:</p> <ul style="list-style-type: none"> • Asthmatic (obstructive) NOS • Emphysematous NOS • Obstructive NOS 	MRG (URC:0162)	October 2003	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Add excludes note	<u>Excludes: with acute lower respiratory infection (J44.0) with acute exacerbation (J44.1)</u>				
Modify excludes note	J60 Coalworker's pneumoconiosis Anthracosilicosis Anthracosis Coalworker's lung <i>Excludes:</i> with tuberculosis in <u>A15-A16 (J65)</u>	MRG (URC:0168)	October 2003	Minor	January 2005
Modify excludes note	J61 Pneumoconiosis due to asbestos and other mineral fibres Asbestosis <i>Excludes:</i> pleural plaque with asbestosis (J92.0) with tuberculosis in <u>A15-A16 (J65)</u>				
Modify excludes note	J62 Pneumoconiosis due to dust containing silica <i>Includes:</i> silicotic fibrosis (massive) of lung <i>Excludes:</i> pneumoconiosis with tuberculosis in <u>A15-A16 (J65)</u>				
Modify excludes note	J63 Pneumoconiosis due to other inorganic dusts <i>Excludes:</i> with tuberculosis in <u>A15-A16 (J65)</u>				
Modify excludes note	J64 Unspecified pneumoconiosis <i>Excludes:</i> with tuberculosis in <u>A15-A16 (J65)</u>				
Delete text	J68.1 Acute pulmonary oedema due to chemicals, gases, fumes and vapours Chemical pulmonary oedema (acute)	MRG (URC:0348)	October 2005	Minor	January 2007
Modify	J84.1 Other interstitial pulmonary diseases with fibrosis Diffuse pulmonary fibrosis Fibrosing alveolitis (cryptogenic) Hamman-Rich syndrome Idiopathic pulmonary fibrosis <u>Usual interstitial pneumonia</u> <i>Excludes:</i> pulmonary fibrosis (chronic): • due to inhalation of chemicals, gases, fumes or vapours (J68.4) • following radiation (J70.1)	Australia (URC:0312)	October 2005	Major	January 2010
Add inclusion term					

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Modify Revise code	J85.1 Abscess of lung with pneumonia <i>Excludes:</i> with pneumonia due to specified organism (<u>J09</u> J10-J16)	URC (URC:0349)	October 2005	Major	October 2005
Modify exclusion terms and code	J96 Respiratory failure, not elsewhere classified <i>Excludes:</i> cardiorespiratory failure (R09.2) postprocedural respiratory failure (J95.-) respiratory: • arrest (R09.2) • distress syndrome • syndrome of adult (J80) • in newborn (P22.0) (P22.-)	Netherlands (URC:1085)	October 2006	Minor	January 2008
Revise inclusion terms	K04.0 Pulpitis Pulpal: -abscess -polyp Pulpitis: • <u>NOS</u> • acute • chronic (hyperplastic)(ulcerative) -suppurative • <u>irreversible</u> • <u>reversible</u>	Japan (URC:1329)	October 2008	Minor	January 2010
Delete inclusion term	K09.0 Developmental odontogenic cysts Keratocyst	Japan (URC:1322)	October 2008	Major	January 2010
Add a new code, inclusion and exclusion terms and notes	K12 Stomatitis and related lesions <u>K12.3 Oral mucositis (ulcerative)</u> <u>Mucositis(oral) (oropharyngeal):</u> • <u>NOS</u> • <u>drug-induced</u> • <u>radiation induced</u> • <u>viral</u> <u>Use additional external cause code (Chapter XX), if desired, to identify external agent</u>	Canada (URC:1422)	October 2008	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	<p><u>Excludes: mucositis (ulcerative) of:</u> <u>. nose and nasal sinuses (J34.8)</u> <u>. vagina and vulva (N76.8)</u> <u>. gastrointestinal tract (except oral cavity and oropharynx) (K92.8)</u></p>				
Revise code	<p>K22.0 Achalasia of cardia <i>Excludes:</i> congenital cardiospasm (Q39.5)</p>	WHO Corrigenda			January 1995
Add inclusion term	<p>K22.1 Ulcer of oesophagus Erosion of oesophagus Ulcer of oesophagus: <ul style="list-style-type: none"> • NOS • Due to ingestion of: • Chemicals • drugs and medicaments • fungal • peptic <u>Ulcerative oesophagitis</u> Use additional external cause code (Chapter XX), if desired, to identify cause.</p>	North America (URC:0327)	October 2005	Minor	January 2007
Add new code and inclusion terms Add excludes note	<p>K22 Other diseases of oesophagus <i>Excludes:</i> oesophageal varices (I85.-)</p> <p>K22.6 Gastro-oesophageal laceration-haemorrhage syndrome Mallory-Weiss syndrome</p> <p>K22.7 Barrett's esophagus <u>Barrett's:</u> <ul style="list-style-type: none"> • <u>disease</u> • <u>syndrome</u> <i>Excludes:</i> Barrett's ulcer (K22.1)</p>	Australia (URC: 0215)	October 2004	Major	January 2006
Revise code	<p>K29 Gastritis and duodenitis <i>Excludes:</i> Zollinger-Ellison syndrome (E16.4)</p>	Germany	October 1999		January 2001

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Add subcategory Add excludes note	<u>K31.7 Polyp of stomach and duodenum</u> <i><u>Excludes:</u></i> adenomatous polyp of stomach (D13.1)	Australia	October 1997		January 1999
Revise inclusion term Add inclusion term Add inclusion term Delete inclusion term	K35 Acute appendicitis K35.0 Acute appendicitis with generalized peritonitis Appendicitis (acute) with: .perforation .peritonitis (generalized) <u>(localized) following rupture or perforation</u> .rupture K35.9 Acute appendicitis, unspecified <u>Acute appendicitis with peritonitis, localized or NOS</u> Acute appendicitis without: .generalized peritonitis .perforation .peritoneal abscess .peritonitis .rupture	Australia (URC:0077)	October 2001	Minor	January 2003
Revise and add codes:	K35 Acute appendicitis K35.0 Acute appendicitis with generalized peritonitis Appendicitis (acute) with: <ul style="list-style-type: none"> • perforation • peritonitis (generalized) (localized) following rupture or perforation • rupture K35.1 Acute appendicitis with peritoneal abscess Abscess of appendix <u>K35.2 Acute appendicitis with generalized peritonitis</u> <u>Appendicitis (acute) with generalized (diffuse) peritonitis following rupture or perforation</u> <u>K35.3 Acute appendicitis with localized peritonitis</u> <u>Acute appendicitis with localized peritonitis with or without rupture or perforation</u>	France (URC:1108)	October 2007	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	<p><u>Acute appendicitis with peritoneal abscess</u></p> <p>K35.8 Acute appendicitis, other and unspecified <u>Acute appendicitis without mention of localized or generalized peritonitis</u></p> <p>K35.9 Acute appendicitis, unspecified Acute appendicitis with peritonitis, localized or NOS Acute appendicitis without:</p> <ul style="list-style-type: none"> • generalized peritonitis • perforation • peritoneal abscess • rupture 				
<p>Revise Modify code title, add inclusion term Delete code</p> <p>Modify code title Modify code title</p> <p>Delete includes</p>	<p>K51 Ulcerative colitis</p> <p>K51.0 Ulcerative (chronic) enterocolitis pancolitis Includes: backwash ileitis</p> <p>K51.1 Ulcerative (chronic) ileocolitis</p> <p>K51.2 Ulcerative (chronic) proctitis</p> <p>K51.3 Ulcerative (chronic) rectosigmoiditis</p> <p>K51.4 Pseudopolyposis of colon-Inflammatory polyps [Pseudopolyposis of colon]</p> <p>K51.5 Left sided colitis Mucosal proctocolitis Includes: left hemicolitis</p> <p>K51.8 Other ulcerative colitis</p> <p>K51.9 Ulcerative colitis, unspecified Ulcerative enteritis NOS</p>	<p>Germany (URC:0221)</p>	<p>October 2005</p>	<p>Major</p>	<p>January 2010</p>
<p>Revise</p> <p>Add code</p>	<p>K52 Other noninfective gastroenteritis and colitis</p> <p>K52.0 Gastroenteritis and colitis due to radiation</p> <p>K52.1 Toxic gastroenteritis and colitis Use additional external cause code (Chapter XX), if desired, to identify toxic agent.</p> <p>K52.2 Allergic and dietetic gastroenteritis and colitis Food hypersensitivity gastroenteritis or colitis</p> <p>K52.3 Indeterminate colitis</p> <p>K52.8 Other specified noninfective gastroenteritis and colitis Eosinophilic gastritis or gastroenteritis</p> <p>K52.9 Noninfective gastroenteritis and colitis, unspecified Diarrhoea Enteritis specified as noninfective <u>noninfectious</u>, or NOS</p>	<p>MRG (URC:0317)</p> <p>Germany (URC:0221)</p>	<p>October 2005</p>	<p>Major</p> <p>Major</p>	<p>January 2010</p> <p>January 2010</p>

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Modify inclusion terms	<p>Ileitis } in countries where the conditions can be Jejunitis presumed to be of non infectious origin Sigmoiditis </p>				
Modify exclusion note and add revised codes	<p>Excludes: colitis, diarrhoea, enteritis, gastroenteritis: - infectious (A09.0) - unspecified in countries where the condition can be presumed to be of infectious origin (A09) origin (A09.9) functional diarrhoea (K59.1) neonatal diarrhoea (noninfective) (P78.3) psychogenic diarrhoea (F45.3)</p>				
Add inclusion terms	<p>K52.8 Other specified noninfective gastroenteritis and colitis Collagenous colitis Eosinophilic gastritis or gastroenteritis Lymphocytic colitis Microscopic colitis (collagenous colitis or lymphocytic colitis)</p>	Japan (URC:1334)	October 2008	Minor	January 2010
Delete exclusion term	<p>K56 Paralytic ileus and intestinal obstruction without hernia <i>Excludes:</i> neonatal intestinal obstructions classifiable to P76.</p>	MRG (URC:0115)	October 2002	Minor	January 2004
Add excludes note	<p>K56.6 Other and unspecified intestinal obstruction <i>Excludes:</i> other and unspecified neonatal intestinal obstruction classifiable to P76.8, P76.9</p>				
Delete inclusion term	<p>K62.8 Other specified diseases of anus and rectum Perforation (nontraumatic) of rectum</p>	Germany (URC:0140)	October 2002	Minor	January 2004
Add subcategory	<p><u>K63.5 Polyp of colon</u></p>	Australia	October 1997		January 1999
Add excludes note	<p><i>Excludes:</i> adenomatous polyp of colon (D12.6) polyposis of colon (D12.6)</p>				
Add subcategory	<p><u>K75.4 Autoimmune hepatitis</u></p>	Australia	October 1997		January 1999
Add inclusions and exclusion	<p>K75 Other inflammatory liver diseases K75.8 Other specified inflammatory liver diseases Nonalcoholic steatohepatitis (NASH) K76 Other diseases of liver</p>	Australia (URC:1340)	October 2008	Minor	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	<p>K76.0 Fatty(change of) liver, not elsewhere classified Nonalcoholic fatty liver disease (NAFLD)</p> <p><i>Excludes: nonalcoholic steatohepatitis (K75.8)</i></p>				
Add new inclusion:	<p>K76.8 Other specified diseases of liver Simple cyst of liver Focal nodular hyperplasia of liver Hepatoptosis</p>	Norway (URC:1232)	October 2007	Major	January 2010
Add new code	<p>K85 Acute pancreatitis Abscess of pancreas Necrosis of pancreas: · acute · infective Pancreatitis: · acute (recurrent) · haemorrhagic · subacute · suppurative</p> <p><u>K85.0 Idiopathic acute pancreatitis</u></p> <p><u>K85.1 Biliary acute pancreatitis</u> Gallstone pancreatitis</p> <p><u>K85.2 Alcohol-induced acute pancreatitis</u></p> <p><u>K85.3 Drug-induced acute pancreatitis</u> Use additional external cause code (Chapter XX), if desired, to identify drug</p> <p><u>K85.8 Other acute pancreatitis</u></p> <p><u>K85.9 Acute pancreatitis, unspecified</u></p>	MRG (URC:0203)	October 2004	Major	January 2006
Add new code					
Add new code					
Add new inclusion term					
Add new code					
Add new code					
Add new code					
Modify	<p>K92.1 Melaena</p> <p><i>Excludes: occult blood in faeces (R19.5)</i></p>	Australia (URC:0306)	October 2005	Minor	January 2007
Add excludes note					

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Revise Add synonym to title and note and delete inclusion term	L89 Decubitus ulcer and pressure area Bedsore Plaster ulcer Pressure ulcer <u>Note: For multiple sites of differing stages assign only one code indicating the highest stage.</u> <i>Excludes:</i> decubitus (trophic) ulcer of cervix (uteri) (N86)	Australia (URC:0308)	October 2005	Major	January 2010
Add code and inclusion term	<u>L89.0 Stage I decubitus ulcer and pressure area</u> <u>Decubitus [pressure] ulcer limited to erythema only</u> <u>Note: The ulcer appears as a defined area of persistent redness (erythema) in lightly pigmented skin, whereas in darker skin tones, the ulcer may appear with persistent red, blue or purple hues, without skin loss.</u>				
Add code and inclusion term	<u>L89.1 Stage II decubitus ulcer</u> <u>Decubitus [pressure] ulcer with:</u> • <u>abrasion</u> • <u>blister</u> • <u>partial thickness skin loss involving epidermis and/or dermis</u> • <u>skin loss NOS</u>				
Add code and inclusion term	<u>L89.2 Stage III decubitus ulcer</u> <u>Decubitus [pressure] ulcer with full thickness skin loss involving damage or necrosis of subcutaneous tissue extending to underlying fascia</u>				
Add code and inclusion term	<u>L89.3 Stage IV decubitus ulcer</u> <u>Decubitus [pressure] ulcer with necrosis of muscle, bone or supporting structures (ie tendon or joint capsule)</u>				
Add code and inclusion term	<u>L89.9 Decubitus ulcer and pressure area, unspecified</u> <u>Decubitus [pressure] ulcer without mention of stage</u>				
Add excludes	L90.0 Lichen sclerosus et atrophicus	NORDIC	October 1998		January 2000

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

note	<u>Excludes:</u> lichen sclerosus of external genital organs: .female (N90.4) .male (N48.0)				
Revise code title and inclusion:	L91.0 Keloid scar Hypertrophic scar Hypertrophic Keloid scar <i>Excludes:</i> acne keloid (L73.0) scar NOS (L90.5)	Norway (URC:1231)	October 2007	Minor	January 2009
Revise Modify exclusion note	L97 Ulcer of lower limb, not elsewhere classified <i>Excludes:</i> decubitus [pressure] ulcer and pressure area (L89)-) gangrene (R02) skin infections (L00–L08) specific infections classified to A00–B99 varicose ulcer (I83.0, I83.2) L98 Other disorders of skin and subcutaneous tissue, not elsewhere classified L98.4 Chronic ulcer of skin, not elsewhere classified Chronic ulcer of skin NOS Tropical ulcer NOS Ulcer of skin NOS <i>Excludes:</i> decubitus [pressure] ulcer and pressure area (L89)-) gangrene (R02) skin infections (L00–L08) specific infections classified to A00–B99 ulcer of lower limb NEC (L97) varicose ulcer (I83.0, I83.2)	Australia (URC:0308)	October 2005	Major	January 2010
Add excludes note	Diseases of the musculoskeletal system and connective tissue (M00-M99) <i>Excludes:</i> <u>certain disorders of the temporomandibular joint (K07.6)</u>	Germany (URC:0029)	October 2002	Minor	January 2004
Modify	Chapter XIII Diseases of the musculoskeletal system and connective tissue (M00-M99) Systemic connective tissue disorders	Germany (URC:0219)	October 2005	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Add exclusion term	<p>(M30-M36)</p> <p><i>Includes:</i> autoimmune disease: · NOS · systemic collagen (vascular) disease: · NOS · systemic</p> <p><i>Excludes:</i> <u>antiphospholipid syndrome (D68.6)</u> autoimmune disease, single organ or single cell-type (code to relevant condition category)</p>				
Add instructional note:	<p>M10.3 Gout due to impairment of renal function <u>Use additional code, if desired, to identify impairment of kidney disease (N17-N19)</u></p>	Australia (URC:1241)	October 2007	Major	January 2010
Modify title	<p>M19.2 <u>Other secondary arthrosis</u></p>	WHO Corrigenda			January 1995
Add excludes note	<p>M24.8 Other specific joint derangements, not elsewhere classified Irritable hip</p> <p><i><u>Excludes:</u></i> that involving iliotibial band syndrome (M76.3)</p>	Germany (URC:0037)	October 2003	Major	January 2006
Delete inclusion:	<p>M24.8 Other specific joint derangements, not elsewhere classified Irritable hip</p>	Norway (URC:1234)	October 2007	Major	January 2010
Add new code and inclusion terms Add excludes note	<p><u>M31.7 Microscopic polyangiitis</u> <u>Microscopic polyarteritis</u> <i><u>Excludes:</u></i> polyarteritis nodosa (M30.0)</p>	Germany (URC:0254)	October 2004	Major	January 2006
Revise code	<p>M36.1* Arthropathy in neoplastic disease (C00-D48†) Arthropathy in:</p> <ul style="list-style-type: none"> • leukaemia (C91-C95†) • malignant histiocytosis (C96.48†) • multiple myeloma (C90.0†) 	Germany (URC:1230)	October 2008	Major	January 2010
	<p>M43.6 Torticollis</p>	WHO Corrigenda			January 1995

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Revise code	<i>Excludes:</i> torticollis: . due to birth injury (P15.2)				
Add dagger Add code	M51.1† Lumbar and other intervertebral disc disorders with radiculopathy (G55.1*)	Australia UK	October 1999		January 2001
Modify excludes note	M62.2 Ischaemic infarction of muscle <u>Compartment syndrome, non-traumatic</u> <i>Excludes:</i> compartment syndrome, <u>traumatic</u> (T79.6)	MRG (URC:0196)	October 2003	Minor	January 2005
Add inclusion:	M65.8 Other synovitis and tenosynovitis <u>Irritable hip</u>	Norway (URC:1234)	October 2007	Major	January 2010
Add excludes note	M70 Soft tissue disorders related to use, overuse and pressure <i>Includes:</i> soft tissue disorders of occupational origin <i>Excludes:</i> bursitis (of): • NOS (M71.9) • shoulder (M75.5) decubitus ulcer and pressure area (L89.-) enthesopathies (M76-M77)	Canada (URC:1296)	October 2008	Minor	January 2010
Delete subcategory Add inclusion term Delete subcategory Delete excludes not Add subcategory Add instruction Add inclusion	M72 Fibroblastic disorders M72.3 Nodular fasciitis M72.4 Pseudosarcomatous fibromatosis <u>Nodular fasciitis</u> M72.5 Fasciitis, not elsewhere classified <i>Excludes:</i> fasciitis: - diffuse (eosinophilic) (M35.4) - nodular (M72.3) - plantar (M72.2) M72.6 Necrotising fasciitis <u>Use additional code, if desired, to identify infectious agent</u> M72.8 Other fibroblastic disorders <u>Abscess of fascia</u>	Australia (URC: 0081)	October 2001	Major	January 2003

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

term Add excludes note	<p><u>Excludes:</u> fasciitis: <u>.diffuse (eosinophilic) (M35.4)</u> <u>.necrotizing (M72.6)</u> <u>.nodular (M72.4)</u> <u>.perirenal:</u> <u>.NOS (N13.5)</u> <u>.with infection (N13.6)</u> <u>.plantar (M72.2)</u></p>				
Add inclusion terms	<p>M72.9 Fibroblastic disorder, unspecified <u>Fasciitis NOS</u> <u>Fibromatosis NOS</u></p>				
Delete inclusion terms Add excludes note Add new code	<p>M79.0 Rheumatism, unspecified <u>Fibromyalgia</u> <u>Fibrositis</u> <u>Excludes:</u> fibromyalgia (M79.7)</p> <p><u>M79.7 Fibromyalgia</u> <u>Fibromyositis</u> <u>Fibrositis</u> <u>Myofibrositis</u></p>	Germany (URC:0253)	October 2004	Major	January 2006
Add inclusion term Add exclusion terms	<p>M85.8 Other specified disorders of bone density and structure Hyperostosis of bones, except skull <u>Osteosclerosis, acquired</u></p> <p><u>Excludes:</u> diffuse idiopathic skeletal hyperostosis [DISH] (M48.1-) <u>osteosclerosis:</u> • <u>congenita (Q77.4)</u> • <u>myelofibrosis (D75.8)</u></p>	Australia (URC: 0216)	October 2004	Minor	January 2006
Add excludes note	<p>M89.6 Osteopathy after poliomyelitis Use additional code (B91), if desired, to identify previous poliomyelitis. <u>Excludes:</u> <u>postpolio syndrome (G14)</u></p>	Brazil (URC:1116)	October 2008	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Add inclusion term	M94.0 Chondrocostal junction syndrome [Tietze] <u>Costochondritis</u>	North America (URC:0321)	October 2005	Minor	January 2007
Add and revise instructional notes at block level:	Glomerular diseases (N00–N08) <u>Use additional code, if desired, to identify associated chronic kidney disease (N18.-)</u> Use additional code, if desired, to identify external cause (Chapter XX) or presence of renal failure, (N17–N19) <u>Acute (N17) or Unspecified (N19)</u> <i>Excludes:</i> hypertensive renal disease (I12.-)	Australia (URC:1241)	October 2007	Major	January 2010
Delete inclusion:	N03 Chronic nephritic syndrome [Note: See before N00 for subdivisions] <i>Includes:</i> chronic: <ul style="list-style-type: none"> • glomerular disease • glomerulonephritis • nephritis • renal disease NOS <i>Excludes:</i> chronic tubulo-interstitial nephritis (N11.-) diffuse sclerosing glomerulonephritis (N18.-) nephritic syndrome NOS (N05.-)	Australia (URC:1241)	October 2007	Major	January 2010
Modify excludes notes	N05 Unspecified nephritic syndrome <i>Excludes:</i> nephropathy NOS with no stated <u>morphological lesion</u> (N28.9) renal disease NOS with no stated <u>morphological lesion</u> (N28.9)	WHO Corrigenda			January 1995
Revise inclusions:	N08.0* Glomerular disorders in infectious and parasitic diseases classified elsewhere Glomerular disorders in: <ul style="list-style-type: none"> • mumps (B26.8†) • Plasmodium malariae malaria (B52.0†) • schistosomiasis [bilharziasis] (B65.-†) • septicaemia sepsis (A40–A41†) • strongyloidiasis (B78.-†) • syphilis (A52.7†) 	MbRG (URC:1238)	October 2007	Major	January 2010
	N08.5* Glomerular disorders in systemic connective tissue disorders	Germany (URC:0254)	October 2004	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Modify inclusion term and code	<p>Glomerular disorders in:</p> <ul style="list-style-type: none"> • polyarteritis nodosa (M30.0+) <u>microscopic polyangiitis (M31.7+)</u> 				
Add instructional note:	<p>RENAL TUBULO-INTERSTITIAL DISEASES (N10–N16) <i>Includes:</i> pyelonephritis <i>Excludes:</i> pyeloureteritis cystica (N28.8) Use additional code, if desired, to identify associated chronic kidney disease (N18.-)</p>	MbRG (URC:1241)	October 2007	Major	January 2010
Revise inclusions:	<p>N16.0* Renal tubulo-interstitial disorders in infectious and parasitic diseases classified elsewhere Renal tubulo-interstitial disorders (due to)(in):</p> <ul style="list-style-type: none"> • brucellosis (A23.-†) • diphtheria (A36.8†) • salmonella infection (A02.2†) • septicaemia sepsis (A40–A41†) • toxoplasmosis (B58.8†) 	MbRG (URC:1238)	October 2007	Major	January 2010
Add includes note	<p>N17 Acute renal failure <i>Includes:</i> acute renal impairment</p>	Australia (URC:0217)	October 2004	Minor	January 2006
Modify category title; add instructional notes, codes and inclusions:	<p>N18 Chronic renal failure kidney disease <i>Includes:</i> chronic uraemia diffuse sclerosing glomerulonephritis <i>Excludes:</i> chronic renal failure with hypertension (I12.0) <u>Use additional code, if desired, to identify underlying disease.</u> <u>Use additional code, if desired, to identify presence of hypertension.</u></p> <p>N18.0 End-stage renal disease N18.1 Chronic kidney disease, stage 1 <u>Kidney damage with normal or increased GFR (> 90 mL/min)</u> N18.2 Chronic kidney disease, stage 2 <u>Kidney damage with mild decreased GFR (60-89 mL/min)</u> N18.3 Chronic kidney disease, stage 3 <u>Kidney damage with moderately decreased GFR (30-59 mL/min)</u> N18.4 Chronic kidney disease, stage 4 <u>Kidney disease with severely decreased GFR (15-29 mL/min)</u> N18.5 Chronic kidney disease, stage 5 <u>Chronic uraemia</u> <u>End stage kidney disease:</u></p>	Australia (URC:1241)	October 2007	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	<ul style="list-style-type: none"> • <u>in allograft failure</u> • <u>NOS</u> • <u>on dialysis</u> • <u>without dialysis or transplant</u> <u>Renal retinitis†(H32.8*)</u> <u>Uraemic:</u> <ul style="list-style-type: none"> • <u>apoplexia† (I68.8*)</u> • <u>dementia † (F02.8*)</u> • <u>neuropathy† (G63.8*)</u> • <u>paralysis† (G99.8*)</u> • <u>pericarditis† (I32.8*)</u> <p>N18.8 Other chronic renal failure Uraemic: • <u>neuropathy† (G63.8*)</u> • <u>pericarditis† (I32.8*)</u></p> <p>N18.9 Chronic renal failure kidney disease, unspecified</p>				
Add inclusion, revise code title and exclusion:	<p>N19 Unspecified renal kidney failure <u>Renal insufficiency NOS</u> Uraemia NOS <i>Excludes:</i> renal kidney failure with hypertension (I12.0) uraemia of newborn (P96.0)</p>	Australia (URC:1241)	October 2007	Major	January 2010
Add inclusion term at category level and delete inclusion term at code level	<p>N20 Calculus of kidney and ureter <u><i>Includes:</i> calculous pyelonephritis</u> <i>Excludes:</i> with hydronephrosis (N13.2)</p> <p>N20.9 Urinary calculus, unspecified <u>Calculous pyelonephritis</u></p>	Canada (URC:1426)	October 2008	Minor	January 2010
Add inclusion:	<p>N29.8* Other disorders of kidney and ureter in other diseases classified elsewhere <u>Cystine storage disease (E72.0†)</u></p>	Australia (URC:1241)	October 2007	Major	January 2010
Add note	<p>N39.3 Stress incontinence <u>Use additional code (N32.8), if desired, to identify overactive bladder or destrusor muscle hyperactivity</u></p>	North America (URC:0040)	October 2002	Major	January 2006
Add note	<p>N39.4 Other specified urinary incontinence <u>Use additional code (N32.8), if desired, to identify overactive bladder or destrusor muscle hyperactivity</u></p>	North America (URC:0040)	October 2002	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Delete inclusion terms	<p>N40 Hyperplasia of prostate</p> <p>Adenofibromatous hypertrophy } Adenoma (benign) } Enlargement (benign) } Fibroadenoma } of prostate Fibroma } Hypertrophy (benign) } Myoma } Median bar (prostate) Prostatic obstruction NOS</p> <p><i>Excludes:</i> benign neoplasms, except adenoma, fibroma and myoma of prostate (D29.1)</p>	Australia (URC:0301)	October 2005	Major	January 2010
Add new code and inclusion and excludes note:	<p><u>N42.3 Dysplasia of prostate</u></p> <p><u>Low grade dysplasia</u> <i>Excludes:</i> <u>high grade dysplasia of prostate (D07.5)</u></p>	Canada (URC:1117)	October 2007	Major	January 2010
Add inclusion term	<p>N48.0 Leukoplakia of penis</p> <p><u>Balanitis xerotica obliterans</u> Kraurosis of penis</p>	NORDIC	October 1998		January 2000
Modify title Add inclusion term	<p>N48.6 <u>Induratio penis plastica</u></p> <p><u>Peyronie's disease</u> Plastic induration of penis</p>	NORDIC	October 1998		January 2000
Add exclusion term	<p>N85 Other noninflammatory disorders of uterus, except cervix</p> <p><i>Excludes:</i> endometriosis (N80.—) inflammatory diseases of uterus (N71.—) noninflammatory disorders of cervix <u>except malposition</u> (N86 - N88) polyp of corpus uteri (N84.0) uterine prolapse (N81.—)</p>	Germany (URC:0292-0296)	October 2005	Major	January 2010
Page 721 Revise code	<p>Chapter XV Pregnancy, childbirth and the puerperium (O00-O99) This chapter contains the following blocks: O94-O99 Other obstetric conditions, not elsewhere classified</p>	Australia (URC:0112)	October 2002	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

<p>Add text:</p>	<p>Chapter XV Pregnancy, childbirth and the puerperium (O00-O99) <u>The codes included in this chapter are to be used for conditions related to or aggravated by the pregnancy, childbirth or by the puerperium (maternal causes or obstetric causes)</u> Excludes: <u>Certain diseases or injuries complicating pregnancy, childbirth and the puerperium classified elsewhere:</u></p> <ul style="list-style-type: none"> - <u>external causes (for mortality) (V, W, X, Y)</u> - <u>human immunodeficiency virus [HIV] disease (B20 – B24)</u> - <u>injury, poisoning and certain other consequences of external cause (S00-T88.1, T88.6-T98)</u> - <u>mental and behavioural disorders associated with the puerperium (F53.-)</u> - <u>obstetrical tetanus (A34)</u> - <u>postpartum necrosis of pituitary gland (E23.0)</u> - <u>puerperal osteomalacia (M83.0)</u> <p>Supervision of:</p> <ul style="list-style-type: none"> - <u>high-risk pregnancy (Z35.-)</u> - <u>normal pregnancy (Z34.-)</u> 	<p>MRG (URC:1245)</p>	<p>October 2007</p>	<p>Minor</p>	<p>January 2009</p>
<p>Revise exclusion</p>	<p>CHAPTER XV Pregnancy, childbirth and the puerperium (O00–O99) Excludes : human immunodeficiency virus [HIV] disease (B20–B24) injury, poisoning and certain other consequences of external cause (S00–T98) mental and behavioural disorders associated with the puerperium (F53.-) obstetrical tetanus (A34) postpartum necrosis of pituitary gland (E23.0)</p>	<p>Canada (URC:1187)</p>	<p>October 2008</p>	<p>Major</p>	<p>January 2010</p>

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	<p>puerperal osteomalacia (M83.0) supervision of:</p> <ul style="list-style-type: none"> • high-risk pregnancy (Z35.-) • normal pregnancy (Z34.-) 																
Delete inclusion:	<p>O08.0 Genital tract and pelvic infection following abortion and ectopic and molar pregnancy</p> <table style="border: none;"> <tr> <td style="border: none;">Endometritis }</td> <td rowspan="8" style="border: none; vertical-align: middle;">} following conditions classifiable to O00–O07</td> </tr> <tr> <td style="border: none;">Oophoritis }</td> </tr> <tr> <td style="border: none;">Parametritis }</td> </tr> <tr> <td style="border: none;">Pelvic peritonitis }</td> </tr> <tr> <td style="border: none;">Salpingitis }</td> </tr> <tr> <td style="border: none;">Salpingo-oophoritis }</td> </tr> <tr> <td style="border: none;">Sepsis }</td> </tr> <tr> <td style="border: none;">Septic shock }</td> </tr> </table> <p>Septicaemia }</p> <p><i>Excludes:</i> septic or septicopyaemic embolism (O08.2) urinary tract infection (O08.8)</p>	Endometritis }	} following conditions classifiable to O00–O07	Oophoritis }	Parametritis }	Pelvic peritonitis }	Salpingitis }	Salpingo-oophoritis }	Sepsis }	Septic shock }	MbRG (URC:1238)	October 2007	Major	January 2010			
Endometritis }	} following conditions classifiable to O00–O07																
Oophoritis }																	
Parametritis }																	
Pelvic peritonitis }																	
Salpingitis }																	
Salpingo-oophoritis }																	
Sepsis }																	
Septic shock }																	
Delete inclusion Revise code in excludes note	<p>O08.0 Genital tract and pelvic infection following abortion and ectopic and molar pregnancy</p> <table style="border: none;"> <tr> <td style="border: none;">Endometritis }</td> <td rowspan="8" style="border: none; vertical-align: middle;">} following conditions classifiable to O00–O07</td> </tr> <tr> <td style="border: none;">Oophoritis }</td> </tr> <tr> <td style="border: none;">Parametritis }</td> </tr> <tr> <td style="border: none;">Pelvic peritonitis }</td> </tr> <tr> <td style="border: none;">Salpingitis }</td> </tr> <tr> <td style="border: none;">Salpingo-oophoritis }</td> </tr> <tr> <td style="border: none;">Sepsis }</td> </tr> <tr> <td style="border: none;">Septic shock }</td> </tr> </table> <p>Septicaemia }</p> <p>Use additional code (R57.2), if desired, to identify septic shock</p> <p>O08.3 Shock following abortion and ectopic and molar pregnancy</p> <table style="border: none;"> <tr> <td style="border: none;">Circulatory collapse }</td> <td rowspan="2" style="border: none; vertical-align: middle;">} following conditions classifiable to O00–O07</td> </tr> <tr> <td style="border: none;">Shock (postoperative) }</td> </tr> </table> <p><i>Excludes:</i> septic shock (O08.0 R57.2)</p>	Endometritis }	} following conditions classifiable to O00–O07	Oophoritis }	Parametritis }	Pelvic peritonitis }	Salpingitis }	Salpingo-oophoritis }	Sepsis }	Septic shock }	Circulatory collapse }	} following conditions classifiable to O00–O07	Shock (postoperative) }	MbRG (URC:1240)	October 2008	Major	January 2010
Endometritis }	} following conditions classifiable to O00–O07																
Oophoritis }																	
Parametritis }																	
Pelvic peritonitis }																	
Salpingitis }																	
Salpingo-oophoritis }																	
Sepsis }																	
Septic shock }																	
Circulatory collapse }	} following conditions classifiable to O00–O07																
Shock (postoperative) }																	

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Add code and inclusion	O14 Gestational [pregnancy-induced] hypertension with significant proteinuria <i>Excludes:</i> superimposed pre-eclampsia (O11) O14.0 Moderate pre-eclampsia O14.1 Severe pre-eclampsia <u>O14.2 HELLP syndrome</u> <u>Combination of hemolysis, elevated liver enzymes and low platelet count</u>	Australia (URC:1507)	October 2008	Major	January 2010
Add inclusion term	O15 Eclampsia <i>Includes:</i> <u>eclampsia with pregnancy-induced or pre-existing hypertension</u>	WHO Corrigenda			January 1995
Delete inclusion term	O16 Unspecified maternal hypertension Transient hypertension of pregnancy	Australia (URC:0057)	October 2000	Major	January 2003
Add inclusion terms:	O26.6 Liver disorders in pregnancy, childbirth and the puerperium <u>Cholestasis (intrahepatic) in pregnancy</u> <u>Obstetric cholestasis</u> <i>Excludes:</i> hepatorenal syndrome following labour and delivery (O90.4)	Canada (URC:1182)	October 2007	Major	January 2010
Add new code, inclusions and note	O43 Placental disorders <i>Excludes:</i> maternal care for poor fetal growth due to placental insufficiency (O36.5) placenta praevia (O44.-) premature separation of placenta [abruptio placenta](O45.-) <u>O43.2 Morbidly adherent placenta</u> <u>Placenta:</u> <ul style="list-style-type: none"> • <u>accreta</u> • <u>increta</u> • <u>percreta</u> <u>Use additional code, if desired, to identify any:</u> <ul style="list-style-type: none"> • <u>postpartum haemorrhage, third stage O72.0</u> • <u>retained placenta without hemorrhage O73.0</u> 	Canada (URC:1183)	October 2008	Major	January 2010
Modify code title	O60 Preterm delivery labour Onset (spontaneous) of delivery labour before 37 completed weeks of gestation	Germany (URC:0222)	October 2004	Major	January 2006
Add new code	<u>O60.0 Preterm labour without delivery</u>				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Add new code	<u>O60.1 Preterm labour with preterm delivery</u> <u>Preterm labour with delivery NOS</u>				
Add new code and inclusion term	<u>O60.2 Preterm labour with term delivery</u>				
Revise block heading	Pregnancy, childbirth and the puerperium (O00–O99) Complications of labour and delivery (O60–O75)	Australia (URC:1072)	October 2006	Major	January 2010
Revise category title	<u>O60 Preterm labour and delivery</u> Onset (spontaneous) of labour before 37 completed weeks of gestation				
Add inclusions	<u>O60.0 Preterm labour without delivery</u> <u>Preterm labour:</u> · <u>induced</u> · <u>spontaneous</u>				
Revise code titles and add inclusion	<u>O60.1 Preterm spontaneous labour with preterm delivery</u> Preterm labour with delivery NOS <u>Preterm spontaneous labour with preterm delivery by caesarean section</u>				
Revise code title and add inclusions	<u>O60.2 Preterm spontaneous labour with term delivery</u> <u>Preterm spontaneous labour with term delivery by caesarean section</u>				
Add new code and inclusions	<u>O60.3 Preterm delivery without spontaneous labour</u> <u>Preterm delivery by:</u> · <u>caesarean section, without spontaneous labour</u> · <u>induction</u>				
Add inclusion:	O62 Abnormalities of forces of labour O62.0 Primary inadequate contractions Failure of cervical dilatation Primary hypotonic uterine dysfunction <u>Uterine inertia during latent phase of labour</u> O62.1 Secondary uterine inertia Arrested active phase of labour Secondary hypotonic uterine dysfunction	Australia (URC:1044)	October 2007	Minor	January 2009
Revise code title and add	O69.2 Labour and delivery complicated by other cord entanglement, with compression	Australia (URC:1354)	October 2008	Minor	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

inclusions	<p>Compression of cord NOS Entanglement of cords of twins in monoamniotic sac Knot in cord</p> <p>O69.8 Labour and delivery complicated by other cord complications Cord around neck without compression</p>				
Add note at code level	<p>O72 Postpartum haemorrhage <i>Includes:</i> haemorrhage after delivery of fetus or infant</p> <p>O72.0 Third-stage haemorrhage Haemorrhage associated with retained, trapped or adherent placenta</p> <p>Retained placenta NOS Use additional code, if desired, to identify any morbidly adherent placenta (O43.2)</p>	Canada (URC:1183)	October 2008	Major	January 2010
Delete inclusion and add note at code level	<p>O73 Retained placenta and membranes, without haemorrhage</p> <p>O73.0 Retained placenta without haemorrhage Placenta accreta without haemorrhage Use additional code, if desired, to identify any morbidly adherent placenta (O43.2)</p>	Canada (URC:1183)	October 2008	Major	January 2010
Revise inclusion:	<p>O75.3 Other infection during labour Septicaemia Sepsis during labour</p>	MbRG (URC:1238)	October 2007	Major	January 2010
Revise note	<p>Delivery (O80-O84) Note: Codes O80-O84 are provided for morbidity coding purposes. Codes from this block should be used for primary morbidity coding only if no other condition classifiable to Chapter XV is recorded. For use of these categories reference should be made to the <u>mortality and morbidity coding rules and guidelines</u> in Volume 2.</p>	MRG (URC:1072)	October 2006	Major	January 2010
Revise inclusion	<p>O85 Puerperal sepsis Puerperal:</p> <ul style="list-style-type: none"> • endometritis • fever • peritonitis • septicaemiasepsis 	MbRG (URC:1238)	October 2007	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

and exclusion:	Use additional code (B95–B97), if desired, to identify infectious agent. Excludes: obstetric pyaemic and septic embolism (O88.3) septicaemia sepsis during labour (O75.3)				
Add instructional note	O86 Other puerperal infections Use additional code (B95-B97), if desired, to identify infectious agent. Excludes: infection during labour (O75.3)	MRG (URC:0159)	October 2003	Minor	January 2005
Add inclusion term:	O88.1 Amniotic fluid embolism <u>Anaphylactoid syndrome of pregnancy</u>	MRG (URC:1120)	October 2007	Major	January 2010
Page 760, Revise code Add subcategory Add instructional note Add excludes note	Other obstetric conditions, not elsewhere classified (O94-O99) <u>O94 Sequelae of complication of pregnancy, childbirth and the puerperium</u> Note: This category is to be used for morbidity coding only to indicate conditions in categories O00 – O75 and O85 – O92 as the cause of sequelae, which are themselves classified elsewhere. The ‘sequelae’ include conditions specified as such or as late effects, or those present one year or more after the onset of the causal condition. Excludes: that resulting in death (O96, O97)	Australia (URC:0112)	October 2002	Major	January 2006
Page 760 Revise and add text:	O94 Sequelae of complication of pregnancy, childbirth and the puerperium Sequelae of complication of pregnancy, childbirth and the puerperium (O94) Note :This eCategory O94 is to be used for morbidity coding only to indicate <u>previous episodes of</u> conditions in categories O00-O75 and O85-O92 as the cause of sequelae ... <u>Not to be used for chronic complications of pregnancy, childbirth and the puerperium. Code these to O00-O75 and O85-O92 .</u>	MRG (URC:1221)	October 2007	Minor	January 2009
Add codes and revise notes:	O96 Death from any obstetric cause occurring more than 42 days but less than one year after delivery Use additional code, if desired, to identify the obstetric cause (<u>direct or indirect</u>) of death. O96.0 Death from direct obstetric cause	MRG (URC:1243)	October 2007	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	<p><u>O96.1 Death from indirect obstetric causes</u> <u>O96.9 Death from unspecified obstetric cause</u></p> <p>O97 Death from sequelae of direct obstetric causes Death from any direct obstetric cause (direct or indirect) occurring one year or more after delivery. Use additional code, if desired to identify the obstetric cause (direct or indirect).</p> <p><u>O97.0 Death from sequelae of direct obstetric cause</u> <u>O97.1 Death from sequelae of indirect obstetric cause</u> <u>O97.9 Death from sequelae of obstetric cause, unspecified</u></p>				
Add new code, includes note and delete excludes note	<p>O98 Maternal infectious and parasitic diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium <i>Includes:</i> the listed conditions when complicating the pregnant state, when aggravated by the pregnancy, or as a reason for obstetric care.</p> <p>Use additional code (Chapter 1), if desired, to identify specific condition.</p> <p><i>Excludes</i> :asymptomatic human immunodeficiency virus [HIV] infection status (Z21) human immunodeficiency virus [HIV] disease (B20-B24) laboratory evidence of human immunodeficiency virus [HIV] (R75) obstetrical tetanus (A34) puerperal:</p> <ul style="list-style-type: none"> • infection (O86.-) • sepsis (O85) <p>when the reason for maternal care is that the disease is known or suspected to have affected the fetus (O35-O36)</p> <p><u>O98.7 Human immunodeficiency [HIV] disease complicating pregnancy, childbirth and the puerperium</u> <u>Conditions in B20-B24</u></p>	Canada (URC:1187)	October 2008	Major	January 2010
	<p>O99.8 Other specified diseases and conditions complicating pregnancy, childbirth and the puerperium</p>	MRG (URC:0158)	October 2003	Minor	January 2005

Add text to inclusion note	Combination of conditions classifiable to O99.0-O99.7 Conditions in C00–D48, H00–H95, M00–M99, N00–N99 and Q00–Q99 <u>not elsewhere classified</u>				
Modify	O99.8 Other specified diseases and conditions complicating pregnancy, childbirth and the puerperium Combination of conditions classifiable to O99.0 – O99.7 Conditions in C00–D48, H00–H95, M00–M99, N00 – N99 and Q00–Q99 <i>Excludes:</i> genitourinary infections in pregnancy (O23. –) infection of genitourinary tract following pregnancy (O86.0–O86.3) maternal care for known or suspected abnormality of maternal pelvic organs (O34. –) postpartum acute renal failure (O90.4) <u>postpartum nephritis (O90.8)</u>	Australia (URC:0309)	October 2005	Minor	January 2007
Add exludes					
Revise code title in list of asterisk codes:	Chapter XVI Certain conditions originating in the perinatal period (P00-P96) As asterisk category for this chapter is provided as follows: P75* Meconium ileus <u>in cystic fibrosis</u>	Germany (URC:1162)	October 2007	Major	January 2010
Modify	P00.2 Fetus and newborn affected by maternal infectious and parasitic diseases Fetus or newborn affected by maternal infectious disease classifiable to A00-B99 and J09-J10 J11, but not itself manifesting that disease <i>Excludes:</i> infections specific to the perinatal period (P35-P39) maternal genital tract and other localized infections (P00.8)	URC (URC:0349)	October 2005	Major	October 2005
Revise code	Infections specific to the perinatal period (P35-P39) <i>Includes:</i> infections acquired in utero or during birth <i>Excludes:</i> asymptomatic human immunodeficiency virus [HIV] infection status (Z21)				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Revise code	<p>congenital:</p> <ul style="list-style-type: none"> • gonococcal infection (A54.-) • pneumonia (P23.-) • syphilis (A50.-) <p>human immunodeficiency virus [HIV] disease (B20-B24) infectious diseases acquired after birth (A00-B99, J09-J10-J11) intestinal infectious diseases (A00-A09) laboratory evidence of human immunodeficiency virus [HIV] (R75) maternal infectious disease as a cause of mortality or morbidity in fetus or newborn not itself manifesting the disease (P00.2) tetanus neonatorum (A33)</p>				
Revise excludes note	<p>P04 Fetus and newborn affected by noxious influences transmitted via placenta or breast milk <i>Includes:</i> nonteratogenic effects of substances transmitted via placenta <i>Excludes:</i> congenital malformations (Q00-Q99) neonatal jaundice from other excessive haemolysis due to drugs or toxins transmitted from mother (P58.4)</p>	Netherlands (URC:1082)	October 2006	Minor	January 2008
Add inclusion term:	<p>P08.1 Other heavy for gestational age infants Other fetus or infant heavy- or large-for-dates regardless of period of gestation. <u>Usually implies a birth weight >90th percentile for gestational age or 4000 g or more at term</u></p>	Canada (URC:1200)	October 2007	Minor	January 2009
Add exclusions:	<p><i>Excludes:</i> syndrome of infant of: - <u>diabetic mother (P70.1)</u> - <u>mother with gestational diabetes (P70.0)</u> - <u>Birth weight of 4500 g or more (P08.0)</u></p>				
Add inclusion term	<p>P28.8 Other specified respiratory conditions of newborn <u>Congenital (laryngeal) stridor NOS</u></p>	Australia (URC:0060)	October 2001	Major	January 2003
Add inclusion term	<p>P29.3 Persistent fetal circulation <u>(Persistent) Pulmonary hypertension of newborn</u></p>	Australia (URC:0061)	October 2000	Major	January 2003
Add inclusion terms	<p>P59.2 Neonatal jaundice from other and unspecified hepatocellular damage <u>Fetal or neonatal (idiopathic) hepatitis</u></p>	Canada (URC:1201)	October 2008	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	Giant cell hepatitis <i>Excludes:</i> congenital viral hepatitis (P35.3)				
Add inclusion note:	P70.0 Syndrome of infant of mother with gestational diabetes <u>Fetus or newborn (with hypoglycaemia) affected by maternal gestational diabetes</u>	Germany (URC:1197)	October 2007	Minor	January 2009
Revise inclusion note:	P70.1 Syndrome of infant of a diabetic mother Maternal diabetes mellitus (pre-existing) affecting fetus or newborn (with hypoglycaemia) <u>Fetus or newborn (with hypoglycemia) affected by maternal diabetes mellitus (pre-existing)</u>				
Revise code title:	P75* Meconium ileus in cystic fibrosis (E84.1+)	Germany (URC:1162)	October 2007	Major	January 2010
Delete excludes note	P76 Other intestinal obstruction of newborn <i>Excludes:</i> intestinal obstruction classifiable to K56.–	MRG (URC:0115)	October 2002	Minor	January 2004
Add excludes note	P76.8 Other specified intestinal obstruction of newborn <i>Excludes:</i> intestinal obstruction classifiable to K56.0-K56.5				
Add inclusion:	P76.0 Meconium plug syndrome <i>Includes:</i> <u>meconium ileus in cases where cystic fibrosis is known not to be present</u>	Germany (URC:1162)	October 2007	Major	January 2010
Add inclusion term	P78.8 Other specified perinatal digestive system disorders Neonatal oesophageal reflux	Canada (URC:1436)	October 2008	Minor	January 2010
Add new code	P91 Other disturbances of cerebral status of newborn P91.0 Neonatal cerebral ischaemia P91.1 Acquired periventricular cysts of newborn P91.2 Neonatal cerebral leukomalacia P91.3 Neonatal cerebral irritability P91.4 Neonatal cerebral depression P91.5 Neonatal coma P91.6 Hypoxic ischaemic encephalopathy of newborn P91.8 Other specified disturbances of cerebral status of newborn P91.9 Disturbance of cerebral status of newborn, unspecified	MRG (URC:0172)	October 2003	Major	January 2006
	P93 Reactions and intoxications due to drugs administered to fetus and newborn	WHO Corrigenda			January 1995

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Modify exclusion term	Excludes: jaundice due to drugs or toxins transmitted from mother <u>or given to newborn</u> (P58.4)				
Add inclusion term	P96.1 Neonatal withdrawal symptoms from maternal use of drugs or addiction Drug withdrawal syndrome in infant of dependent mother Neonatal abstinence syndrome Excludes: reactions and intoxications from maternal opiates and tranquilizers administered during labour and delivery (P04.0)	Tom Sholomiti (URC:1292)	October 2008	Minor	January 2010
Modify subcategory title and exclusion note	P96.4 Termination of pregnancy, affecting fetus and newborn Excludes: termination of pregnancy (<u>affecting</u> mother) (O04.-)	Netherlands (URC:1083)	October 2006	Minor	January 2008
Modify inclusion term Add inclusion term Modify inclusion term	Q15.0 Congenital glaucoma Keratoglobus, congenital, <u>with glaucoma</u> <u>Macrocornea with glaucoma</u> Megalocornea <u>with glaucoma</u>	NORDIC	October 1997		January 1999
Add inclusion term	Q18.1 Preauricular sinus and cyst Fistula (of): • auricle, congenital • cervicoaural <u>Pretragal sinus and cyst</u>	France (URC:1100)	October 2006	Minor	January 2008
Revise inclusion term Add excludes note	Q21.8 Other congenital malformations of cardiac septa Eisenmenger's syndrome <u>defect</u> Excludes: Eisenmenger's: • <u>complex (I27.8)</u> • <u>syndrome (I27.8)</u>	UK (URC:0103)	October 2004	Major	January 2006
Add note	Q24.1 Laevocardia Note: <u>Location of heart in left hemithorax with apex pointing to the left, but with situs inversus of other viscera and defects of the heart, or corrected transposition of great vessels.</u>	Germany	October 1999		January 2001

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Add inclusion	Q25.6 Stenosis of pulmonary artery Supravalvular pulmonary stenosis	Canada (URC:1447)	October 2008	Minor	January 2010
Add excludes note Delete subcategory Delete inclusion term Add subcategory	Q31 Congenital malformations of larynx <i><u>Excludes:</u> congenital laryngeal stridor NOS (P28.8)</i> Q31.4 Congenital laryngeal stridor Congenital stridor (larynx) NOS Q31.5 Congenital laryngomalacia	Australia (URC:0060)	October 2001	Major	January 2003
Add instructional note	Cleft lip and cleft palate (Q35 – Q37) <u>Use additional code (Q30.2), if desired, to identify associated malformations of the nose</u>	Germany (URC:0093)	October 2001	Minor	January 2003
Delete code and title	Q35.0 Cleft hard palate, bilateral	NORDIC	October 1997		January 1999
Modify title Delete inclusion term	Q35.1 Cleft hard palate, unilateral Cleft hard palate NOS	NORDIC	October 1997		January 1999
Delete code and title	Q35.2 Cleft soft palate, bilateral	NORDIC	October 1997		January 1999
Modify title Delete inclusion term	Q35.3 Cleft soft palate, unilateral Cleft soft palate NOS	NORDIC	October 1997		January 1999
Delete code and title	Q35.4 Cleft hard palate with cleft soft palate, bilateral	NORDIC	October 1997		January 1999
Modify title Delete inclusion term	Q35.5 Cleft hard palate with cleft soft palate, unilateral Cleft hard palate with cleft soft palate NOS	NORDIC	October 1997		January 1999
Delete subcategory	Q35.6 Cleft palate, medial	Germany (URC:0091)	October 2001	Major	January 2003
Delete code and title	Q35.8 Cleft palate, unspecified, bilateral	NORDIC	October 1997		January 1999
Modify title	Q35.9 Cleft palate, unspecified, unilateral	NORDIC	October 1997		January 1999

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Revise code description	Q36.1 Cleft lip, <u>median</u>	Germany (URC:0092)	October 2001	Minor	January 2003
Modify title	Q37.0 Cleft hard palate with <u>bilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.1 Cleft hard palate with <u>unilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.2 Cleft soft palate with <u>bilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.3 Cleft soft palate with <u>unilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.4 Cleft hard and soft palate with <u>bilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.5 Cleft hard and soft palate with <u>unilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.8 Unspecified cleft palate with <u>bilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.9 Unspecified cleft palate with <u>unilateral</u> cleft lip	NORDIC	October 1997		January 1999
Delete inclusion term	Q40.2 Other specified congenital malformations of stomach Congenital: cardiospasm	WHO Corrigenda			January 1995
Revise descriptor Add inclusion term	Q61.1 Polycystic kidney, <u>autosomal recessive</u> <u>Polycystic kidney, infantile type</u>	Australia (URC:0070)	October 2001	Minor	January 2003
Revise descriptor Add inclusion term	Q61.2 Polycystic kidney, <u>autosomal dominant</u> <u>Polycystic kidney, adult type</u>				
Add inclusions and exclusion	Q61.4 Renal dysplasia <u>Multicystic:</u> <ul style="list-style-type: none"> • dyplastic kidney • kidney (developmental) • kidney disease • renal dysplasia <u>Excludes: polycystic kidney disease (Q61.1-Q6 1.3)</u>	Canada (URC:1448)	October 2008	Minor	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Add inclusion terms	Q75.4 Mandibulofacial dysostosis <u>Syndrome:</u> <u>.Franceschetti</u> <u>.Treacher Collins</u>	France	October 1997		January 1999
Add inclusion term	Q77.4 Achondroplasia Hypochondroplasia <u>Osteosclerosis congenita</u>	Australia (URC:0216)	October 2004	Minor	January 2006
Delete inclusion term	Q87.0 Congenital malformation syndromes predominantly affecting facial appearance <u>Syndrome:</u> <u>.Treacher Collins</u>	France	October 1997		January 1999
Add	Q89.3 Situs inversus <i>Excludes:</i> dextrocardia NOS (Q24.0) <u>laevocardia (Q24.1)</u>	Germany	October 1999		January 2001
Add inclusion term	Q93.5 Other deletions of part of a chromosome <u>Angelman syndrome</u>	France	October 1998		January 2000
Add inclusion terms	R00.0 Tachycardia, unspecified <u>Tachycardia:</u> <u>.sinoauricular NOS</u> <u>.sinus [sinusal] NOS</u>	Australia (URC:0041)	October 2003	Major	January 2006
Add inclusion terms	R00.1 Bradycardia, unspecified <u>Bradycardia:</u> <u>.sinoatrial</u> <u>.sinus</u> <u>.vagal</u>				
Modify exclusion terms	R06 Abnormalities of breathing <i>Excludes:</i> respiratory <ul style="list-style-type: none"> • arrest (R09.2) • distress (syndrome)(of) <ul style="list-style-type: none"> • <u>syndrome of adult (J80)</u> • <u>in newborn (P22.-)</u> • failure (J96.-) <ul style="list-style-type: none"> • of newborn (P28.5) 	Netherlands (URC:1085)	October 2006	Minor	January 2008

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Revise code	<p>R06.1 Stridor <i>Excludes:</i> congenital laryngeal stridor (P28.8)</p>	Australia (URC:0060)	October 2001	Major	January 2003
Modify Add includes note	<p>R19.5 Other faecal abnormalities Abnormal stool colour Bulky stools Mucus in stools <u>Occult blood in stools</u> <i>Excludes:</i> melaena (K92.1) • neonatal (P54.1)</p>	Australia (URC:0306)	October 2005	Minor	January 2007
Add code and inclusions	<p>R26 Abnormalities of gait and mobility <i>Excludes:</i> ataxia: • NOS (R27.0) • hereditary (G11.-) • locomotor (syphilitic) (A52.1) immobility syndrome (paraplegic) (M62.3) R26.0 Ataxic gait Staggering gait R26.1 Paralytic gait Spastic gait R26.2 Difficulty in walking, not elsewhere classified R26.3 Immobility <u>Bedfast</u> <u>Chairfast</u> R26.8 Other and unspecified abnormalities of gait and mobility Unsteadiness on feet NOS</p>	MRG (URC:1037)	October 2006	Major	January 2010
Add new code inclusion term and excludes note	<p>R29.6 Tendency to fall, not elsewhere classified <u>Tendency to fall because of old age or other unclear health problems</u> <i>Excludes:</i> accidents NOS (X59) <u>difficulty in walking (R26.2)</u> <u>dizziness and giddiness (R42)</u> <u>falls causing injury (W00-W19)</u> <u>falls due to diseases classified elsewhere</u></p>	Nordic Centre (URC:0263)	October 2004	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	<u>syncope and collapse (R55)</u>				
Add inclusion term Add excludes note	R45.8 Other symptoms and signs involving emotional state <u>Suicidal ideation (tendencies)</u> <i>Excludes:</i> <u>suicidal ideation constituting part of a mental disorder (F00-F99)</u>	Australia (URC:0064)	October 2001	Major	January 2003
Modify includes and excludes notes	R46.8 Other symptoms and signs involving appearance and behaviours <i>Includes:</i> <u>self neglect NOS</u> <i>Excludes:</i> <u>insufficient intake of food and water due to self neglect (R63.6)</u>	MRG (URC:1099)	October 2006	Major	January 2010
Modify category title Delete code Delete code Add new code Add new instructional notation Add new code and inclusion terms	R50 Fever of <u>other and unknown</u> origin <i>Excludes:</i> fever of unknown origin (during)(in): • labour (O75.2) • newborn (P81.9) puerperal pyrexia NOS (O86.4) R50.0 — Fever with chills Fever with rigors R50.1 — Persistent fever <u>R50.2 Drug-induced fever</u> <i>Use additional external cause code (Chapter XX), if desired, to identify drug.</i> R50.8 — Other specified fever Fever with chills Fever with rigors Persistent fever R50.9 Fever, unspecified Hyperpyrexia NOS Pyrexia NOS <i>Excludes:</i> malignant hyperthermia due to anaesthesia (T88.3)	Nordic Centre (URC:0264)	October 2004	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Add code	R57 Shock, not elsewhere classified <u>R57.2 Septic shock</u>	MbRG (URC:1240)	October 2008	Major	January 2010
Add new code and excludes notes	R63 Symptoms and signs concerning food and fluid intake ... R63.5 Abnormal weight gain <i>Excludes:</i> excessive weight gain in pregnancy (O26.0) obesity (E66.-) <u>R63.6 Insufficient intake of food and water due to self neglect</u> <i>Excludes:</i> starvation due to anorexia (R63.0) starvation due to privation of food (X53) thirst due to privation of water (X54) self neglect NOS (R46.8) R63.8 Other symptoms and signs concerning food and fluid intake	MRG (URC:1099)	October 2006	Major	January 2010
Revise code in exclusion:	R64 Cachexia <i>Excludes:</i> HIV disease resulting in wasting syndrome (B22.2) Malignant cachexia (C80.-) Nutritional marasmus (E41)	MRG (URC:1066)	October 2007	Major	January 2010
Add new category and codes	<u>R65 Systemic Inflammatory Response Syndrome</u> <i>Note:</i> This category should never be used in primary coding. The category is for use in multiple coding to identify this condition resulting from any cause. A code from another chapter should be assigned first to indicate the cause or underlying disease. <u>R65.0 Systemic Inflammatory Response Syndrome of infectious origin without organ failure</u> <u>R65.1 Systemic Inflammatory Response Syndrome of infectious origin with organ failure</u> <u>R65.2 Systemic Inflammatory Response Syndrome of non-infectious origin without organ failure</u> <u>R65.3 Systemic Inflammatory Response Syndrome of non-infectious origin with organ failure</u> <u>R65.9 Systemic Inflammatory Response Syndrome, unspecified</u>	North America (URC:0332)	October 2005	Major	January 2010
Add inclusion:	R65.1 Systemic Inflammatory Response Syndrome of infectious origin	MbRG	October 2007	Minor	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	with organ failure Severe sepsis	(URC:1239)			
Add exclusion term	R68.3 Clubbing of fingers Clubbing of nails <i>Excludes:</i> congenital clubfinger (Q68.1) <u>congenital clubnail (Q84.6)</u>	Netherlands (URC:1084)	October 2006	Minor	January 2008
Add exclusion	R71 Abnormality of red blood cells ... <i>Excludes:</i> anaemias (D50 –D64) polycythaemia: • NOS (D75.1) •benign (familial) (D75.0) •neonatorum (P61.1) •secondary (D75.1) •vera (D45)	Australia (URC:1350)	October 2008	Major	January 2010
Add excludes note	R75 Laboratory evidence of human immunodeficiency virus [HIV] Nonconclusive HIV-test finding in infants <i>Excludes:</i> asymptomatic human immunodeficiency virus [HIV] infection status (Z21) human immunodeficiency virus [HIV] disease (B20-B24) human immunodeficiency virus [HIV] disease complicating pregnancy, childbirth and the puerperium (O97.8)	Canada (URC:1187)	October 2008	Major	January 2010
Add instruction	R83 Abnormal findings in cerebrospinal fluid <u>[See before R83 for subdivisions]</u>	Germany (URC:0278)	October 2005	Minor	January 2007
Add instruction	R84 Abnormal findings in specimens from respiratory organs and thorax <u>[See before R83 for subdivisions]</u> Abnormal findings in: • bronchial washings • nasal secretions • pleural fluid • sputum • throat scrapings				

Add instruction	<p><i>Excludes:</i> blood-stained sputum (R04.2)</p> <p>R85 Abnormal findings in specimens from digestive organs and abdominal cavity <u>[See before R83 for subdivisions]</u> Abnormal findings in:</p> <ul style="list-style-type: none"> • peritoneal fluid • saliva <p><i>Excludes:</i> faecal abnormalities (R19.5)</p>				
Add instruction	<p>R86 Abnormal findings in specimens from male genital organs <u>[See before R83 for subdivisions]</u> Abnormal findings in:</p> <ul style="list-style-type: none"> • prostatic secretions • semen, seminal fluid <p>Abnormal spermatozoa</p> <p><i>Excludes:</i> azoospermia (N46) oligospermia (N46)</p>				
Add instruction	<p>R87 Abnormal findings in specimens from female genital organs <u>[See before R83 for subdivisions]</u> Abnormal findings in secretions and smears from:</p> <ul style="list-style-type: none"> • cervix uteri • vagina • vulva <p><i>Excludes:</i> carcinoma in situ (D05-D07.3) dysplasia of:</p> <ul style="list-style-type: none"> • cervix uteri (N87.-) • vagina (N89.0-N89.3) • vulva (N90.0-N90.3) 				
Add instruction	<p>R89 Abnormal findings in specimens from other organs, systems and tissues <u>[See before R83 for subdivisions]</u> Abnormal findings in:</p> <ul style="list-style-type: none"> • nipple discharge • synovial fluid • wound secretions 				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Modify Add inclusion term	R90.8 Other abnormal findings on diagnostic imaging of central nervous system Abnormal echoencephalogram <u>White matter disease NOS</u>	MRG (URC:0315)	October 2005	Minor	January 2007
Modify Add includes note Add excludes note	R96.0 Instantaneous death <u>Sudden unexplained death in adult</u> <u>Excludes: Sudden death of known aetiology (A00.0-Q99.9, U04.9, V01.0-Y89.9.)</u>	MRG (URC:0316)	October 2005	Major	January 2010
Modify inclusion term Modify inclusion terms	Injury, poisoning and certain other consequences of external causes (S00-T98) Dislocation, sprain and strain including: laceration of <u>cartilage</u> sprain joint (capsule) Injury to muscle, fascia and tendon including: Avulsion cut of muscle, <u>fascia</u> and tendon laceration	Germany (URC:0032) Germany (URC:0033)	October 2000 October 2000	Minor Minor	January 2002 January 2002
At chapter heading level, in the preamble, add inclusion terms to the list of types of injuries applicable to muscles, fascia and tendons:	Chapter XIX - Injury, poisoning and certain other consequences of external causes (S00-T98) Injury to muscle, fascia and tendon, including: avulsion cut laceration <u>strain</u> traumatic rupture } of muscle, fascia and tendon	Canada (URC:1134)	October 2007	Minor	January 2009
	Injuries to the head (S00-S09)	WHO Corrigenda			January 1995

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Modify inclusion note	Includes: injuries of: . <u>temporomandibular</u> joint area				
Modify subcategory title	S05.9 Injury of eye and orbit, part unspecified	Dutch Committee on Translation of ICD-10 (URC: 0082)	October 2002	Minor	January 2004
Modify title	S37 Injury of <u>urinary and pelvic</u> organs	Australia	October 1997		January 1999
Add excludes note:	S37.8 Injury of other pelvic organs Adrenal gland Prostate Seminal vesicle Vas deferens <i>Excludes:</i> Open wound of other and unspecified external genital organs (S31.5)	Australia (URC:1188)	October 2007	Minor	January 2009
Delete parentheses	S43.4 Sprain and strain of shoulder joint Rotator cuff (capsule)	Australia (URC:0090)	October 2001	Major	January 2003
Add terms to code title	S46.0 Injury of <u>muscle(s) and tendon(s)</u> of the rotator cuff of shoulder	Canada (URC:1452)	October 2008	Minor	January 2010
Add inclusion term	S76.1 Injury of quadriceps muscle and tendon <u>Patellar ligament (tendon)</u>	Germany (URC:0034)	October 2001	Major	January 2003
Modify excludes note	S78 Traumatic amputation of hip and thigh <i>Excludes:</i> traumatic amputation of <u>lower limb</u> , level unspecified (T13.6)	WHO Corrigenda			January 1995
Delete inclusion term Add excludes note	S83.6 Sprain and strain of other and unspecified parts of knee Patellar ligament <i>Excludes:</i> sprain of patellar ligament (S76.1)	Germany (URC:0034)	October 2001	Major	January 2003
Modify and add inclusion terms	S86 Injury of muscle and tendon at lower leg level <i>Excludes:</i> injury of: muscle and tendon at or below ankle (S96.-) <u>muscle and tendon at or below ankle (S96.-)</u> <u>patellar ligament (S76.1)</u>	Germany (URC:0034)	October 2001	Major	January 2003

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Delete exclusion term Add exclusion term	Poisoning by drugs, medicaments and biological substances (T36-T50) <i>Excludes:</i> drug dependence and related mental and behavioural disorders due to psychoactive substance use (F10-F19) <u>intoxication meaning inebriation (F10-F19)</u>	MRG (URC:0116)	October 2002	Major	January 2006
Add inclusion term:	T14.6 Injury of muscles and tendons of unspecified body region Avulsion Cut Injury Laceration <u>Sprain</u> <u>Strain</u> Traumatic rupture <i>Excludes:</i> multiple injuries of tendons and muscles NOS (T06.4)	Canada (URC:1134)	October 2007	Minor	January 2009
Amend note at category level	T31 Burns classified according to extent of body surface involved Note: This category is to be used as the primary code only when the site of the burn is unspecified. It may be used as a supplementary code with categories (T20-T29) <u>(T20-T25, T29)</u> when the site is specified.	Canada (URC:1461)	October 2008	Minor	January 2010
Amend note at category level	T32 Corrosions classified according to extent of body surface involved Note: This category is to be used as the primary code only when the site of the burn is unspecified. It may be used as a supplementary code with categories (T20-T29) <u>(T20-T25, T29)</u> when the site is specified.	Canada (URC:1462)	October 2008	Minor	January 2010
Delete exclusion term Add exclusion term	T40 Poisoning by narcotics and psychodysleptics <i>Excludes:</i> drug dependence and related mental and behavioural disorders due to psychoactive substance use (F10-F19) <u>intoxication meaning inebriation (F10-F19)</u>	MRG (URC:0116)	October 2002	Major	January 2006
Delete exclusion term Add exclusion term	T42 Poisoning by antiepileptic, sedative-hypnotic and antiparkinsonism drugs <i>Excludes:</i> drug dependence and related mental and behavioural disorders due to psychoactive substance use (F10-F19) <u>intoxication meaning inebriation (F10-F19)</u>	MRG (URC:0116)	October 2002	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Delete exclusion term Add exclusion term	T43 Poisoning by psychotropic drugs, not elsewhere classified <i>Excludes:</i> drug dependence and related mental and behavioural disorders due to psychoactive substance use (F10-F19) <u>intoxication meaning inebriation (F10-F19)</u>	MRG (URC:0116)	October 2002	Major	January 2006
Modify excludes note	T44.5 Predominantly β-adrenoreceptor agonists, not elsewhere classified <i>Excludes:</i> salbutamol <u>β-adrenoreceptor agonists used in asthma therapy (T48.6)</u>	Australia (URC:0076)	October 2002	Major	January 2006
Add inclusion term Modify excludes note	T48.6 Antiasthmatics, not elsewhere classified <u>β-adrenoreceptor agonists used in asthma therapy</u> <i>Excludes:</i> <u>β-adrenoreceptor agonists not used in asthma therapy (T44.5)</u>	Australia (URC:0076)	October 2002	Major	January 2006
Revise excludes note at category level and add includes note at code level	T56 Toxic effect of metals <i>Includes:</i> fumes and vapours of metals metals from all sources, except medicinal substances <i>Excludes:</i> arsenic and its compounds (T57.0) manganese and its compounds (T57.2) thallium (T60.4) T56.8 Other metals <u>Thallium</u>	Japan (URC:1320)	October 2008	Major	January 2010
Delete inclusion term	T60.4 Rodenticides Thallium	Japan (URC:1320)	October 2008	Major	January 2010
Modify exclusion terms	T71 Asphyxiation Suffocation (by strangulation) Systemic oxygen deficiency due to: • low oxygen content in ambient air • mechanical threat to breathing <i>Excludes:</i> anoxia due to high altitude (T70.2) asphyxia from: • carbon monoxide (T58) • inhalation of food or foreign body (T17.-) • other gases, fumes and vapours (T59.-) respiratory distress (syndrome) in: • <u>distress</u> • <u>syndrome in adult (J80)</u>	Netherlands (URC:1086)	October 2006	Minor	January 2008

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	<ul style="list-style-type: none"> • <u>in</u> newborn (P22.-) 										
Modify exclusion terms and code	<p>T79 Certain early complications of trauma, not elsewhere classified <i>Excludes:</i> complications of surgical and medical care NEC (T80–T88) respiratory distress syndrome of:</p> <ul style="list-style-type: none"> • distress • <u>syndrome of</u> adult (J80) • <u>in</u> newborn (P22.0)(P22.-) <p>when occurring during or following medical procedures (T80–T88)^[1]</p>	Netherlands (URC:1087)	October 2006	Minor	January 2008						
Revise inclusion:	<p>T80.2 Infections following infusion, transfusion and therapeutic injection</p> <table> <tr> <td>Infection</td> <td rowspan="4">} following infusion, transfusion and therapeutic injection</td> </tr> <tr> <td>Sepsis</td> </tr> <tr> <td>Septic shock</td> </tr> <tr> <td>Septicaemia</td> </tr> </table>	Infection	} following infusion, transfusion and therapeutic injection	Sepsis	Septic shock	Septicaemia	MbRG (URC:1238)	October 2007	Major	January 2010	
Infection	} following infusion, transfusion and therapeutic injection										
Sepsis											
Septic shock											
Septicaemia											
Delete inclusion and add instructional note	<p>T80.2 Infections following infusion, transfusion and therapeutic injection</p> <table> <tr> <td>Infection</td> <td>}</td> </tr> <tr> <td>Sepsis</td> <td>} following infusion, transfusion and therapeutic injection</td> </tr> <tr> <td>Septic shock</td> <td>}</td> </tr> </table> <p>Use additional code (R57.2), if desired, to identify septic shock</p>	Infection	}	Sepsis	} following infusion, transfusion and therapeutic injection	Septic shock	}	MbRG (URC:1240)	October 2008	Major	January 2010
Infection	}										
Sepsis	} following infusion, transfusion and therapeutic injection										
Septic shock	}										
Add exclusion:	<p>T81 Complications of procedures, not elsewhere classified <i>Excludes:</i> adverse effect of drug NOS (T88.7) complication following: immunization (T88.0-T88.1) infusion, transfusion and therapeutic injection (T80.-) specified complications classified elsewhere, such as: complications of prosthetic devices, implants and grafts (T82-T85) dermatitis due to drugs and medicaments (L23.3, L24.4, L25.1, L27.0-L27.1) <u>failure and rejection of transplanted organs and tissues (T86)</u> poisoning and toxic effects of drugs and chemicals (T36-T65)</p>	Germany (URC:1165)	October 2007	Minor	January 2009						

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Delete non-essential modifier and add instructional note	<p>T81.1 Shock during or resulting from a procedure, not elsewhere classified Collapse NOS } during or following a procedure Shock (endotoxic)(hypovolaemic) (septic) } Postprocedural shock NOS</p> <p>Use additional code (R57.2), if desired, to identify septic shock</p>	MbRG (URC:1240)	October 2008	Major	January 2010
Revise inclusion:	<p>T81.4 Infection following a procedure, not elsewhere classified Abscess • intra-abdominal • stitch • subphrenic • wound Sepsis Septicaemia</p> <p>} postprocedural</p>	MbRG (URC:1238)	October 2007	Major	January 2010
Add instructional note	<p>T81.4 Infection following a procedure, not elsewhere classified Abscess: • intra-abdominal • stitch } postprocedural • subphrenic • wound Sepsis Use additional code, if desired, to identify other manifestations of infection, such as sepsis or abscess.</p>	Canada (URC:1297)	October 2008	Minor	January 2010
Revise code title and delete inclusion:	<p>T82.8 Other specified complications of cardiac and vascular prosthetic devices, implants and grafts Complication Embolism Fibrosis Haemorrhage Pain Stenosis</p> <p>} due to cardiac and vascular prosthetic devices, implants and grafts</p>	Germany (URC:1144)	October 2007	Minor	January 2009

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	Thrombosis				
Revise inclusion:	T88.0 Infection following immunization Sepsis } following immunization Septicaemia }	MbRG (URC:1238)	October 2007	Major	January 2010
Revise and add text:	Sequelae of injuries, of poisoning and of other consequences of external causes (T90-T98) <i>Note:</i> These categories T90-T98 are to be used to indicate conditions in S00-S99 and T00-T88 as the cause of late effects, which are themselves classified elsewhere. The “sequelae” include those specified as such, or as late effects, and those present one year or more after the acute injury. <u>Not to be used for chronic poisoning and harmful exposure. Code these to current poisoning and harmful exposure.</u>	MRG (URC:1221)	October 2007	Minor	January 2009
Modify inclusion term	T93.1 Sequelae of fracture of femur Sequelae of injury classifiable to <u>S72.-</u>	Netherlands (URC:1088)	October 2006	Minor	January 2008
Page 1013 Replace deleted text with underlined text	Place of occurrence code The following fourth character subdivisions <u>categories</u> are provided for to be used as separate variables in addition to <u>with ICD categories</u> W00-Y34 except Y06. and Y07. to identify the place of occurrence of the external cause where relevant: <i>*Note: It was decided at the 2003 meeting in Cologne that the place of occurrence code should be separated from the three-character Chapter XX code. However for technical reasons, the actual changes will not be made an implemented until such time as an electronic version of ICD-10 is available.</i>	MRG (URC:0197)	October 2003	Major	Deferred (see note*)
Page 1017 Replace deleted text with underlined text	Activity code The following subclassification <u>categories</u> is are provided for optional to be used in a supplementary character position with <u>as separate variables in addition to ICD categories</u> V01-Y34 to indicate the activity of the injured person at the time the event occurred. This subclassification <u>supplementary classification</u> should not be confused with, or be used instead of, the recommended fourth character subdivisions <u>categories</u> provided to indicate the place of occurrence of events classifiable to W00-Y34. <i>*Note: It was decided at the 2003 meeting in Cologne that the activity code</i>	MRG (URC:0197)	October 2003	Major	Deferred (see note*)

	<i>should be separated from the three-character Chapter XX code. However for technical reasons, the actual changes will not be made an implemented until such time as an electronic version of ICD-10 is available.</i>				
Add text (p.1018)	<p>CHAPTER XX</p> <hr/> <p><u>Accidents</u> (V01-X59)</p> <p>Transport accidents (V01-V99)</p> <p><i>Note:</i> This section is structured in 12 groups. Those relating to land transport accidents (V01-V89) reflect the victim's mode of transport and are subdivided to identify the victim's "counterpart" or the type of event. The vehicle of which the injured person is an occupant is identified in the first two characters since it is seen as the most important factor to identify for prevention purposes.</p>	Germany (URC:0218)	October 2004	Minor	January 2006
Page 1018 Add exclusion terms	<p>Transport accidents (V01-V99)</p> <p><i>Note:</i> This section is structured in 12 groups. Those relating to land transport accidents (V01-V89) reflect the victim's mode of transport and are subdivided to identify the victim's "counterpart" or the type of event. The vehicle of which the injured person is an occupant is identified in the first two characters since it is seen as the most important factor to identify for prevention purposes.</p> <p><i>Excludes:</i> <u>accidents to persons engaged in the maintenance or repair of transport equipment or vehicle not in motion not on a public highway</u> (W00-X59)</p> <p>assault by crashing of motor vehicle (Y03.-) event of undetermined intent (Y32-Y33) intentional self-harm (X82-X83) transport accidents due to cataclysm (X34-X38)</p>	MRG (URC:0153)	October 2003	Minor	January 2005

<p>Revise wording</p> <p>Add text to excludes note</p>	<p>Transport accidents (V01-V99)</p> <p><i>Note:</i> This section is structured in 12 groups. Those relating to land transport accidents (V01-V89) reflect the victim’s mode of transport and are subdivided to identify the victim’s “counterpart” or the type of event. The vehicle of which the injured person is an occupant is identified in the first two characters since it is seen as the most important factor to identify for prevention purposes.</p> <p><i>Excludes:</i> accidents to persons engaged in the maintenance or repair of transport equipment or vehicle (not in motion) not on a public highway unless injured by another vehicle in motion (W00-X59) <u>accidents involving vehicles, but unrelated to the hazards associated with the means of transportation [e.g., injuries received in a fight on board ship; transport vehicle involved in a cataclysm; finger crushed when shutting car door]</u> (W00-X59) assault by crashing of motor vehicle (Y03.-) event of undetermined intent (Y32-Y33) intentional self-harm (X82-X83) transport accidents due to cataclysm (X34-X38)</p>	<p>MRG (URC:0255)</p>	<p>October 2004</p>	<p>Minor</p>	<p>January 2006</p>
<p>Revise codes</p>	<p>Transport accidents (V01-V99)</p> <p>...</p> <p><i>Excludes:</i></p> <p>...</p> <p>event of undetermined intent (Y32 <u>Y31</u>-Y33) intentional self-harm (X82 <u>X81</u>-X83)</p>	<p>MRG (URC:0335)</p>	<p>October 2005</p>	<p>Minor</p>	<p>January 2007</p>
<p>Page 1021</p>	<p>(m) A <i>three-wheeled motor vehicle</i> is a motorized tricycle designed primarily for on-road use.</p> <p><i>Includes:</i> motor-driven tricycle motorized rickshaw</p>	<p>MRG (URC:0177)</p>	<p>October 2003</p>	<p>Minor</p>	<p>January 2005</p>

<p>Revise cross referencing</p>	<p>three-wheeled motor car</p> <p>Excludes: motorcycle with sidecar – see definition (k) special all-terrain vehicle – see definition (w)(x)</p>				
<p>Add definition</p>	<p>(n) A <i>car [automobile]</i> is a four-wheeled motor vehicle designed primarily for carrying up to 10 persons.</p> <p>Includes: minibus</p>				
<p>Revise lettering</p>	<p><u>(o)</u> A <i>motor vehicle</i> or <i>vehicle</i> may refer to various transport vehicles. <u>The local usage of the terms should be established to determine the appropriate code. If the terms are used ambiguously, use the code for “unspecified.”</u></p>				
<p>Revise cross referencing</p>	<p>(ep) A <i>pick-up truck</i> or <i>van</i> (pq) A <i>heavy transport vehicle</i> (qr) A <i>bus</i> (rs) A <i>railway train</i> or <i>railway vehicle</i> is any device, with or without cars coupled to it, designed for traffic on a railway.</p> <p>Includes: interurban: <ul style="list-style-type: none"> • electric car } (operated chiefly on its own right-of-way, • streetcar } not open to other traffic) railway train, any power [diesel] [electric] [steam]: <ul style="list-style-type: none"> • funicular • monorail or two-rail • subterranean or elevated other vehicle designed to run on a railway track</p>				
<p>Revise lettering</p>	<p>Excludes: interurban electric cars [streetcars] specified to be operating on a right-of-way that forms part of the public street or highway – see definition (st)</p>				
<p>Revise cross referencing</p>	<p>(st) A <i>streetcar</i> (tu) A <i>special vehicle mainly used on industrial premises</i> (uv) A <i>special vehicle mainly used in agriculture</i> (wv) A <i>special construction vehicle</i></p> <p>(wx) A <i>special all-terrain vehicle</i> is a motor vehicle of special design to enable it to negotiate rough or soft terrain or snow. Examples of special design are high construction, special wheels and tyres, tracks, and support on a cushion of air.</p>				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Revise cross referencing	<p>Includes: hovercraft on land or swamp snowmobile</p> <p>Excludes: hovercraft on open water – see definition (⌘y)</p> <p>(⌘y) A <i>watercraft</i></p> <p>(⌘z) An <i>aircraft</i></p>				
Page 1021 Add text	<p>(n) A <i>car [automobile]</i> is a four-wheeled motor vehicle designed primarily for carrying up to 10 persons. <u>A trailer or caravan being towed by a car is considered a part of the car.</u></p>	Australia (URC: 0214)	October 2004	Minor	January 2006
Add text	<p>(o) A motor vehicle or vehicle may refer to various transport vehicles. The local usage of the terms should be established to determine the appropriate code. If the terms are used ambiguously, use the code for ‘unspecified’. <u>A trailer or caravan being towed by a vehicle is considered a part of the vehicle</u></p>				
Add text to excludes note	<p>Falls (W00-W19)</p> <p>[See pages 1013-1017 for fourth-character subdivisions]</p> <p>Excludes: assault (Y01–Y02) fall (in)(from):</p> <ul style="list-style-type: none"> • animal (V80.-) • burning building (X00) • into fire (X00–X04, X08–X09) • into water (with drowning or submersion) (W65–W74) • machinery (in operation) (W28–W31) • <u>repeated falls not resulting from accident (R29.6)</u> • transport vehicle (V01–V99) intentional self-harm (X80–X81) 	Nordic Centre (URC:0263)	October 2004	Major	January 2006
Add instructions	<p>Falls (W00-W19)</p> <p>[See at the beginning of this chapter for fourth-character subdivisions]</p>	Germany (URC:0278)	October 2005	Minor	January 2007

	<p>Exposure to inanimate mechanical forces (W20-W49) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Exposure to animate mechanical forces (W50-W64) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Accidental drowning and submersion (W65-W74) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Other accidental threats to breathing (W75-W84) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Exposure to electric current, radiation and extreme ambient air temperature and pressure (W85-W99) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Exposure to smoke, fire and flames (X00-X09) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Contact with heat and hot substances (X10-X19) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Contact with venomous animals and plants (X20-X29) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Exposure to forces of nature (X30-X39) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Accidental poisoning by and exposure to noxious substances (X40-X49) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p>				
--	--	--	--	--	--

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	<p>Overexertion, travel and privation (X50-X57) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Accidental exposure to other and unspecified factors (X58-X59) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Intentional self-harm (X60-X84) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Assault (X85-Y09) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Event of undetermined intent (Y10-Y34) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p>				
Modify exclusion term	<p>W13 Fall from, out of or through building or structure <i>Includes:</i> fall from, out of or through:</p> <ul style="list-style-type: none"> • balcony • bridge • building • etc. etc. etc. <p><i>Excludes:</i> collapse of a building or structure (W20.-) fall or jump from burning building <u>or structure</u> (X00.-)</p>	Netherlands (URC:1089)	October 2006	Minor	January 2008
Modify excludes note	<p>W23 Caught, crushed, jammed or pinched in or between objects</p> <p>...</p> <p><i>Excludes:</i> injury caused by:</p> <ul style="list-style-type: none"> • Cutting or piercing instruments (W25-W27) • Lifting and transmission devices (W24.-) • Machinery (W28-W31) • Nonpowered hand tools (W27.-) • Transport vehicle <u>being used as a means of transportation</u> (V01-V99) <p>Struck by thrown, projected or falling object (W20.-)</p>	MRG (URC:0255)	October 2004	Minor	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Add excludes note Add new code	W27 Contact with nonpowered hand tool <i>Excludes:</i> <u>hypodermic needle (W46.-)</u> W46 Contact with hypodermic needle	UK (URC:0181)	October 2004	Major	January 2006
Add exclusion term	W45 Foreign body or object entering through skin <i>Includes:</i> edge of stiff paper nail splinter tin-can lid <i>Excludes:</i> contact with: • hand tools (nonpowered)(powered) (W27–W29) • <u>hypodermic needle (W46.-)</u> • knife, sword or dagger (W26.-) • sharp glass (W25.-) struck by objects (W20–W22)	Netherlands (URC:1090)	October 2006	Minor	January 2008
Add excludes notes	Exposure to electric current, radiation and extreme ambient air temperature and pressure (W85-W99) <i>Excludes:</i> <u>abnormal reaction to a complication of treatment, without mention of misadventure (Y84.2)</u> <u>Misadventure to patient in surgical and medical procedures (Y63.2-Y63.5)</u>	Australia (URC:0062)	October 2000	Minor	January 2003
Modify code title	X25 Contact with other specified venomous arthropods	Dutch Committee on Translation of ICD-10 (URC: 0082)	October 2002	Major	January 2006
Add codes and inclusion:	X34 Victim of earthquake <u>X34.0 Victim of cataclysmic earth movements caused by earthquake</u> <u>Includes: trapped in or injured by collapsing building or other structure</u> <u>X34.1 Victim of tsunami</u> <u>X34.8 Victim of other specified effects of earthquake</u>	MRG (URC:1016)	October 2007	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	X34.9 Victim of unspecified effect of earthquake				
Revise code	X39 Exposure to other and unspecified forces of nature <i>Includes:</i> natural radiation NOS tidal wave NOS <i>Excludes:</i> exposure NOS (<u>X59.9</u>)	MRG (URC:0201)	October 2003	Major	January 2006
Add exclusion:	X39 Exposure to other and unspecified forces of nature ... Excludes: ... exposure NOS (<u>X59.9</u>) tsunami (<u>X34.1</u>)	MRG (URC:1016)	October 2007	Major	January 2010
Add text to includes note	Accidental poisoning by and exposure to noxious substances (X40-X49) [See pages 1013-1017 for fourth-character subdivisions] <i>Includes:</i> (self-inflicted) poisoning, when not specified whether accidental or with intent to harm. <u>Follow legal rulings when available (See note _____ p1095)</u>	MRG (URC:0161)	October 2003	Minor	January 2005
Revise excludes note	X53 Lack of food <i>Includes:</i> lack of food as the cause of: <ul style="list-style-type: none"> • inanition • insufficient nourishment • starvation <i>Excludes:</i> neglect or abandonment by others (Y06.-) insufficient intake of food and water due to self neglect (R63.6) self neglect NOS (R46.8)	MRG (URC:1099)		Major	January 2010
Delete includes note Add subcategory Add	X59 Exposure to unspecified factor * <i>Includes:</i> accident NOS exposure NOS X59.0 Exposure to unspecified factor causing fracture X59.9 Exposure to unspecified factor causing other and unspecified injury	MRG (URC:0201)	October 2003	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

subcategory	<u>Includes: accident NOS exposure NOS</u>				
Add includes note	<i>*Note: It was decided at the 2003 meeting in Cologne that the place of occurrence code should be separated from the three-character Chapter XX code. However for technical reasons, the actual changes will not be made implemented until such time as an electronic version of ICD-10 is available (SeeURC:0197)</i>				
Add text to note	Event of undetermined intent (Y10-Y34) [See pages 1013-1017 for fourth-character subdivisions] <i>Note:</i> This section covers events where available information is insufficient to enable a medical or legal authority to make a distinction between accident, self-harm or assault. It includes self-inflicted injuries, but not poisoning, when not specified as accidental or with intent to harm (X40-X49). Follow legal rulings when available.	MRG (URC:0161)	October 2003	Minor	January 2005
Revise category title:	Y07 Other maltreatment syndromes	Canada (URC:1205)	October 2007	Minor	January 2009
Add includes note	Y35 Legal intervention <u>Includes: injuries inflicted by the police or other law-enforcing agents, including military on duty, in the course of arresting or attempting to arrest lawbreakers, suppressing disturbances, maintaining order, and other legal action.</u>	MRG (URC:0154)	October 2003	Minor	January 2005
Delete inclusion term Modify inclusion term Delete inclusion term	Y35.0 Legal intervention involving firearm discharge Gunshot wound Injury by: <u>Legal intervention with:</u> Shot NOS	WHO Corrigenda			January 1995
Modify inclusion term	Y35.1 Legal intervention involving explosives Injury by: <u>Legal intervention with:</u>	WHO Corrigenda			January 1995

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Modify inclusion terms	Y35.2 Legal intervention involving gas Asphyxiation by gas } Injury by tear gas } <u>due to legal intervention</u> Poisoning by gas }	WHO Corrigenda			January 1995
Modify inclusion terms	Y35.3 Legal intervention involving blunt objects Hit, stuck by: . baton } . blunt object } <u>during legal intervention</u> . stave }	WHO Corrigenda			January 1995
Modify inclusion terms	Y35.4 Legal intervention involving sharp objects Cut } Injured by bayonet } <u>during legal intervention</u> Stabbed }	WHO Corrigenda			January 1995
Delete inclusion terms Add	Y36.2 War operations involving other explosions and fragments Blast NOS Explosion (of): -NOS Add qualifier <u>during war operations</u> to all inclusion terms	WHO Corrigenda			January 1995
Modify title	Y45.8 Other analgesics <u>and</u> antipyretics and anti-inflammatory drugs	WHO Corrigenda			January 1995
Modify excludes note Add includes note	Misadventures to patients during surgical and medical care (Y60–Y69) <i>Excludes:</i> medical devices associated with adverse incidents in diagnostic and therapeutic use <u>breakdown or malfunctioning of medical device (during procedure) (after implantation) (ongoing use)</u> (Y70–Y82) surgical and medical procedures as the cause of abnormal reaction of the patient, without mention of misadventure at the time of the procedure (Y83-Y84) MEDICAL DEVICES ASSOCIATED WITH ADVERSE INCIDENTS IN DIAGNOSTIC AND THERAPEUTIC USE (Y70–Y82) <i>Includes:</i> <u>breakdown or malfunctioning of medical device (during procedure) (after implantation) (ongoing use)</u>	MRG (URC:0155)	October 2004	Minor	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

<p>Add excludes note</p> <p>Add excludes note</p>	<p><u>Excludes:</u> misadventures to patients during surgical and medical care, classifiable to Y60-Y69 (Y60-Y69) later complications following use of medical devices without mention of breakdown or malfunctioning of medical device (Y83-Y84)</p> <p>The following fourth-character subdivisions are for use with categories Y70–Y82:</p> <ul style="list-style-type: none"> .0 Diagnostic and monitoring devices .1 Therapeutic (nonsurgical) and rehabilitative devices .2 Prosthetic and other implants, materials and accessory devices .3 Surgical instruments, materials and devices (including sutures) .8 Miscellaneous devices, not elsewhere classified <p>SURGICAL AND OTHER MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF THE PATIENT, OR OF LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF THE PROCEDURE (Y83–Y84)</p> <p><u>Excludes:</u> misadventures to patients during surgical and medical care, classifiable to Y60-Y69 (Y60-69) breakdown or malfunctioning of medical device (during procedure) (after implantation) (ongoing use) (Y70-Y82)</p>				
<p>Add text:</p>	<p>Sequelae of external causes of morbidity and mortality (Y85-Y89) <i>Note:</i> Categories Y85-Y89 are to be used to indicate circumstances as the cause of death, impairment or disability from sequelae or “late effects”, which are themselves classified elsewhere. The sequelae include conditions reported as such, or occurring as “late effects” one year or more after the originating event.</p> <p><u>Not to be used for chronic poisoning and harmful exposure. Code these to current poisoning and harmful exposure.</u></p>	<p>MRG (URC:1221)</p>	<p>October 2007</p>	<p>Minor</p>	<p>January 2009</p>
<p>Add excludes note</p>	<p>Z21 Asymptomatic human immunodeficiency virus [HIV] infection status</p> <p>HIV positive NOS Excludes: contact with or exposure to human immunodeficiency virus [HIV] (Z20.6) human immunodeficiency virus [HIV] disease (B20-B24)</p>	<p>Canada (URC:1187)</p>	<p>October 2008</p>	<p>Major</p>	<p>January 2010</p>

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	human immunodeficiency virus [HIV] disease complicating pregnancy, childbirth and the puerperium (O98.7) laboratory evidence of human immunodeficiency virus [HIV] (R75)				
Add parentheses:	Z51.3 Blood transfusion (without reported diagnosis)	France (URC:1115)	October 2007	Minor	January 2009
Add inclusion note	Z52.0 Blood donor <i>Includes:</i> blood components such as lymphocytes, platelets or stem cells	Australia (URC:0111)	October 2001	Minor	January 2003
Add subcategory	Z52.6 Liver donor	Australia	October 1997		January 1999
Add subcategory	Z52.7 Heart donor	Australia	October 1997		January 1999
Add excludes note	Z58.1 Exposure to air pollution <i>Excludes:</i> tobacco smoke (Z58.7)	UK (URC:0182)	October 2004	Major	January 2006
Add new code and includes note	Z58.7 Exposure to tobacco smoke Passive smoking <i>Excludes:</i> Mental and behavioural disorders due to the use of tobacco (F17.-) Personal history of psychoactive substance abuse (Z86.4) Tobacco use (Z72.0)				
Revise code title and delete excludes notes	Persons encountering health services in other circumstances (Z70–Z76) Z74 Problems related to care-provider dependency Z74 Problems related to care-provider dependency <i>Excludes:</i> dependence on enabling machines or devices NEC (Z99.-) Z74.0 Need for assistance due to reduced mobility Bedfast Chairfast Z74.1 Need for assistance with personal care Z74.2 Need for assistance at home and no other household member able to render care Z74.3 Need for continuous supervision Z74.8 Other problems related to care-provider dependency Z74.9 Problem related to care-provider dependency, unspecified	MRG (URC:1037)	October 2006	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Revise inclusion	Z80.9 Family history of malignant neoplasm, unspecified Conditions classifiable to C80,-	MRG (URC:1066)	October 2007	Major	January 2010
Add code to inclusion	Z83.0 Family history of human immunodeficiency virus [HIV] disease Conditions classifiable to B20-B24, O98.7	Canada (URC:1187)	October 2008	Major	January 2010
Add code to inclusion:	Z83.3 Family history of diabetes mellitus Conditions classifiable to E10-E14, O24	Germany (URC:1197)	October 2007	Minor	January 2009
Revise inclusion	Z85.9 Personal history of malignant neoplasm, unspecified Conditions classifiable to C80,-	MRG (URC:1066)	October 2007	Major	January 2010
Add excludes note	Z87.8 Personal history of other specified conditions Conditions classifiable to S00-T98 <i>Excludes:</i> personal history of self harm (Z91.5)	Australia (URC:0135)	October 2003	Minor	January 2005
Add new code	<u>Z92.6 Personal history of chemotherapy for neoplastic disease</u>	Germany (URC:0252)	October 2004	Major	January 2006
Add inclusion term:	Z94.8 Other transplanted organ and tissue status Bone marrow Intestine Pancreas <u>Stem cells</u>	France (URC:1109)	October 2007	Minor	January 2010
Add new chapter	<u>Chapter XXII</u> <u>Codes for special purposes</u> <u>(U00-U99)</u>	MRG (URC:0204)	October 2003	Major	October 2003
Add text	<u>This chapter contains the following block:</u> <u>U00-U49 Provisional assignment of new diseases of uncertain etiology</u>				
Add new code range	<u>Provisional assignment of new diseases of uncertain etiology</u> <u>(U00-49)</u> <u>U04 Severe acute respiratory syndrome [SARS]</u>				
Add new category	<u>U04.9 Severe acute respiratory syndrome [SARS], unspecified</u>				
Add new code					

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

<p>Add note</p> <p>Add category, codes and code descriptions</p> <p>Add category, codes and code descriptions</p> <p>Add category</p> <p>Add note</p> <p>Add category, codes and code descriptions</p>	<p><u>Bacterial agents resistant to antibiotics (U80-U89)</u></p> <p><u>Note:</u> These categories should never be used in primary coding. They are provided for use as supplementary or additional codes when it is desired to identify the antibiotic to which a bacterial agent is resistant, in bacterial infection classified elsewhere</p> <p><u>U80 Agent resistant to penicillin and related antibiotics</u></p> <p><u>U80.0 Penicillin resistant agent</u></p> <p><u>U80.1 Methicillin resistant agent</u></p> <p><u>U80.8 Agent resistant to other penicillin-related antibiotic</u></p> <p><u>U81 Agent resistant to vancomycin and related antibiotics</u></p> <p><u>U81.0 Vancomycin resistant agent</u></p> <p><u>U81.8 Agent resistant to other vancomycin-related antibiotic</u></p> <p><u>U88 Agent resistant to multiple antibiotics</u></p> <p><u>Note:</u> This category is provided for use when a bacterial agent is resistant to two or more antibiotics but there is insufficient detail to determine which antibiotic is contributing most to the “main condition”. It should also be used for primary tabulation purposes when it is more convenient to record a single code; otherwise each specific antibiotic-resistant agent should be coded separately.</p> <p><u>U89 Agent resistant to other and unspecified antibiotics</u></p> <p><u>U89.8 Agent resistant to other single specified antibiotic</u></p> <p><u>U89.9 Agent resistant to unspecified antibiotic</u></p>	<p>Australia/ NORDIC (URC:0026)</p>	<p>October 2002</p>	<p>Major</p>	<p>January 2006</p>
--	--	---	---------------------	--------------	---------------------

Morphology of Neoplasms

Instruction	Morphology list entries	Source	Date approved	Major/Minor update	Implementation date
Add code	M8160/0 Bile duct adenoma (D13.4, <u>D13.5</u>)	WHO Corrigenda			January 1995

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Revise title and delete code:	M844-M849 Cystic, mucinous and serous neoplasms M8480/0 Mucinous adenoma M8480/3 Mucinous adenocarcinoma M8480/6 <u>Mucinous adenocarcinoma, metastatic [Pseudomyxoma peritonei] (C78.6)</u>	Australia (URC:1191)	October 2007	Minor	January 2009
Revise code	M8522/2 Intraductal carcinoma and lobular carcinoma in situ (D05.7)	WHO Corrigenda			January 1995
Revise code	M8761/1 Giant pigmented naevus NOS (D48.5)	WHO Corrigenda			January 1995
Revise code	M8773/3 Spindle cell melanoma, type A (C69.4)	WHO Corrigenda			January 1995
Revise code	M8774/3 Spindle cell melanoma, type B (C69.4)	WHO Corrigenda			January 1995
Revise code	M8930/3 Endometrial stromal sarcoma (C54.-)	WHO Corrigenda			January 1995
Revise code	M8941/3 Carcinoma in pleomorphic adenoma (C07, C08.-)	WHO Corrigenda			January 1995
Revise code	M9124/3 Kupffer cell sarcoma (C22.3)	WHO Corrigenda			January 1995
Delete code	M9141/0 Angiokeratoma (D18.0)	WHO Corrigenda			January 1995
Delete code	M9150/0 Haemangiopericytoma, benign (D18.0)	WHO Corrigenda			January 1995
Delete code	M9160/0 Angiofibroma NOS (D18.0)	WHO Corrigenda			January 1995
Delete code	M9261/3 Adamantinoma of long bones (C40.-, C41.-)	WHO Corrigenda			January 1995
Add code	M9350/1 Craniopharyngioma (D44.3, D44.4)	WHO Corrigenda			January 1995
Add code	M9590/3 Malignant lymphoma NOS (C84.5, C85.9)	WHO Corrigenda			January 1995
Add code	M9593/3 Reticulosarcoma NOS (C83.3, C83.9)	WHO Corrigenda			January 1995
Delete morphology codes	Morphology of neoplasms M959-M971 Hodgkin's and non-Hodgkin's lymphoma <i>M959 Malignant lymphomas NOS or diffuse</i> M9590/3 Malignant lymphoma NOS (C84.5, C85.9) M9591/3 Malignant lymphoma, non-Hodgkin's NOS (C84.5,	Germany (URC:1230)	October 2008	Major	January 2010

		C85.9)			
	M9592/3	Lymphosarcoma NOS (C85.0)			
	M9593/3	Reticulosarcoma NOS (C83.3, C83.9)			
	M9594/3	Microglioma (C85.7)			
	M9595/3	Malignant lymphoma, diffuse NOS (C83.5.)			
	M965-M966-	<i>Hodgkin's disease</i>			
	M9650/3	Hodgkin's disease NOS (C81.9)			
	M9652/3	Hodgkin's disease, mixed cellularity NOS (C81.2)			
	M9653/3	Hodgkin's disease, lymphocytic depletion NOS (C81.3)			
	M9654/3	Hodgkin's disease, lymphocytic depletion, diffuse fibrosis (C81.3)			
	M9655/3	Hodgkin's disease, lymphocytic depletion, reticular (C81.3)			
	M9657/3	Hodgkin's disease, lymphocytic predominance NOS (C81.0)			
	M9658/3	Hodgkin's disease, lymphocytic predominance, diffuse (C81.0)			
	M9659/3	Hodgkin's disease, lymphocytic predominance, nodular (C81.0)			
	M9660/3	Hodgkin's paraganuloma NOS (C81.7)			
	M9661/3	Hodgkin's granuloma (C81.7)			
	M9662/3	Hodgkin's sarcoma (C81.7)			
	M9663/3	Hodgkin's disease nodular sclerosis NOS (C81.1)			
	M9664/3	Hodgkin's disease, nodular sclerosis, cellular phase (C81.1)			
	M9665/3	Hodgkin's disease, nodular sclerosis, lymphocytic predominance (C81.1)			
	M9666/3	Hodgkin's disease, nodular sclerosis, mixed cellularity (C81.1)			
	M9667/3	Hodgkin's disease, nodular sclerosis, lymphocytic depletion (C81.1)			
	M967-M968-	<i>Malignant lymphoma, diffuse or NOS, specified type</i>			
	M9670/3	Malignant lymphoma, small lymphocytic NOS (C83.0)			
	M9671/3	Malignant lymphoma, lymphoplasmacytic (C83.8)			
	M9672/3	Malignant lymphoma, small cleaved cell, diffuse (C83.1)			

M9673/3	Malignant lymphoma, lymphocytic, intermediate differentiation, diffuse (C83.8)			
M9674/3	Malignant lymphoma, centrocytic (C83.8)			
M9675/3	Malignant lymphoma, mixed small and large cell, diffuse (C83.2)			
M9676/3	Malignant lymphoma, centroblastic-centrocytic, diffuse (C83.8)			
M9677/3	Malignant lymphomatous polyposis (C83.8)			
M9680/3	Malignant lymphoma, large cell, diffuse NOS (C83.3)			
M9681/3	Malignant lymphoma, large cell, cleaved, diffuse (C83.3)			
M9682/3	Malignant lymphoma, large cell, noncleaved, diffuse (C83.3)			
M9683/3	Malignant lymphoma, centroblastic, diffuse (C83.8)			
M9684/3	Malignant lymphoma, immunoblastic NOS (C83.4)			
M9685/3	Malignant lymphoma, lymphoblastic (C83.5)			
M9686/3	Malignant lymphoma, small cell, noncleaved, diffuse (C83.0, C83.6)			
M9687/3	Burkitt's lymphoma NOS (C83.7)			
M969	Malignant lymphoma, follicular or nodular, with or without diffuse areas			
M9690/3	Malignant lymphoma, follicular NOS (C82.9)			
M9691/3	Malignant lymphoma, mixed small cleaved and large cell, follicular (C82.1)			
M9692/3	Malignant lymphoma, centroblastic-centrocytic, follicular (C82.8)			
M9693/3	Malignant lymphoma, lymphocytic, well differentiated, nodular (C82.8)			
M9694/3	Malignant lymphoma, lymphocytic, intermediate differentiation, nodular (C82.8)			
M9695/3	Malignant lymphoma, small cleaved cell, follicular (C82.0)			
M9696/3	Malignant lymphoma, lymphocytic, poorly differentiated, nodular (C82.8)			
M9697/3	Malignant lymphoma, centroblastic, follicular (C82.8)			
M9698/3	Malignant lymphoma, large cell, follicular NOS (C82.2)			

M970	<i>Specified cutaneous and peripheral T-cell lymphomas</i>				
M9700/3	Mycosis fungoides (C84.0)				
M9701/3	Sézary's disease (C84.1)				
M9702/3	Peripheral T-cell lymphoma NOS (C84.4)				
M9703/3	T-zone lymphoma (C84.2)				
M9704/3	Lymphoepithelioid lymphoma (C84.3)				
M9705/3	Peripheral T-cell lymphoma, ALD (angioimmunoblastic lymphadenopathy with dysproteinaemia) (C84.4)				
M9706/3	Peripheral T-cell lymphoma, pleomorphic small cell (C84.4)				
M9707/3	Peripheral T-cell lymphoma, pleomorphic medium and large cell (C84.4)				
M9709/3	Cutaneous lymphoma (C84.5)				
M971	<i>Other specified non-Hodgkin's lymphomas</i>				
M9711/3	Monoeyctoid B-cell lymphoma (C85.7)				
M9712/3	Angioendotheliomatosis (C85.7)				
M9713/3	Angiocentric T-cell lymphoma (C85.7)				
M9714/3	Large cell (Ki-1+) lymphoma (C85.7)				
M972	<i>Other lymphoreticular neoplasms</i>				
M9720/3	Malignant histiocytosis (C96.1)				
M9722/3	Letterer-Siwe disease (C96.0)				
M9723/3	True histiocytic lymphoma (C96.3)				
M973	<i>Plasma-cell tumours</i>				
M9731/3	Plasmacytoma NOS (C90.2)				
M9732/3	Multiple myeloma (C90.0)				
M974	<i>Mast-cell tumours</i>				
M9740/1	Mastocytoma NOS (D47.0)				
M9740/3	Mast cell sarcoma (C96.2)				
M9741/3	Malignant mastocytosis (C96.2)				
M976	<i>Immunoproliferative diseases</i>				
M9760/3	Immunoproliferative disease NOS (C88.9)				

M9761/3	Waldenström's macroglobulinaemia (C88.0)			
M9762/3	Alpha heavy chain disease (C88.1.3)			
M9763/3	Gamma heavy chain disease (C88.2)			
M9764/3	Immunoproliferative small intestinal disease (C88.3)			
M9765/4	<u>Monoclonal gammopathy of undetermined significance (MGUS) (D47.2)</u>			
M9766/4	Angiocentric immunoproliferative lesion (D47.7 C83.8)			
M9767/4	Angioimmunoblastic lymphadenopathy (D47.7 C86.5)			
M9768/4	T-gamma lymphoproliferative disease (D47.7.9)			
M980-M994 — Leukaemias				
M980	<i>Leukaemias NOS</i>			
M9800/3	Leukaemia NOS (C95.9)			
M9801/3	Acute leukaemia NOS (C95.0)			
M9802/3	Subacute leukaemia NOS (C95.2)			
M9803/3	Chronic leukaemia NOS (C95.1)			
M9804/3	Aleukaemic leukaemia NOS (C95.7)			
M982	<i>Lymphoid leukaemias</i>			
M9820/3	Lymphoid leukaemia NOS (C91.9)			
M9821/3	Acute lymphoblastic leukaemia NOS (C91.0)			
M9822/3	Subacute lymphoid leukaemia (C91.2)			
M9823/3	Chronic lymphocytic leukaemia (C91.1)			
M9824/3	Aleukaemic lymphoid leukaemia (C91.7)			
M9825/3	Prolymphocytic leukaemia (C91.3)			
M9826/3	Burkitt's cell leukaemia (C91.7)			
M9827/3	Adult T-cell leukaemia/lymphoma (C91.5)			
M983	<i>Plasma cell leukaemia</i>			
M9830/3	Plasma cell leukaemia (C90.1)			
M984	<i>Erythroleukaemias</i>			
M9840/3	Erythroleukaemia (C94.0)			
M9841/3	Acute erythraemia (C94.0)			

M9842/3	<i>Chronic erythraemia (C94.0)</i>				
M985	<i>Lymphosarcoma-cell leukaemia</i>				
M9850/3	<i>Lymphosarcoma-cell leukaemia (C94.7)</i>				
M986	<i>Myeloid (granulocytic) leukaemias</i>				
M9860/3	<i>Myeloid leukaemia NOS (C92.9)</i>				
M9861/3	<i>Acute myeloid leukaemia (C92.0)</i>				
M9862/3	<i>Subacute myeloid leukaemia (C92.2)</i>				
M9863/3	<i>Chronic myeloid leukaemia (C92.1)</i>				
M9864/3	<i>Aleukaemic myeloid leukaemia (C92.7)</i>				
M9866/3	<i>Acute promyelocytic leukaemia (C92.4)</i>				
M9867/3	<i>Acute myelomonocytic leukaemia (C92.5)</i>				
M9868/3	<i>Chronic myelomonocytic leukaemia (C92.7)</i>				
M987	<i>Basophilic leukaemia</i>				
M9870/3	<i>Basophilic leukaemia (C92.)</i>				
M988	<i>Eosinophilic leukaemia</i>				
M9880/3	<i>Eosinophilic leukaemia (C92.)</i>				
M989	<i>Monocytic leukaemias</i>				
M9890/3	<i>Monocytic leukaemia NOS (C93.9)</i>				
M9891/3	<i>Acute monocytic leukaemia (C93.0)</i>				
M9892/3	<i>Subacute monocytic leukaemia (C93.2)</i>				
M9893/3	<i>Chronic monocytic leukaemia (C93.1)</i>				
M9894/3	<i>Aleukaemic monocytic leukaemia (C93.7)</i>				
M990—M994	<i>Other leukaemias</i>				
M9900/3	<i>Mast cell leukaemia (C94.3)</i>				
M9910/3	<i>Acute megakaryoblastic leukaemia (C94.2)</i>				
M9930/3	<i>Myeloid sarcoma (C92.3)</i>				
M9931/3	<i>Acute panmyelosis (C94.4)</i>				
M9932/3	<i>Acute myelofibrosis (C94.5)</i>				
M9940/3	<i>Hairy cell leukaemia (C91.4)</i>				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	<p>M9941/3 Leukaemic reticuloendotheliosis (C91.4)</p> <p>M995-M997 Miscellaneous myeloproliferative and lymphoproliferative disorders</p> <p>M9950/4 Polycythaemia vera (D45)</p> <p>M9960/4 Chronic myeloproliferative disease (D47.1)</p> <p>M9961/4 Myelofibrosis with myeloid metaplasia (D47.1)</p> <p>M9962/4 Idiopathic thrombocythaemia (D47.3)</p> <p>M9970/4 Lymphoproliferative disease NOS (D47.9)</p> <p>M995-M997 Miscellaneous myeloproliferative and lymphoproliferative disorders</p> <p>M9950/4 Polycythaemia vera (D45)</p> <p>M998 Myelodysplastic syndrome</p> <p>M9980/4 Refractory anaemia NOS (D46.4)</p> <p>M9981/4 Refractory anaemia without sideroblasts (D46.0)</p> <p>M9982/4 Refractory anaemia with sideroblasts (D46.1)</p> <p>M9983/4 Refractory anaemia with excess of blasts (D46.2)</p> <p>M9984/4 Refractory anaemia with excess of blasts with transformation (D46.3)</p> <p>M9989/4 Myelodysplastic syndrome NOS (D46.9)</p>				
Add code	M9686/3 Malignant lymphoma, small cell, noncleaved, diffuse (C83.0, <u>C83.6</u>)	WHO Corrigenda			January 1995
Revise code	M9870/3 Basophilic leukaemia (<u>C92.-</u>)	WHO Corrigenda			January 1995
Revise code	M9880/3 Eosinophilic leukaemia (<u>C92.-</u>)	WHO Corrigenda			January 1995

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

Special tabulation lists for mortality and morbidity

Instruction	Tabulation list entries	Source	Date approved	Major/Minor update	Implementation date
Revise spelling and code range	<i>Mortality tabulation list 1</i> General mortality Condensed list 1-043 Non-Hodgkin's lymphoma C82 <u>C83</u> , -C85	Germany 1230	2008	Major	January 2010
Revise range	1-066 Hypertensive diseases <u>I10-I13</u>	WHO Corrigenda			January 1995
Revise range	1-073 Influenza I10 <u>J09-J11</u>	URC (URC:0349)	October 2005	Major	October 2005
Revise range	2-052 Hypertensive diseases <u>I10-I13</u>	WHO Corrigenda			January 1995
Revise range	2-058 Influenza I10 <u>J09-J11</u>	URC (URC:0349)	October 2005	Major	October 2005
Revise range	<i>Tabulation list for morbidity</i> 168 Influenza I10 <u>J09-J11</u>	URC (URC:0349)	October 2005	Major	October 2005
Add codes	Special tabulation lists for mortality and morbidity Mortality tabulation list 1 General mortality Condensed list 1-073 Influenza <u>J09</u> J10-J11 <u>1-901 SARS U04</u> Mortality tabulation list 2 General mortality Selected list 2-058 Influenza <u>J09</u> J10-J11 <u>2-901 SARS U04</u> Mortality tabulation list 3 Infant and child mortality Condensed list <u>3-901 SARS U04</u> Mortality tabulation list infant and child mortality Selected list	Japan (URC:1045)	October 2006	Minor	January 2008

Includes proposals ratified by WHO-FIC Network at the annual meeting in Delhi, October 2008

	<p><u>4-901 SARS U04</u></p> <p>Tabulation list for morbidity 168 Influenza <u>J09</u>, J10-J11 <u>901 SARS U04</u></p>				
Add code	<p>Tabulation list for morbidity (298 causes) <i>Note:</i> These lists were adopted by the World Health Assembly in 1990 for the tabulation of data. They are described, and their use is explained, in Volume 2, the Instruction Manual.</p> <p>Tabulation list for morbidity 129 Other diseases of the nervous system G10–G13 <u>G14</u>, G21–G26, G30–G35, G36–G37, G46–G47, G60–G62</p>	Brazil (URC:1116)	October 2008	Major	January 2010

Definitions

Instruction	Tabulation list entries	Source	Date approved	Major/Minor update	Implementation date
Revise text:	<p>4. Definitions related to maternal mortality</p> <p>4.3. <i>Pregnancy related death</i> <u>Death occurring during pregnancy, childbirth and puerperium</u> A pregnancy related death <u>death occurring during pregnancy, childbirth and puerperium</u> is the death of a woman while pregnant or within 42 days of termination of pregnancy, irrespective of the cause of death (<u>obstetric and non obstetric</u>).</p>	MRG (URC: 1242)	October 2007	Minor	January 2009